

# ECL



## Eastern Coalfields Limited

(A subsidiary of Coal India Limited)

COAL HOUSE

13, R. N. MUKHERJEE ROAD

Kolkata 700001

Phone – 033-2248 6266/67/68

CIN – U10101WB1975GOI030295

Fax -033 2248 0512

Email : eclnmukherjee@yahoo.co.in

ECL/KOL/S&M/ SPOT E-AUCTION/ 143

Dated: 23.03.2017

### SUB : SPOT E -AUCTION OFFER

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD **31st March, 2017**. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

### OFFER BY ROAD MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer Qty	Reserve Price	Weighbridge Details
Kajora	MADHABPUR : : SONACHORA (R - VIII B)	6101-6400 / G4	6250	STM(-250MM)	1500	3180	Linked WB –Near Pit No-11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te , Dimension-9 M X 3M
Kajora	NABAKAJORA : : SONACHORA(R - VIII B)	6101-6400 / G4	6250	STM(-250MM)	1500	3180	Located adjacent to Nabakajora siding: Capacity 60mt Dimension 9m X 3m
Kajora	MADHABPUR OC PATCH : : LOWER KAJORA (R-VIII T)	6101-6400 / G4	6250	STM(-250MM)	1000	3180	Near Pit No-11 adjacent to CMAT PVT LTD Office Cap-60 TeDim-9M X3M.
Kunustoria	BANSRA: : ( Purandip R-VII )	5801-6100 / G5	5950	STM(-250MM)	1500	3066	NEAR Bansra Sdg, CAP: 50 TE, DIM- 9M X 3 M
Mugma	Hariajam	WGIII		STM(-250MM)	4000	2508	Linked WB-Hariajam, Capacity - 30 te, Location-Hariajam, Dimension - 24'10" x 9'10" [ Upto 10 wheeler

Mugma	KUAMARDHUBI (U/G) :: BRINDABANPUR ( B - III ) &SINGHPUR	5801-6100 / G5	5950	STM(-250MM)	3010	3066	Linked WB-Kumardhubi, Capacity- 30 te, Location-Kumardhubi, Dimension - 30'5" x 8'3" [ Upto 10 wheeler
Mugma	CHAPAPUR - II(U/G) :: KALIMATI( B -- II )	5801-6100 / G5	5950	STM(-250MM)	4160	3066	Linked WB-Hariazam, Capacity- 30 te, Location-Hariazam, Dimension -24'10" x 9'10" [ Upto 10 wheeler
Mugma	BARMURI PROJECT :: KALIMATI( B -- II )	5801-6100 / G5	5950	STM(-250MM)	4430	3066	Linked WB-BARMURI WB, Cap- 50 te, Loc-BARMURI OCP, Dim -9M x 3M, Upto 10 wheeler
Mugma	GOPINATHPUR OCPATCH : : GOPINATHPUR ( B - IV )	5801-6100 / G5	5950	STM(-250MM )	2500	3066	Linked W.B. Central pool Cap 30 TE Loc: Central pool Dim 24'6""x9'10" upto 10 Wheeler
Pandaveswar	KHOTTADIH CHP :: SAMLA SEAM OF KHOTTADIH	6401-6700 / G3	6550	<b>STM(-100MM)</b>	1500	3390	KHOTTADIH OCP WB; CAPACITY- 50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M
Pandaveswar	PANDAVESWAR :: DOBRANA ( R - V )	6101-6400 / G4	6250	STM(-250MM)	4000	3180	DALURBAND ROAD WB- NEAR DALURBAND OCP, SIDING, CAP : 40 TE
Pandaveswar	MANDERBONI :: SAMLA(R-II / III)/PUROSHOTTAMPUR( R-IV)	6101-6400 / G4	6250	STM(-250MM)	1000	3180	Manderboni WB, Location:- 5&6 pit, Cap-60 Te Dim:- 9.1M X 3 M
Salanpur	BONJEMEহারি OCP : : SALANPUR A & B (B-II & B-II I)	5801-6100 / G5	5950	STM(-250MM )	5000	3066	Linked WB-BONJEMEহারি, Capacity- 30 te, Location- Near BONJEMEহারি OFFICE, Dimension – 7.5m x 2.7

Sodepur	NARSAMUDA :: NARSAMUDA (R-X)	6101- 6400 / G4	6250	STM(- 250MM)	2000	3180	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43' X 11'
Sodepur	CHINAKURI 3 PIT :: BORACHAK(R-VIII)	6101- 6400 / G4	6250	STM(- 250MM)	1000	3180	Chinakuri Road W.B. Cap-30 Te Dim-29'5" X 9'10"
Sodepur	DHEMOMAIN :: BORACHAK (R-VIII)	6101- 6400 / G4	6250	STM(- 250MM)	750	3180	Dhemomein coal Depot Cap:-60Te 43'X11'
Sripur	NINGHA :: DISHERGARH ( R -IV )	6101- 6400 / G4	6250	STM(- 250MM)	1000	3180	Near Coal Depot of SSI Colliery; 60 Tonnes; 10 Wheeler

#### OFFER BY RAIL MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in rake)	Reserve Price	Weighbridge Details
Salanpur	SLS – I	5501- 5800 / G6	5650	STM(- 100MM)	15	2520	DALMIYA RLWAY WB, NEAR SALANPUR STATION
Kajora	UKA-I I (KK)	6401- 6700 / G3	6550	STM(- 100MM)	3	3390	Andal Railway Weigh Bridge , : 100M