

ECL/KOL/M&S/ SPOT E-AUCTION/HOD/ 415

Dated: 17.02.2020

**SUB : SPOT E -AUCTION OFFER**

FROM: HOD , ECL SALES OFFICE, KOLKATA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on **26TH OF FEBRUARY, 2020**. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

**OFFER BY ROAD MODE**

Area	Source	Colliery Code	Range/ Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price (Rs)	Weighbridge Details
Bankola	BANKOLA COLLIERY: : JAMBAD (R-VIII T&B)/ BONBAHAL (R-VII)/ R-VIIA	9331	6101-6400/ G4	6250	STM (-100 MM)	1000	4088	BANKOLA WEIGHBRIDGE No.II,CAPACITY:60 TONNES,DIMENSION ON 9MTRS X 3 MTRS, LOCATION-BANKOLA SIDING I(NEAR BANKOLA No.1 INCLINE)
Bankola	Kumardihi-A:: R-VIIA / R-VIIB	9561	6101-6400/ G4	6250	STM (-100 MM)	1000	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:0 TO 0.5 KMS
Bankola	Kumardihi-B::R-V	9562	6101-6400/ G4	6250	STM (-100 MM)	2000	4088	KUM-B ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Shankerpur:: Bonbahal (R-VII) / R-VIIA	9564	6101-6400/ G4	6250	STM (-100 MM)	1000	4088	SHANKERPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Tilboni::Jambad (R-VIII) / R-VIIA / Bonbahal (R-VII)	9563	6101-6400/ G4	6250	STM (-100 MM)	1000	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:1 TO 1.5 KMS

Kajora	MADHABPUR:: SONACHORA (R - VIII B)	9272	6101-6400/ G4	6250	STM (-250 MM)	750	4088	Linked WB -Near Pit No-11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te , Dimension-9 M X 3M
Kajora	MADHUSUDANPUR:: KAJORA (R-IX)	9258	6401-6700/ G3	6550	STM (-250 MM)	500	4268	Location:Khas Kajora Sdg near pit- 6, Capacity-60 Tonne Dim: 9M X 3M
Kunustoria	NORTH SEARSOLEOCP:: KENDA BOTTOM(R - V)	9317	6101-6400/ G4	6250	STM (-100 MM)	5000	4088	Location of W/B- Bansra Sdg. Cap- 60 Te DIM 9MX3M:
Mugma	CHAPAPUR - II(U/G) : : KALIMATI( B -- I I )	9200	5801-6100 / G5	5950	STM (-250 MM)	2000	3759	Linked WB- Hariazam, Capacity- 30 te, Location- Hariazam, Dimension -24'10" x 9'10" [ Upto 10 wheeler
Mugma	Hariajam	1135	WGIII	WGIII	STM (-250 MM)	5000	2725	Linked WB- Hariazam,Capacity- 30 te, Location- Hariazam, Dimension - 24'10" x 9'10" [ Upto 10 wheeler
Mugma	KHOODIA (U.G) : : BRINDABANPUR (B - III)	9225	5801-6100 / G5	5950	STM (-250 MM)	1500	3759	CENTRAL POOL, CAP- 30 TE, DIM- 24.6' X 9'10
Pandaveswar	KHOTTADIH CHP:: SAMLA SEAMOF KHOTTADIH	9175	6401-6700/ G3	6550	STM (-100 MM)	7000	4268	PANDAVESWAR WB; CAPACITY-60 TE LOCATION NEAR PANDAVESWAR COLLIERY, DIM 354.33" X 118.11"
Pandaveswar	MADHAIPUR:: SAMLA( R-- II & III)	9279	6101-6400/ G4	6250	STM (-250 MM)	1000	4088	Madhaipur WB, near coal depot Cap:60Te:: Dim- 9.1MX3 M
Pandaveswar	MANDERBONI:: SAMLA ( R-- II & III)/ PURUSOTTAMPUR (R-IV)	9318	6101-6400/ G4	6250	STM (-250 MM)	1500	4088	Manderboni WB, Location:- 5&6 pit, Cap-60 Te Dim:- 9.1M X 3 M
S.P.Mines	CHITRA A OC:: SAHARJORI/PATRIKA	9163	6401-6700/ G3	6550	STM (-250 MM)	32000	4268	Linked WB-Chitra,A / Chitra-B Capacity- 40 te & 60 te, resp Dimension - 9 m x 3 m
Salanpur	BONJEME HARI OCP:: SALANPUR A & B (B-II & B-III)	9186	5801-6100/ G5	5950	STM (-250 MM)	3000	3759	Linked WB- BONJEME HARI, Capacity- 30 te, Location- Near BONJEME HARI OFFICE, Dimension - 7.5m x 2.7
Salanpur	DABOR OCP:: SALANPUR'A ( B- I I )	9239	5501-5800/ G6	5650	STM (-250 MM)	8000	3493	Linked WB-DABOR COLLY, Capacity- 25 te, Location- Near -Dabor Colly
Satgram	NIMCHA:: NEGA (R-VIII) & NARAINKURI (R-VII)	9309	6101-6400/ G4	6250	STM (-250 MM)	3000	4088	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M

**OFFER BY RAIL MODE**

<b>Area</b>	<b>Source</b>	<b>Range / Grade</b>	<b>Mid GCV (Kcal/kg)</b>	<b>Size</b>	<b>Offer (in rake)</b>	<b>Reserve Price</b>	<b>Weighbridge Details</b>
Bankola	UKA IV (Bankola I)	6101-6400 / G4	6250	STM (-100MM)	15	4088	Andal Railway Weigh Bridge , : 100M
Pandaveswar	PAW-I I (PD)	6101-6400 / G4	6250	STM (-100MM)	15	4088	DALURBAND RAIL WEIGHBRIDGE; CAPACITY: 100 TE