



Eastern Coalfields Limited

(A subsidiary of Coal India Limited)

COAL HOUSE

13, R. N. MUKHERJEE ROAD

Kolkata 700001

Phone – 033-2248 6266/67/68

CIN – U10101WB1975GOI030295

Fax -033 2248 0512

Email : eclrmukherjee@yahoo.co.in

Provisional GSTIN No.of Eastern Coalfields Ltd.

ECL – JHARKHAND : 20AAACE7590E3ZX

ECL – WEST BENGAL : 19AAACE7590E1ZI

ECL/KOL/S&M/ SPOT E-AUCTION/

Dated: 20.07.2018

SUB : SPOT E -AUCTION OFFER

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on 30TH OF JULY, 2018. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

OFFER BY ROAD MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price Rs)	Weighbridge Details
Bankola	Kumardihi-A::R-VIIA / R-VIIB	6101-6400/G4	6250	STM(-100MM)	1000	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:0 TO 0.5 KMS
Bankola	Shyamsunderpur::Jambad (R-VIII T2 & T1) / Bankola (R-VII)	6101-6400/G4	6250	STM(-100MM)	3000	4088	SSPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Tilboni::Jambad (R-VIII) / R-VIIA / Bonbahal (R-VII)	6101-6400/G4	6250	STM(-100MM)	1500	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:1 TO 1.5 KMS
Kajora	CENTRAL KAJORA::LOWER KAJORA (R-VIIIT)	6401-6700/G3	6550	STM(-250MM)	2500	4268	Central Kajora Colliery Sdg. Location Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46m
Kajora	JAMBAD::KENDA (R-VI)	6401-6700/G3	6550	STM(-250MM)	5500	4268	LINKED WB-JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. - 6.13 M X 2.48 M

Kajora	KHAS KAJORA::LOWER KAJORA (R-VIII)	6401- 6700/ G3	6550	STM(- 250MM)	8000	4268	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Kajora	PARASCOLE::JAMBAD (R-VIII)	6101- 6400/ G4	6250	STM(- 250MM)	3000	4088	Located near Parascole colliery adjacent to Parascole west siding: Capacity 60mt Dimension 9mX3m
Kenda	CHORA 7/9::CHORA (R-VI)	6101- 6400/ G4	6250	STM(- 250MM)	2500	4088	CHORA 7/9 LOCATION:CHOR A 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 200 MTRS
Kenda	SANKARPUR OCP::JAMBAD (R-VIII)	6101- 6400/ G4	6250	STM(- 250MM)	2500	4088	Weigh Bridge at the entry of Mine premises.: Capacity-60 Te : Dimension - 9MX3M
Kunustoria	BANSRA: : (Purandip R-VII)	5801- 6100 / G5	5950	STM(- 250MM)	2000	3759	NEAR Bansra Sdg, CAP: 50 TE, DIM- 9M X 3 M
Kunustoria	BANSRA:: KENDA (R- VI)	6401- 6700/ G3	6550	STM(- 250MM)	5000	4268	Near Bansra Sdg, CAP: 50 Te, DIM- 9M X 3 M
Kunustoria	KUNUSTORIA::KENDA (R - V / VI)	6401- 6700/ G3	6550	STM(- 100MM)	6000	4268	Location:Kunustori a Stockyard ,Cap:- 30Te :Dim- 7.5MX3M
Kunustoria	NORTH SEARSOLEOCP::KEND A BOTTOM(R - V)	6101- 6400/ G4	6250	STM(- 100MM)	5000	4088	Location of W/B- Bansra Sdg. Cap- 60 Te DIM 9MX3M:
Pandaveswar	PANDAVESWAR::DOB RANA (R - V)	6101- 6400/ G4	6250	STM(- 250MM)	3000	4088	DALURBAND ROAD WB- NEAR DALURBAND OCP, SIDING, CAP : 40 TE
Salanpur	BONJEMEhari OCP::SALANPUR A & B (B-II & B-III)	5801- 6100/ G5	5950	STM(- 250MM)	2000	3759	Linked WB- BONJEMEhari, Capacity- 30 te, Location- Near BONJEMEhari OFFICE, Dimension - 7.5m x 2.7
Salanpur	MOHANPUR OCP::SALANPUR A& B (B-I I & B-II I)	5501- 5800 / G6	5650	STM(- 250MM)	2000	3493	MHN OCP W.B. CAP.30tes, Location MHN W.B. Office, Dim. 24"8"X10"

Satgram	J.K.NAGAR:: BOGRA(R-VI) & SATGRAM (R - V)	6101- 6400/ G4	6250	STM(- 250MM)	3500	4088	Modern Satgram Coal Depot Road WB; Location: Modern Satgram Siding. Cap- 50 Te, Dim: 9M X 3M
Satgram	NIMCHA OCP(AMKOLA)::NARAI NKURI(R-VII)	5801- 6100/ G5	5950	STM(- 100MM)	2000	3759	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Satgram	NIMCHA::NEGA(R- VIII)&NARAINKURI (R- VII)	6101- 6400/ G4	6250	STM(- 250MM)	3000	4088	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Sodepur	NARSAMUDA::NARSA MUDA (R-X)	6101- 6400/ G4	6250	STM(- 250MM)	2500	4088	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43' X 11'