

ECL/KOL/M&S/ SPOT E-AUCTION/HOD/ 421

Dated: 04.02.2019

SUB : SPOT E -AUCTION OFFER

KIND ATTEN: Mr. PROSENJIT BANERJEE, SR MANAGER/BHASKAR SAHU, SR OFFICER

TO : M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK- DP, SECTOR-V, SALT LAKE ,KOLKATA –91.

FROM: HOD , ECL SALES OFFICE, KOLKATA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on **11TH OF FEBRUARY, 2019**. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

OFFER BY ROAD MODE

Area	Source	Colliery Code	Range/ Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price (Rs)	Weighbridge Details
Bankola	Kumardihi-A::R-VIIA / R-VIIB	9561	6101-6400/ G4	6250	STM (-100MM)	1500	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:0 TO 0.5 KMS
Bankola	Kumardihi-B::R-V	9562	6101-6400/ G4	6250	STM (-100MM)	2500	4088	KUM-B ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Shankerpur::Bonbahal (R-VII)/ R-VIIA	9564	6101-6400/ G4	6250	STM (-100MM)	2500	4088	SHANKERPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Shyamsunderpur:: Jambad (R-VIII T2 & T1)/ Bankola (R-VII)	9559	6101-6400/ G4	6250	STM (-100MM)	7000	4088	SSPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS

Bankola	Tilboni:: Jambad (R-VIII) / R-VIIA/ Bonbahal (R-VII)	9563	6101-6400/ G4	6250	STM (-100MM)	1500	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:1 TO 1.5 KMS
Jhanjra	Jhanjra Project - 3 & 4 Incline :: Bonbahal (R-VII)/ R-VIIA	9324	5801-6100 / G5	5950	STM (-100MM)	2000	3759	3 & 4 Road WB; Capacity : 50 Te; Dimension: 9 x 3 mts
Kajora	MADHABPUR::SONACHORA (R - VIII B)	9272	6101-6400/ G4	6250	STM (-250MM)	750	4088	Linked WB - Near Pit No- 11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te , Dimension-9 M X 3M
Kajora	NABAKAJORA:: SONACHORA(R - VIII B)	9206	6101-6400/ G4	6250	STM (-250MM)	750	4088	Located adjacent to Nabakajora siding: Capacity 60mt Dimension 9m X 3m
Kenda	C.L. Jambad:: Jambad R-VIII	9145	6101-6400/ G4	6250	STM (-250MM)	1000	4088	Name: C L Jambad Location: Sankarpur OCP Capacity: 60 Tones Dimension: 9X3 Mtrs. Distance: 1.8 Km.
Kenda	CHORA BLOCK MINE:: BONBAHAL BOT(R-VIIA)	9208	5801-6100/ G5	5950	STM (-250MM)	1200	3759	Bonbahal OCP WB, Location : Near Bonbahal Police Out Post, Capacity : 60 Tonnes, Dimension 9x3 m
Kenda	LOWER KENDA:: DOBRANA (R - V)	9236	6101-6400/ G4	6250	STM (-250MM)	1000	4088	Location: Near Chora 7 /9 Pit;Capacity: 50 Tones;Dimention: on:9X3 Mtis.;Distance :0.8 Km.
Mugma	LAKHIMATA(U/G):: BRINDABANPUR (B-III)	9165	5801-6100 / G5	5950	STM (-250MM)	4500	3759	Linked WB- Centralpool, Cap- 30 te, Loc- Centralpool, Dim -24'6" x 9'10", Upto 10 wheeler
Pandaveswar	MADHAIPUR:: SAML(A R-- II & III)	9279	6101-6400/ G4	6250	STM (-250MM)	1000	4088	Madhaipur WB, near coal depot Cap:60Te:: Dim- 9.1MX3 M
S.P.Mines	CHITRA A OC:: SAHARJORI/ PATRIKA	9163	6401-6700/ G3	6550	STM (-250MM)	60000	4268	Linked WB- Chitra, A / Chitra-B Capacity- 40 te & 60 te, resp Dimension - 9 m x 3 m

Sodepur	DHEMOMAIN:: BORACHAK (R--VIII)	9244	6101-6400/ G4	6250	STM (-250MM)	700	4088	Dhemomein coal Depot Cap:-60Te 43'X11'
Sodepur	DHEMOMAIN:: SRIPUR(R--VI)	9245	5801-6100/ G5	5950	STM (-250MM)	700	3759	Dhemomein coal Depot Cap:-60Te 43'X11'
Sodepur	DUBESWARY:: HIJULI(R- VIII)	9218	6101-6400/ G4	6250	STM (-250MM)	1500	4088	Dubeswari Colliery Road Weighbridge; Size: 9x3m; Capacity: 30MT; Loc: Inside Dubeswari Colly. Premises
Sodepur	NARSAMUDA:: NARSAMUDA (R-X)	9128	6101-6400/ G4	6250	STM (-250MM)	2000	4088	Narsamuda Road WB Loc: Narsamuda colly Cap- 50Te 43' X 11'
Sodepur	PARBELIA:: HIJULI (R- VIII)	9266	6101-6400/ G4	6250	STM (-250MM)	2000	4088	Weigh Bridge at Parbelia Colly, Capacity- 60 TE, EPS, Dimension- 12 M X 3 M
Sripur	BHANORA WESTBLOCK MINE:: SRIPUR (R- VI)	9287	6101-6400/ G4	6250	STM (-250MM)	1000	4088	NORTH GHUSICK W.B., LOC- NORTH GHUSICK COLLY, CAP- 25 TE, SIZE- 7.42 M X 3.1 M

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited (www.coalindia.in). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

"Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.

Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction.

Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.

Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply."