



ECL/KOL/M&S/ SPOT E-AUCTION/HOD/ 263

Dated: 18.09.2019

SUB : SPOT E -AUCTION OFFER

TO : M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK-DP, SECTOR-V, SALT LAKE ,KOLKATA –91.

FROM: HOD , ECL SALES OFFICE, KOLKATA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on **26TH OF SEPTEMBER, 2019**. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

OFFER BY ROAD MODE

Area	Source	Colliery Code	Range/ Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price (Rs)	Weighbridge Details
Bankola	Kumardihi-B::R-V	9562	6101-6400/ G4	6250	STM (-100 MM)	2000	4088	KUM-B ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Shankerpur:: Bonbahal (R-VII) / R-VIIIA	9564	6101-6400/ G4	6250	STM (-100 MM)	1200	4088	SHANKERPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Shyamsunderpur:: Jambad (R-VIII T2 & T1)/ Bankola (R-VII)	9559	6101-6400/ G4	6250	STM (-100 MM)	1800	4088	SSPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Kajora	CENTRAL KAJORA:: LOWER KAJORA (R-VIIIT)	9233	6401-6700/ G3	6550	STM (-250 MM)	1500	4268	Central Kajora Colliery Sdg. Location Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46m
Kajora	JAMBAD:: KENDA (R-VI)	9178	6401-6700/ G3	6550	STM (-250 MM)	4500	4268	LINKED WB- JAMBAD NEAR 3 PIT, CAP. -25 TE, DIM. - 6.13 M X 2.48 M
Kajora	KHAS KAJORA:: LOWER KAJORA (R-VIIIT)	9257	6401-6700/ G3	6550	STM (-250 MM)	2500	4268	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M

Kajora	MADHABPUR:: SONACHORA (R - VIII B)	9272	6101-6400/ G4	6250	STM (-250 MM)	1250	4088	Linked WB -Near Pit No-11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te , Dimension-9 M X 3M
Kajora	NABAKAJORA:: SONACHORA(R - VIII B)	9206	6101-6400/ G4	6250	STM (-250 MM)	1250	4088	Located adjacent to Nabakajora siding: Capacity 60mt Dimension 9m X 3m
Kajora	PARASCOLE:: JAMBAD (R-VIII)	9181	6101-6400/ G4	6250	STM (-250 MM)	3000	4088	Located near Parascole colliery adjacent to Parascole west siding: Capacity 60mt Dimension 9mX3m
Kenda	CHORA 7/9:: CHORA (R-VI)	9332	6101-6400/ G4	6250	STM (-250 MM)	2000	4088	CHORA 7/9 LOCATION:CHOR A 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 200 MTRS
Kenda	SANKARPUR OCP:: JAMBAD (R-VIII)	9276	6101-6400/ G4	6250	STM (-250 MM)	2500	4088	Weigh Bridge at the entry of Mine premises.: Capacity-60 Te : Dimension - 9MX3M
Kunustoria	BANSRA:: KENDA (R- VI)	9277	6401-6700/ G3	6550	STM (-250 MM)	1500	4268	Near Bansra Sdg, CAP: 50 Te, DIM- 9M X 3 M
Kunustoria	KUNUSTORIA:: KENDA (R - V / VI)	9316	6401-6700/ G3	6550	STM (-100 MM)	1500	4268	Location:Kunustori a Stockyard ,Cap:- 30Te :Dim- 7.5MX3M
Mugma	Hariajam	1135	WGIII	WGIII	STM (-250 MM)	2500	2725	Linked WB- Hariazam, Capacit y- 30 te, Location- Hariazam, Dimension - 24'10" x 9'10" [Upto 10 wheeler
Pandaveswar	KHOTTADIH CHP:: SAMLAM SEAMOF KHOTTADIH	9175	6401-6700/ G3	6550	STM (-100 MM)	5000	4268	PANDAVESWAR WB; CAPACITY- 60 TE LOCATION NEAR PANDAVESWAR COLLIERY, DIM 354.33" X 118.11"
Rajmahal	RAJMAHAL OCP:: { III & II COMB, { III & II TOP, (II TOP & III BOTTOM)	9164	4301-4600/ G10	4450	STM (-250 MM)	7000	2435	Linked WB - Lalmatia, Capacity 50 Te, Location- Near lalmatia Colliery, Length - 14.3 m
Salanpur	DABOR OCP:: SALANPUR'A (B- I I)	9239	5501-5800/ G6	5650	STM (-250 MM)	5000	3493	Linked WB- DABOR COLLY, Capacity- 25 te, Location- Near - Dabor Colly
Satgram	NIMCHA:: NEGA (R-VIII) & NARAINKURI (R-VII)	9309	6101-6400/ G4	6250	STM (-250 MM)	3000	4088	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Sonepur Bazari	SONPUR BAZARI PROJ:: CHORA (R-VI)/ Dobrana (R- V)/ Chinchuria (R- IV)	9220	6101-6400/ G4	6250	STM (-250 MM)	10000	4088	SONEPUR PROJ. W.B. NEAR S. BAZARI PROJ, CAP-50 TE, DIM- 17M X 3M

OFFER BY RAIL MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in rake)	Reserve Price	Weighbridge Details
Kunustoria	CHA-II(P)	6101-6400 / G4	6250	STM(-100MM)	4	4088	SONACHARA: ; CAP-100 TES