

# ECL



## Eastern Coalfields Limited

(A subsidiary of Coal India Limited)

COAL HOUSE

13, R. N. MUKHERJEE ROAD

Kolkata 700001

Phone – 033-2248 6266/67/68

CIN – U10101WB1975GOI030295

Fax -033 2248 0512

Email : [eclrmukherjee@yahoo.co.in](mailto:eclrmukherjee@yahoo.co.in)

**GSTIN No. of Eastern Coalfields Ltd.**

ECL – JHARKHAND :

20AAACE7590E3ZX

ECL – WEST BENGAL :

19AAACE7590E1ZI

ECL/KOL/M&S/ SPOT E-AUCTION/HOD/ 19

Dated:17.04.2019

SUB : SPOT E -AUCTION OFFER

TO : M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3<sup>RD</sup> FLOOR ], TOWER-1, PLOT-V, BLOCK- DP, SECTOR-V, SALT LAKE ,KOLKATA –91.

FROM: HOD , ECL SALES OFFICE, KOLKATA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on **25TH OF APRIL, 2019**. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

### OFFER BY ROAD MODE

| Area    | Source   | Colliery Code | Range/ Grade   | Mid GCV (Kcal/ kg) | Size          | Offer Qty (MT) | Reserve Price (Rs) | Weighbridge Details  |
|---------|--|---------------|----------------|--------------------|---------------|----------------|--------------------|--|
| Jhanjra | Jhanjra Project - 3 & 4 Incline :: Bonbahal (R-VII)/ R-VIIIA | 9324          | 5801-6100 / G5 | 5950               | STM (-100 MM) | 3000           | 3759               | 3 & 4 Road WB; Capacity : 50 Te; Dimension: 9 x 3 mts                      |
| Kajora  | JAMBAD OCP::JAMBAD (R-VIII)                                  | 9256          | 6101-6400/ G4  | 6250               | STM (-250 MM) | 3000           | 4088               | Location: Moti Bazar, near Jambad OCP, Capacity-60 MT, Dimension-9 m X 3 m |
| Kajora  | JAMBAD::KENDA (R-VI)   | 9178          | 6401-6700/ G3  | 6550               | STM (-250 MM) | 6000           | 4268               | LINKED WB-JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. - 6.13 M X 2.48 M            |
| Kajora  | KHAS KAJORA::LOWER KAJORA (R-VIIIT)                          | 9257          | 6401-6700/ G3  | 6550               | STM (-250 MM) | 6500           | 4268               | Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M        |

|             |  |      |               |      |               |      |      |   |
|-------------|--|------|---------------|------|---------------|------|------|---|
| Kajora      | PARASCOLE::JAMBAD (R-VIII)                   | 9181 | 6101-6400/ G4 | 6250 | STM (-250 MM) | 3000 | 4088 | Located near Parascole colliery adjacent to Parascole west siding: Capacity 60mt Dimension 9mX3m        |
| Kenda       | C.L. Jambad::Jambad R-VIII                   | 9145 | 6101-6400/ G4 | 6250 | STM (-250 MM) | 1300 | 4088 | Name: C L Jambad Location: Sankarpur OCP Capacity: 60 Tones Dimention: 9X3 Mtrs. Distance: 1.8 Km.      |
| Kenda       | CHORA 10PIT::CHORA (R-VI)                    | 9333 | 6101-6400/ G4 | 6250 | STM (-250 MM) | 1300 | 4088 | NAME:CHORA 7/9 LOCATION:CHORA 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 2.4 KM        |
| Kenda       | CHORA 7/9::CHORA (R-VI)                      | 9332 | 6101-6400/ G4 | 6250 | STM (-250 MM) | 2500 | 4088 | CHORA 7/9 LOCATION:CHORA 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 200 MTRS           |
| Kenda       | CHORA BLOCK MINE::BONBAHAL BOT(R-VIIA)       | 9208 | 5801-6100/ G5 | 5950 | STM (-250 MM) | 1300 | 3759 | Bonbahal OCP WB, Location : Near Bonbahal Police Out Post, Capacity : 60 Tonnes, Dimension 9x3 m        |
| Kenda       | SANKARPUR OCP::JAMBAD (R-VIII)               | 9276 | 6101-6400/ G4 | 6250 | STM (-250 MM) | 4000 | 4088 | Weigh Bridge at the entry of Mine premises.: Capacity-60 Te : Dimension - 9MX3M                         |
| Kenda       | SIDULI COLLIERY::BONBAHAL (R-VII / R-VIIA)   | 9120 | 5801-6100/ G5 | 5950 | STM (-250 MM) | 2500 | 3759 | Name: Siduli Colliery Location: Sankarpur OCP Capacity: 60 Tones Dimention: 9X3 Mtrs. Distance: 1.8 Km. |
| Mugma       | LAKHIMATA(U/G) : : BRINDABANPUR ( B - III )  | 9165 | 5801-6100/ G5 | 5950 | STM (-250 MM) | 3000 | 3759 | Linked WB-Centralpool, Cap- 30 te, Loc-Centralpool, Dim -24'6" x 9'10", Upto 10 wheeler                 |
| Pandaveswar | KHOTTADIH OCP : : KENDA TOP &BOTTOM ( R- V ) | 9300 | 5801-6100/ G5 | 5950 | STM (-250 MM) | 4000 | 3759 | KHOTTADIH OCP WB; CAPACITY-50 TE LOCATION NEAR PAW-II   |

|           |   |      |                   |      |                     |           |      |   |
|-----------|---|------|-------------------|------|---------------------|-----------|------|---|
|           |   |      |                   |      |                     |           |      | AA SDG, DIM<br>9 M X 3 M  |
| S.P.Mines | CHITRA OCP::<br>COLONY                                | 9132 | 6401-<br>6700/ G3 | 6550 | STM<br>(-250<br>MM) | 3500<br>0 | 4268 | Linked WB-<br>Chitra-C<br>Capacity- 60<br>te, Location-,<br>near check<br>post,<br>Dimension 9M<br>X 3M                         |
| Salanpur  | BONJEMEHA<br>RI OCP::SALANPUR<br>A & B (B-II & B-III) | 9186 | 5801-<br>6100/ G5 | 5950 | STM<br>(-250<br>MM) | 5000      | 3759 | Linked WB-<br>BONJEMEHA<br>RI, Capacity-<br>30 te, Location-<br>Near<br>BONJEMEHA<br>RI OFFICE,<br>Dimension -<br>7.5m x 2.7    |
| Salanpur  | DABOR OCP::<br>SALANPUR'A ( B- I<br>I )               | 9239 | 5501-<br>5800/ G6 | 5650 | STM<br>(-250<br>MM) | 3000      | 3493 | Linked WB-<br>DABOR<br>COLLY,<br>Capacity- 25<br>te, Location-<br>Near -Dabor<br>Colly  |
| Satgram   | J.K.NAGAR::<br>BOGRA(R-VI) &<br>SATGRAM (R - V)       | 9310 | 6101-<br>6400/ G4 | 6250 | STM<br>(-250<br>MM) | 4000      | 4088 | Modern<br>Satgram Coal<br>Depot Road<br>WB; Location:<br>Modern<br>Satgram<br>Siding. Cap- 50<br>Te, Dim: 9M X<br>3M            |
| Satgram   | NIMCHA::NEGA(R-<br>VIII)&NARAINKURI<br>(R-VII)        | 9309 | 6101-<br>6400/ G4 | 6250 | STM<br>(-250<br>MM) | 3000      | 4088 | Nimcha Road<br>WB near<br>Nimcha<br>Colliery Siding,<br>Capacity-30 Te<br>Dimension:-<br>3M X 9M                                |
| Sodepur   | DUBESWARY::HIJU<br>LI(R- VIII)                        | 9218 | 6101-<br>6400/ G4 | 6250 | STM<br>(-250<br>MM) | 2000      | 4088 | Dubswari<br>Colliery Road<br>Weighbridge;<br>Size: 9x3m;<br>Capacity:<br>30MT; Loc:<br>Inside<br>Dubswari<br>Colly.<br>Premises |
| Sodepur   | PARBELIA::HIJULI<br>(R- VIII)                         | 9266 | 6101-<br>6400/ G4 | 6250 | STM<br>(-250<br>MM) | 2500      | 4088 | Weigh Bridge<br>at Parbelia<br>Colly,<br>Capacity- 60<br>TE, EPS,<br>Dimension- 12<br>M X 3 M                                   |

### **NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION**

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited ([www.coalindia.in](http://www.coalindia.in)). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

*“Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.*

*Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding.*

*Percentage premium will remain constant throughout lifting period of the particular spot e-auction.*

*Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.*

*Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply.”*