

ECL/KOL/M&S/ SPOT E-AUCTION/HOD/221D

Dated: 31.12.2018

SUB : SPOT E -AUCTION OFFER

KIND ATTEN: Mr. PROSENJIT BANERJEE, SR MANAGER/BHASKAR SAHU, SR OFFICER

TO : M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK- DP, SECTOR-V, SALT LAKE ,KOLKATA –91.

FROM: HOD , ECL SALES OFFICE, KOLKATA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on 7TH OF JANUARY, 2019. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

OFFER BY ROAD MODE

Area	Source	Colliery Code	Range / Grade	Mid GCV (Kcal / kg)	Size	Offer Qty (MT)	Reserve Price (Rs)	Weighbridge Details
Mugma	RAJPURAOCP:: KALIMATI (B-- II)	9290	5801-6100/ G5	5950	STM(-250MM)	2000	3759	Rajpura WB, Location-Rajpura, Capacity-25 te, Dimension-24' 3" x 9' 11
S.P.Mines	CHITRA A OC:: SAHARJORI/ PATRIKA	9163	6401-6700/ G3	6550	STM(-250MM)	45000	4268	Linked WB-Chitra,A / Chitra-B Capacity-40 te & 60 te, resp Dimension - 9 m x 3 m
S.P.Mines	CHITRA OCP:: COLONY	9132	6401-6700/ G3	6550	STM(-250MM)	35000	4268	Linked WB-Chitra-C Capacity- 60 te, Location-, near check post, Dimension 9M X 3M
Kenda	C.L. Jambad:: Jambad R-VIII	9145	6101-6400/ G4	6250	STM(-250MM)	1000	4088	Name: C L Jambad Location: Sankarpur OCP Capacity: 60 Tones Dimention: 9X3 Mtrs. Distance: 1.8 Km.
Sodepur	NARSAMUDA:: NARSAMUDA (R-X)	9128	6101-6400/ G4	6250	STM(-250MM)	1500	4088	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43' X 11'
Sodepur	DHEMOMAIN:: BORACHAK (R--VIII)	9244	6101-6400/ G4	6250	STM(-250MM)	500	4088	Dhemomein coal Depot Cap:-60Te 43'X11'
Sodepur	DHEMOMAIN:: SRIPUR(R--VI)	9245	5801-6100/ G5	5950	STM(-250MM)	500	3759	Dhemomein coal Depot Cap:-60Te 43'X11'

Jhanjra	Jhanjra Project - 3 & 4 Incline :: Bonbahal (R-VII)/ R-VIIA	9324	5801-6100 / G5	5950	STM (-100MM)	2000	3759	3 & 4 Road WB; Capacity : 50 Te; Dimension: 9 x 3 mts
Kenda	LOWER KENDA:: DOBRANA (R - V)	9236	6101-6400/ G4	6250	STM (-250MM)	1000	4088	Location: Near Chora 7 /9 Pit;Capacity: 50 Tones;Dimention:9X3 Mtis.;Distance:0.8 Km.
Pandaveswar	MADHAIPUR:: SAML(A R-- II & III)	9279	6101-6400/ G4	6250	STM (-250MM)	1000	4088	Madhaipur WB, near coal depot Cap:60Te:: Dim-9.1MX3 M
Salanpur	MOHANPUR OCP:: SALANPUR A& B (B-I I & B-II I)	9262	5501-5800 / G6	5650	STM (-250MM)	3000	3493	MHN OCP W.B. CAP.30tes, Location MHN W.B. Office, Dim. 24"8"X10"
Sodepur	DUBESWARY:: HIJULI(R- VIII)	9218	6101-6400/ G4	6250	STM (-250MM)	1000	4088	Dubeswari Colliery Road Weighbridge; Size: 9x3m; Capacity: 30MT; Loc: Inside Dubeswari Colly. Premises
Bankola	Kumardihi-A:: R-VIIA / R-VIIB	9561	6101-6400/ G4	6250	STM (-100MM)	1000	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:0 TO 0.5 KMS
Bankola	Shankerpur:: Bonbahal (R-VII) / R-VIIA	9564	6101-6400/ G4	6250	STM (-100MM)	2000	4088	SHANKERPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Tilboni:: Jambad (R-VIII) / R-VIIA / Bonbahal (R-VII)	9563	6101-6400/ G4	6250	STM (-100MM)	1000	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:1 TO 1.5 KMS
Rajmahal	RAJMAHAL OCP:: { III & II COMB, { III & II TOP, (IITOP & IIBOTTOM)	9164	4301-4600/ G10	4450	STM (-250MM)	20000	2435	Linked WB - Lalmatia, Capacity 50 Te, Location- Near lalmatia Colliery, Length - 14.3 m
Kajora	NABAKAJORA::SONACHORA (R - VIIB)	9206	6101-6400/ G4	6250	STM(-250MM)	500	4088	Located adjacent to Nabakajora siding; Capacity 60mt Dimension 9m X 3m
Pandaveswar	KHOTTADIH OCP :: KENDA TOP & BOTTOM (R- V)	9300	5801-6100 / G5	5950	STM(-250MM)	3000	3759	KHOTTADIH OCP WB; CAPACITY-50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M
Bankola	Shyamsunderpur::Jambad (R-VIII T2 & T1) / Bankola (R-VII)	9559	6101-6400/ G4	6250	STM(-100MM)	2430	4088	SSPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Kumardihi-B::R-V	9562	6101-6400/ G4	6250	STM (-100MM)	2500	4088	KUM-B ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited (www.coalindia.in). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

“Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.

Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction.

Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.

Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply.”