

ECL/KOL/S&M/ SPOT E-AUCTION/

Dated: 26.11.2018

SUB : SPOT E -AUCTION OFFER

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on 4TH OF DECEMBER, 2018. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

OFFER BY ROAD MODE

Area	Source	Colliery Code	Range/ Grade	Mid GCV (Kcal/ kg)	Size	Offer Qty (MT)	Reserve Price Rs)	Weighbridge Details
Mugma	BARMURI PROJECT :: KALIMATI(B -- II)	9227	5801-6100 / G5	5950	STM (- 250MM)	10000	3759	Linked WB-BARMURI WB, Cap- 50 te, Loc- BARMURI OCP, Dim - 9M x 3M, Upto 10 wheeler
Mugma	LAKHIMATA(U/G) :: BRINDABANPUR (B - III)	9165	5801-6100 / G5	5950	STM (- 250MM)	5000	3759	Linked WB-Centralpool, Cap- 30 te, Loc- Centralpool, Dim -24'6" x 9'10", Upto 10 wheeler
Mugma	KUAMARDHUBI (U/G) :: BRINDABANPUR (B - III) &SINGHPUR	9301	5801-6100 / G5	5950	STM (- 250MM)	2500	3759	Linked WB-Kumardhubi, Capacity- 30 te, Location- Kumardhubi, Dimension - 30'5" x 8'3" [Upto 10 wheeler
Mugma	CHAPAPUR - II(U/G) :: KALIMATI(B -- II)	9200	5801-6100 / G5	5950	STM (- 250MM)	3000	3759	Linked WB-Hariazam, Capacity- 30 te, Location- Hariazam, Dimension - 24'10" x 9'10" [Upto 10 wheeler
Mugma	KHOODIA (U.G) :: BRINDABANPUR (B - III)	9225	5801-6100 / G5	5950	STM (- 250MM)	2500	3759	CENTRAL POOL, CAP- 30 TE, DIM- 24.6' X 9'10

Mugma	RAJPURAOCP:: KALIMATI (B-- II)	9290	5801-6100/G5	5950	STM (-250MM)	1500	3759	Rajpura WB, Location- Rajpura, Capacity-25 te, Dimension- 24' 3" x 9' 11
Salanpur	DABOR OCP:: SALANPUR'A (B- II)	9239	5501-5800/G6	5650	STM (-250MM)	10000	3493	Linked WB-DABOR COLLY, Capacity- 25 te, Location-Near -Dabor Colly
S.P.Mines	CHITRA A OC:: SAHARJORI/PATRIKA	9163	6401-6700/G3	6550	STM (-250MM)	35000	4268	Linked WB-Chitra,A / Chitra-B Capacity- 40 te & 60 te, resp Dimension - 9 m x 3 m
S.P.Mines	CHITRA OCP:: COLONY	9132	6401-6700/G3	6550	STM (-250MM)	22460	4268	Linked WB-Chitra-C Capacity- 60 te, Location-, near check post, Dimension 9M X 3M
Kajora	MADHABPUR:: SONACHORA (R - VIII B)	9272	6101-6400/G4	6250	STM (-250MM)	1500	4088	Linked WB - Near Pit No-11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te , Dimension-9 M X 3M
Kajora	MADHUSUDANPUR::KAJORA (R-IX)	9258	6401-6700/G3	6550	STM (-250MM)	500	4268	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Kenda	SIDULI COLLIERY:: BONBAHAL (R-VII/ R-VIIIA)	9120	5801-6100/G5	5950	STM (-250MM)	2000	3759	Name: Siduli Colliery Location: Sankarpur OCP Capacity: 60 Tones Dimention: 9X3 Mtrs. Distance: 1.8 Km.
Kunustoria	NORTH SEARSOLEOCP:: KENDA BOTTOM (R - V)	9317	6101-6400/G4	6250	STM (-100MM)	10000	4088	Location of W/B-Bansra Sdg. Cap- 60 Te DIM 9MX3M:
Kenda	C.L. Jambad:: Jambad R-VIII	9145	6101-6400/G4	6250	STM (-250MM)	750	4088	Name: C L Jambad Location: Sankarpur OCP Capacity: 60 Tones Dimention: 9X3 Mtrs. Distance: 1.8 Km.
Satgram	NIMCHA OCP(AMKOLA):: NARAINKURI(R-VII)	9330	5801-6100/G5	5950	STM (-100MM)	4000	3759	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te

								Dimension:- 3M X 9M
Satgram	KALIDASPUR PROJ.: GHUSICK 'A'(R-IXA)	9285	6101- 6400/ G4	6250	STM (- 250MM)	1000	4088	Kalidaspur Rd W.B. Capacity - 25 TE, Loca- Kalidaspur, Dim- 20' X 8'
Sodepur	NARSAMUDA:: NARSAMUDA (R-X)	9128	6101- 6400/ G4	6250	STM (- 250MM)	2000	4088	Narsamuda Road WB Loc: Narsamuda colly Cap- 50Te 43' X 11'
Sodepur	DHEMOMAIN:: BORACHAK (R--VIII)	9244	6101- 6400/ G4	6250	STM (- 250MM)	1000	4088	Dhemomein coal Depot Cap:-60Te 43'X11'
Sodepur	CHINAKURI 3 PIT:: BORACHAK (R- VIII)	9265	6101- 6400/ G4	6250	STM (- 250MM)	1000	4088	Chinakuri Road W.B. Cap-30 Te Dim-29'5" X 9'10"
Sodepur	DHEMOMAIN:: SRIPUR(R--VI)	9245	5801- 6100/ G5	5950	STM (- 250MM)	1000	3759	Dhemomein coal Depot Cap:-60Te 43'X11'

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited (www.coalindia.in). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

"Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.

Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction.

Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.

Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply."