

EASTERN COALFIELDS LIMITED

Dt :19.02.2015

SUB : SPOT E -AUCTION OFFER

PLEASE FIND HEREWITH OFFER FOR NEXT SPOT E-AUCTION ON BEHALF OF ECL AS PER SPOT E-AUCTION SCHEME 2007 AND ITS TIME TO TIME AMENDMENT THR' CIL CIRCULARS FOR HOLDING THE AUCTION ON **26th FEBRUARY,2015**.

ROAD SPOT E-AUCTION OFFER 26. 02. 2015

Area	Source	Range / Grade	Mid GCV	Size	Quantity Offered	Reserve Price	Weighbridge Details
Sonepur Bazari	SONEPUR BAZARI PROJECT: Chora(R-VI, Dobrana (R-V), Chinchuria (R-IV)	6101- 6400 / G4	6250	STM(- 250mm)	25000	3670	SONEPUR PROJ. W.B, NEAR S. BAZARI PROJ, CAP-50 TE, DIM- 17M X 3M
SP Mines	CHITRA OCP::COLONY	6401- 6700 / G3	6550	STM(- 250mm)	20000	4070	Linked WB-Chitra- C Capacity- 60 te, Location-, near check post, Dimension -9MX3M
Kajora	JAMBAD OCP::JAMBAD (R- VIII)	6101- 6400 / G4	6250	STM(- 250mm)	15000	3670	Location: Moti Bazar, near Jambad OCP, Capacity-60 MT, Dimension-9 m X 3 m
Kajora	CENTRAL KAJORA : Lower Kajora R-VIII T	6401- 6700 / G3	6550	STM(- 250mm)	3270	4070	Central Kajora Colliery Sdg. Location Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46m

Kajora	Naba Kajora:: Sonachara (R-VIIIB)	6101- 6400 /G4	6250	STM(- 250mm)	1000	3670	Located adjacent to Nabakajora siding: Capacity 60mt Dimension 9mX3m
Kajora	Parascole ::Jambad (R-VIIIB)	6101- 6400 /G4	6250	STM(- 250mm)	2500	3670	Located near Parascole colliery adjacent to Parascole west siding: Capacity 60mt Dimension 9mX3m
Kajora	Madhusudanpur::Kajora (R-IX)	6701- 7000/G2	6850	STM(- 250mm)	2000	5050	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Sonepur Bazari	Sonepur Bazari Sector-III:: Jambad (R-VIII)	6101- 6400 / G4	6250	STM(- 250mm)	20000	3670	Linked WB-Sector-III / ML weigh Bridge, Capacity-60 teDimension-9 m X 3 m
Salanpur	DABOR OCP: : Salanpur A (B-II)	5501 – 5800 / G6	5650	STM(- 250mm)	8000	2330	Linked WB-DABOR COLLY, Capacity- 25 te, Location- Near – Dabor Colly
Pandave swar	Dalurband:Dobrana (R-VII A&B)	6101- 6400 / G4	6250	STM(- 250mm)	870	3670	DALURBAND ROAD WB- NEAR DALURBAND OCP, SIDING, CAP : 40 TE
Sripur	KALIPAHARI: : KUSHADANGA	5801- 6100 / G5	5950	STM(- 250mm)	500	2980	NORTH GHUSICK W.B., LOC-NORTH GHUSICK COLLY, CAP-25 TE, SIZE- 7.42 M X 3.1 M

Mugma	MANDMAN INCLINE: Kalimati B-II	5801- 6100 / G5	5950	STM(- 250mm)	3000	2980	Linked WB- Centralpool, Cap- 30 te, Loc- Centralpool, Dim - 24'6" x 9'10", Upto 10 wheeler
Mugma	Shampur B (UG): Gopinathpur (B-IV)	5801- 6100 / G5	5950	STM(- 250mm)	600	2980	Linked WB- Centralpool, Cap- 30 te, Loc- Centralpool, Dim - 24'6" x 9'10", Upto 10 wheeler
Mugma	Chapapur : Kalimati (B-II)	5801- 6100 / G5	5950	STM(- 250mm)	500	2980	Linked WB- Hariazam, Capacity- 30 te, Location- Hariazam, Dimension -24'10" x 9'10" [Upto 10 wheeler
Mugma	RAJPURA::KALIM ATI	5801- 6100 / G5	5950	STM(- 250mm)	1160	2980	Rajpura wb, Location- Rajpura, Capacity-25 te, Dimension-24' 3" x 9' 11
Mugma	Barmuri Project:Kalimati (B- II)	5801- 6100 / G5	5950	STM(- 250mm)	1770	2980	Linked WB- BARMURI WB, Cap- 50 te, Loc- BARMURI OCP, Dim -9M x 3M, Upto 10 wheeler

RAIL SPOT E-AUCTION OFFER FOR 26.02. 2015

Area	Source	Range / Grade	Mid GCV	Size	Quantity Offered In Rakes	Reserve Price (in Rs)	Weighbridge Details
PANDABESWAR	PAW-II (SS)	5801-6100 / G5	5950	STM(-250 mm)	15	2980	DALURBAND RAIL WEIGHBRIDGE; 100 TE
Salanpur	SLS - I	5501-5800 / G6	5650	STM (-250mm)	10	2330	DALMIYA RLWAY WB, NEAR SALANPUR STATION