

EASTERN COALFIELDS LIMITED

Dt :17.07.2015

SUB : SPOT E -AUCTION OFFER

PLEASE FIND HEREWITH OFFER FOR NEXT SPOT E-AUCTION ON BEHALF OF ECL AS PER SPOT E-AUCTION SCHEME 2007 AND ITS TIME TO TIME AMENDMENT THR' CIL CIRCULARS FOR HOLDING THE AUCTION ON **27th JULY,2015**.

ROAD SPOT E-AUCTION OFFER 27. 07. 2015

Area	Source	Range / Grade	Mid GCV	Size	Quantity Offered	Reserve Price	Weighbridge Details
Sripur	NINGHA: Dishergarh(R-IV)	6401-6700 / G3	6550	STM(-250mm)	500	4070	NEAR COAL DEPOT OF SSI COLLIERY; 60 TONNES; 10 WHEELER
Sripur	S.S.INCLINE: Sripur (R-VI)	6101-6400 / G4	6250	STM(-250mm)	1500	3670	NEAR COAL DEPOT OF SSI COLLIERY; 60 TONNES; 10 WHEELER
Sripur	Bhanora West Block Mine:Sripur(R-VI)	6101-6400 / G4	6250	STM(-250mm)	1000	3670	NORTH GHUSICK W.B., LOC- NORTH GHUSICK COLLY, CAP-25 TE, SIZE- 7.42 M X 3.1 M
Sripur	KALIPAHARI: : KUSHADANGA	5801-6100 / G5	5950	STM(-250mm)	500	2980	NORTH GHUSICK W.B., LOC- NORTH GHUSICK COLLY, CAP-25 TE, SIZE- 7.42 M X 3.1 M
Sonepur Bazari	Sonepur Bazari Project: :Chora(R-VI, Dobrana (R-V), Chinchuria (R-IV)	6101-6400 / G4	6250	STM(-250mm)	5000	3670	SONEPUR PROJ. W.B, NEAR S. BAZARI PROJ, CAP-50 TE, DIM-17M X 3M
Kajora	JAMBAD : Kenda (R-VI)	6401-6700 / G3	6550	STM(-250mm)	3000	4070	LINKED WB-JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. – 6.13 M X 2.48 M
Kajora	Parascole ::Jambad (R-VIII B)	6101-6400 /G4	6250	STM(-250mm)	2500	3670	Located near Parascole colliery adjacent to Parascole west siding: Capacity 60mt

							Dimension 9mX3m
Kajora	Naba Kajora:: Sonachara (R-VIIIB)	6101-6400 /G4	6250	STM(- 250mm)	500	3670	Located adjacent to Nabakajora siding: Capacity 60mt Dimension 9mX3m
Kajora	Khaskajora::Lower Kajora(R-VIIIT)	6401-6700 / G3	6550	STM(- 250mm)	2500	4070	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Kajora	Madhabpur:: Sonachara (R-VIIIB)	6101-6400 /G4	6250	STM(- 250mm)	500	3670	Linked WB – Near Pit No-11, adjacent to CMAT(P) Ltd's office, Capacity- 60 Te , Dimension-9 M X 3M
Satgram	Nimcha (Extension Damalia Patch::Ghusick (R- IX)	5801-6100 / G5	5950	STM(- 250mm)	1000	2980	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Mugma	MANDMAN INCLINE: Kalimati B-II	5801-6100 / G5	5950	STM(- 250mm)	2500	2980	Linked WB- Centralpool, Cap- 30 te, Loc- Centralpool, Dim -24'6" x 9'10", Upto 10 wheeler
Mugma	HARIAJAM; Brindabanpur B-III	5801-6100 /G5	5950	STM(- 250mm)	1000	2980	Linked WB- Hariazam, Capa city- 30 te, Location- Hariazam, Dimension - 24'10" x 9'10" [Upto 10 wheeler
Mugma	KUMARDHUBI (UG): Brindabanpur B-III & Singhpur	5801-6100 / G5	5950	STM(- 250mm)	3000	2980	Linked WB- Kumardhubi, Capacity- 30 te, Location- Kumardhubi, Dimension - 30'5" x 8'3" [Upto 10 wheeler
Mugma	LAKHIMATA(U/G): Brindabanpur B-III	5801-6100 / G5	5950	STM(- 250mm)	3000	2980	Linked WB- Centralpool, Cap- 30 te, Loc- Centralpool, Dim -24'6" x 9'10", Upto 10

							wheeler
Mugma	Barmuri Project:Kalimati (B-II)	5801-6100 / G5	5950	STM(- 250mm)	3000	2980	Linked WB-BARMURI WB, Cap- 50 te, Loc-BARMURI OCP, Dim -9M x 3M, Upto 10 wheeler
Mugma	KHOODIA U/G: Brindabanpur B-III	5801-6100 / G5	5950	STM(- 250mm)	2800	2980	CENTRAL POOL, CAP- 30 TE, DIM- 24.6' X 9'10"
Pandaveswar	KHOTTADIH OCP : : Kenda Top & Bottom(R-V)	5801-6100 / G5	5950	STM(- 250mm)	4000	2980	KHOTTADIH OCP WB; CAPACITY-50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M
SP Mines	CHITRA OCP::COLONY	6401-6700 / G3	6550	STM(- 250mm)	15000	4070	Linked WB-Chitra-C Capacity- 60 te, Location-, near check post, Dimension -9MX3M
S P Mines	CHITRA-A OC: :Saharjori / Patrika	6401-6700 / G3	6550	STM(- 250mm)	15000	4070	DALURBAND ROAD WB-NEAR DALURBAND OCP, SIDING, CAP : 40 TE