# **Eastern Coalfields Limited**



(A subsidiary of Coal India Limited) COAL HOUSE 13, R. N. MUKHERJEE ROAD Kolkata 700001 Phone – 033-2248 6266/67/68 CIN – U10101WB1975GOI030295 Fax -033 2248 0512 Email : <u>eclrnmukherjee@yahoo.co.in</u> **Provisional GSTIN No.of Eastern Coalfields Ltd.** ECL – JHARKHAND : 20AAACE7590E3ZX ECL – WEST BENGAL : 19AAACE7590E1ZI

ECL/KOL/S&M/ SPOT E-AUCTION/

RCT.

Dated: 24.04.2018

# SUB : SPOT E -AUCTION OFFER

### KIND ATTEN: MS. SAGARIKA BHATTACHARYA/Mr.ABHIK DAS, CLIENT RELATION MANAGER [ EMKTG]

TO: M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3<sup>RD</sup> FLOOR ], TOWER-1, PLOT-V, BLOCK- DP, SECTOR-V, SALT LAKE ,,KOLKATA –91.

FROM: HOD , ECL SALES OFFICE, KOLKATA.

PLEASE REFER TO THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on 25TH OF APRIL, 2018. IT HAS BEEN DECIDED TO REVISE THE OFFER FROM SHANKARPUR OCP OF KENDA AREA. THE REVISED OFFER IS AS FOLLOWS. ALL THE OTHER TERMS AND CONDITION SHALL REMAIN UNALTERED.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

#### Mid Offer Range Reserv GCV Weighbridge e Price Area Source Size Qty 1 (Kcal/ Details Grade (MT) Rs) kg) 1 & 2 Road WB; 5801-JHANJRA Project-1&2 STM(-Capacity: 50 Te; 6100/ 5950 4000 3759 Jhanjra Incline::R-VIIA 100MM) Dimension: 9 x 3 G5 mts 3 & 4 Road WB: Jhanira Project - 3 & 4 5801-STM(-Capacity : 50 Te; Incline :: Bonbahal (R-6100 / 5950 2000 3759 Jhanjra 100MM) Dimension: 9 x 3 VII)/ R-VIIA G5 mts LINKED WB-JAMBAD NEAR 3 6401-STM(-JAMBAD::KENDA (R-VI) 6700/ 6000 4268 PIT, CAP.-25 TE, Kajora 6550 250MM) DIM. - 6.13 M X G3 2.48 M Location:Khas 6401-KHAS Kajora Sdg near STM(-KAJORA::LOWER 6700/ 6550 6000 4268 pit-6, Capacity-60 Kajora 250MM) KAJORA (R-VIIIT) G3 Tonne Dim: 9M X ЗM

# OFFER BY ROAD MODE

| Kajora      | JAMBAD<br>OCP::JAMBAD (R-VIII)                     | 6101-<br>6400/<br>G4  | 6250 | STM(-<br>250MM)              | 3000 | 4088              | Location: Moti<br>Bazar, near<br>Jambad OCP,<br>Capacity-60 MT,<br>Dimension-9 m X 3<br>m  |
|-------------|--|-----------------------|------|------------------------------|------|-------------------|--|
| Kajora      | CENTRAL<br>KAJORA::LOWER<br>KAJORA (R-VIIIT)       | 6401-<br>6700/<br>G3  | 6550 | STM(-<br>250MM)              | 2000 | 4268              | Central Kajora<br>Colliery Sdg.<br>Location Colliery<br>Sdg CAP. 25 TE<br>Dim. 6.13mx2.46m                                       |
| Kajora      | PARASCOLE::JAMBAD<br>(R-VIII)                      | 6101-<br>6400/<br>G4  | 6250 | STM(-<br>250MM)              | 2000 | 4088              | Located near<br>Parascole colliery<br>adjacent to<br>Parascole west<br>siding: Capacity<br>60mt Dimension<br>9mX3m               |
| Kenda       | SANKARPUR<br>OCP::JAMBAD (R-VIII)                  | 6101-<br>6400/<br>G4  | 6250 | <mark>STM(-</mark><br>250MM) | 3000 | <mark>4088</mark> | Weigh Bridge at<br>the entry of Mine<br>premises.:<br>Capacity-60 Te :<br>Dimension -<br>9MX3M                                   |
| Kenda       | CHORA 7/9::CHORA<br>(R-VI)                         | 6101-<br>6400/<br>G4  | 6250 | STM(-<br>250MM)              | 3000 | 4088              | CHORA 7/9<br>LOCATION:CHOR<br>A 7/9 PIT,<br>CAPACITY:60<br>TONNES,<br>DIMENSION 9 X 3<br>MTRS, DISTANCE<br>200 MTRS              |
| Kunustoria  | KUNUSTORIA::KENDA<br>(R - V / VI)                  | 6401-<br>6700/<br>G3  | 6550 | STM(-<br>100MM)              | 6000 | 4268              | Location:Kunustori<br>a Stockyard ,Cap:-<br>30Te :Dim-<br>7.5MX3M  |
| Kunustoria  | BANSRA:: KENDA (R-<br>VI )                         | 6401-<br>6700/<br>G3  | 6550 | STM(-<br>250MM)              | 3000 | 4268              | Near Bansra Sdg,<br>CAP: 50 Te, DIM-<br>9M X 3 M   |
| Pandaveswar | PANDAVESWAR::DOB<br>RANA ( R - V )                 | 6101-<br>6400/<br>G4  | 6250 | STM(-<br>250MM)              | 4000 | 4088              | DALURBAND<br>ROAD WB- NEAR<br>DALURBAND<br>OCP, SIDING,<br>CAP : 40 TE   |
| Pandaveswar | KHOTTADIH OCP : :<br>KENDA TOP &BOTTOM<br>( R- V ) | 5801-<br>6100 /<br>G5 | 5950 | STM(-<br>250MM)              | 3000 | 3759              | KHOTTADIH OCP<br>WB; CAPACITY-50<br>TE LOCATION<br>NEAR PAW-II AA<br>SDG, DIM 9 M X 3<br>M                                       |
| Pandaveswar | MADHAIPUR OCP::<br>SAMLA( R II & III)              | 6101-<br>6400/<br>G4  | 6250 | STM(-<br>100MM)              | 3000 | 4088              | Madhaipur<br>Pandaveswar Rly<br>Sdg near<br>Pandaveswar<br>Gourbazar Rd.,<br>Electronic WB;<br>Capacity- 60MT;<br>Platform 9mx3m |
| Pandaveswar | DALURBAND<br>OCP::CHORA                            | 5801-<br>6100/<br>G5  | 5950 | STM(-<br>100MM)              | 2000 | 3759              | Location: SS<br>Siding, Capacity-<br>50Te Dim-9mX3m  |

| Satgram | J.K.NAGAR::<br>BOGRA(R-VI) &<br>SATGRAM (R - V)                                  | 6101-<br>6400/<br>G4 | 6250 | STM(-<br>250MM) | 3500  | 4088 | Modern Satgram<br>Coal Depot Road<br>WB; Location:<br>Modern Satgram<br>Siding. Cap- 50 Te,<br>Dim: 9M X 3M |
|---------|--|----------------------|------|-----------------|-------|------|---|
| Satgram | NIMCHA::NEGA(R-<br>VIII)&NARAINKURI (R-<br>VII)                                  | 6101-<br>6400/<br>G4 | 6250 | STM(-<br>250MM) | 3500  | 4088 | Nimcha Road WB<br>near Nimcha<br>Colliery Siding,<br>Capacity-30 Te<br>Dimension:- 3M X<br>9M               |
| Sodepur | NARSAMUDA::NARSA<br>MUDA (R-X)   | 6101-<br>6400/<br>G4 | 6250 | STM(-<br>250MM) | 2500  | 4088 | Narsamuda Road<br>WB Loc:<br>Narsamuda colly<br>Cap-50Te 43' X 11'  |
| Sonepur | SONPUR BAZARI<br>PROJ.:: CHORA (R-VI)/<br>Dobrana (R- V)/<br>Chinchuria ( R- IV) | 6101-<br>6400/<br>G4 | 6250 | STM(-<br>250MM) | 15000 | 4088 | SONEPUR PROJ.<br>W.B, NEAR S.<br>BAZARI PROJ,<br>CAP-50 TE, DIM-<br>17M X 3M                                |

### **OFFER BY RAIL MODE**

| Area   | Source          | Range<br>/<br>Grade   | Mid GCV<br>(Kcal/kg) Size |                 | Offer (in<br>rake) | Reserve<br>Price | Weighbridge<br>Details                    |
|--------|-----------------|-----------------------|---------------------------|-----------------|--------------------|------------------|---|
| Kajora | UKA-I I<br>(KK) | 6401-<br>6700<br>/ G3 | 6550                      | STM(-<br>100MM) | 1                  | 4268             | Andal Railway<br>Weigh Bridge ,<br>: 100M |

## Post auction activities

- Coal value and requisite documents are to be deposited within a period of 10 working days after the closing of the auction. Sale Orders / consent of Railway programme will be issued within **next** 7 days after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.
- **Documents to be submitted for booking** Successful bidders are required to submit Sale intimation letter, consumer's acceptance letter in their letter head (mentioning Inside/Outside state for coal movement), Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank ). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- If payments are made through DD, it should be drawn in favour of **'Eastern Coalfields Limited'** only. The debit advice should contain the name of the account holder and account number duly authenticated by the concerned bank.
- Primarily the documents can be submitted both at ECL, HQ, Sales dept. and Kolkata. In case of any modification, the modified documents must be submitted or reach at Kolkata Sales Office within stipulated date. In case of delay in receiving those documents for submission at ECL, HQ Sales office would not be considered to be submitted in time. In no case the bidders should use the courier services of ECL for transmitting their documents.

- All new successful bidders are required to submit Photocopy of GSTN registration certificate (duly notarized) alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL Computerised Sale Centre.
- Presently, all the coal consumers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The spot e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.
- **Exact amount to be deposited**: The sum total of EMD and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done. Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of EMD) in one instalment only.
- **Separate amount of advance**: The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately.

Further the E-Auction coal consumers are advised to deposit the advance Auction-wise Bidwise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.

- A statement showing amount to be deposited by the Successful bidders is available at Computer Centre ECL, Kolkata and ECL HQ for convenience of the bidders.
- Steam loading will be done manually / mechanically.
- Details of Bank to which the payment instruments are to be sent : State Bank of India, CAG Branch,34 J.N.Road, Kol-700 071MICR CODE NO- 700002199, Account No- 10373629858, ECL's PAN-AAACE7590E
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.

HOD, ECL, KOLKATA