

# ECL



## Eastern Coalfields Limited

(A subsidiary of Coal India Limited)

COAL HOUSE

13, R. N. MUKHERJEE ROAD

Kolkata 700001

Phone – 033-2248 6266/67/68

CIN – U10101WB1975GOI030295

Fax -033 2248 0512

Email : eclrnukherjee@yahoo.co.in

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD **29TH AUGUST, 2016**. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

### OFFER BY ROAD MODE

| Area        | Source                                       | Range / Grade  | Mid GCV (Kcal/kg) | Size        | Offer (in mts) | Reserve Price | Weighbridge Details  |
|-------------|--|----------------|-------------------|-------------|----------------|---------------|--|
| S P Mines   | CHITRA AOC : : SAHARJORI/PATRIKA             | 6401-6700 / G3 | 6550              | STM(-250MM) | 15000          | 3390          | Linked WB-Chitra,A / Chitra-B Capacity-40 te & 60 te, resp Dimension – 9 m x 3 m                   |
| Mugma       | Hariajam                                     | WGIII          |                   | STM(-250MM) | 2500           | 2508          | Linked WB-Hariajam,Capacity-30 te, Location-Hariajam, Dimension - 24'10" x 9'10" [ Upto 10 wheeler |
| Pandaveswar | DALURBAND OCP : : CHORA                      | 5801-6100 / G5 | 5950              | STM(-100MM) | 2000           | 3066          | Location: SS Siding, Capacity-50Te Dim-9mX3m   |
| Pandaveswar | KHOTTADIH OCP : : KENDA TOP &BOTTOM ( R- V ) | 5801-6100 / G5 | 5950              | STM(-100MM) | 2000           | 3066          | KHOTTADIH OCP WB; CAPACITY-50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M                        |
| Sodepur     | BEJDIH : : SRIPUR (R - V I )                 | 5501-5800 / G6 | 5650              | STM(-250MM) | 500            | 2952          | WB, at BC Incline Ranisayer, CAP:60 TE, Dimension- 40 FT X10.5 FT                                  |

|          |   |                |      |             |      |      |   |
|----------|---|----------------|------|-------------|------|------|---|
| Mugma    | LAKHIMATA(U/G) ::<br>BRINDABANPUR ( B - III )             | 5801-6100 / G5 | 5950 | STM(-250MM) | 2690 | 3066 | Linked WB-Centralpool, Cap-30 te, Loc-Centralpool, Dim - 24'6" x 9'10", Upto 10 wheeler             |
| Kajora   | MADHABPUR ::<br>SONACHORA ( R - VIII B )                  | 6101-6400 / G4 | 6250 | STM(-250MM) | 2500 | 3180 | Linked WB –Near Pit No-11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te , Dimension-9 M X 3M    |
| Kajora   | KHAS KAJORA ::<br>LOWER KAJORA ( R - VIII T )             | 6401-6700 / G3 | 6550 | STM(-250MM) | 5000 | 3390 | Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M                                 |
| Sripur   | NINGHA ::<br>DISHERGARH ( R - IV )                        | 6101-6400 / G4 | 6250 | STM(-250MM) | 600  | 3180 | Near Coal Depot of SSI Colliery; 60 Tonnes; 10 Wheeler  |
| Mugma    | BARMURI PROJECT ::<br>: KALIMATI( B -- II )               | 5801-6100 / G5 | 5950 | STM(-250MM) | 2540 | 3066 | Linked WB-BARMURI WB, Cap- 50 te, Loc-BARMURI OCP, Dim -9M x 3M, Upto 10 wheeler                    |
| Mugma    | KHOODIA (U.G) ::<br>BRINDABANPUR ( B - III )              | 5801-6100 / G5 | 5950 | STM(-250MM) | 1770 | 3066 | CENTRAL POOL, CAP- 30 TE, DIM-24.6' X 9'10  |
| Salanpur | MOHANPUR OCP ::<br>SALANPUR A& B ( B- I I & B-II I )      | 5501-5800 / G6 | 5650 | STM(-250MM) | 4380 | 2952 | MHN OCP W.B. CAP.30tes, Location MHN W.B. Office, Dim. 24"8"X10"                                    |
| Mugma    | CHAPAPUR - II(U/G) ::<br>: KALIMATI( B -- II )            | 5801-6100 / G5 | 5950 | STM(-250MM) | 2420 | 3066 | Linked WB-Hariazam, Capacity- 30 te, Location-Hariazam, Dimension -24'10" x 9'10" [ Upto 10 wheeler |
| Salanpur | BONJEME HARI OCP ::<br>: SALANPUR A& B ( B-I I & B-II I ) | 5801-6100 / G5 | 5950 | STM(-250MM) | 630  | 3066 | Linked WB-BONJEME HARI, Capacity- 30 te, Location- Near BONJEME HARI OFFICE, Dimension – 7.5m x 2.7 |

|             |  |                       |      |                 |      |      |  |
|-------------|--|-----------------------|------|-----------------|------|------|--|
| Sodepur     | DHEMOMAIN ::<br>BORACHAK (R-VIII)              | 6101-<br>6400 /<br>G4 | 6250 | STM(-<br>250MM) | 500  | 3180 | Dhemomein coal<br>Depot Cap:-60Te<br>43'X11'   |
| Kajora      | CENTRAL KAJORA ::<br>LOWER KAJORA (R-<br>VIII) | 6401-<br>6700 /<br>G3 | 6550 | STM(-<br>250MM) | 2500 | 3390 | Central Kajora<br>Colliery Sdg.<br>Location Colliery<br>Sdg CAP. 25 TE<br>Dim. 6.13mx2.46m |
| Pandaveswar | MADHAIPUR ::<br>SAMPLA(R-II / III)             | 6101-<br>6400 /<br>G4 | 6250 | STM(-<br>250MM) | 1000 | 3180 | Madhaipur WB,<br>near coal depot<br>Cap:60Te:: Dim-<br>9.1MX3 M                            |
| Kunustoria  | BANSRA: : ( Purandip<br>R-VII )                | 5801-<br>6100 /<br>G5 | 5950 | STM(-<br>250MM) | 500  | 3066 | NEAR Bansra Sdg,<br>CAP: 50 TE, DIM-<br>9M X 3 M   |

### OFFER BY RAIL MODE

| Area       | Source       | Range /<br>Grade      | Mid GCV<br>(Kcal/kg) | Size            | Offer<br>(in<br>rake) | Reserve<br>Price | Weighbridge<br>Details                    |
|------------|--------------|-----------------------|----------------------|-----------------|-----------------------|------------------|---|
| Kunustoria | CHA-II(P)    | 6101-<br>6400 /<br>G4 | 6250                 | STM(-<br>100MM) | 3                     | 3180             | SONACHARA: ;<br>CAP-100 TES               |
| Kajora     | UKA-I I (KK) | 6401-<br>6700 /<br>G3 | 6550                 | STM(-<br>100MM) | 2                     | 3390             | Andal Railway<br>Weigh Bridge , :<br>100M |

HOD, ECL, KOLKATA