



Eastern Coalfields Limited

(A subsidiary of Coal India Limited)

COAL HOUSE

13, R. N. MUKHERJEE ROAD

Kolkata 700001

Phone – 033-2248 6266/67/68

CIN – U10101WB1975GOI030295

Fax -033 2248 0512

Email : eclrmukherjee@yahoo.co.in

Provisional GSTIN No.of Eastern Coalfields Ltd.

ECL – JHARKHAND : 20AAACE7590E3ZX

ECL – WEST BENGAL : 19AAACE7590E1ZI

ECL/KOL/S&M/ SPOT E-AUCTION/

Dated: 24.04.2018

SUB : SPOT E -AUCTION OFFER

PLEASE REFER TO THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on 25TH OF APRIL, 2018. IT HAS BEEN DECIDED TO REVISE THE OFFER FROM SHANKARPUR OCP OF KENDA AREA. THE REVISED OFFER IS AS FOLLOWS. ALL THE OTHER TERMS AND CONDITION SHALL REMAIN UNALTERED.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

OFFER BY ROAD MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price (Rs)	Weighbridge Details
Jhanjra	JHANJRA Project-1&2 Incline::R-VIIA	5801-6100/ G5	5950	STM(-100MM)	4000	3759	1 & 2 Road WB; Capacity : 50 Te; Dimension: 9 x 3 mts
Jhanjra	Jhanjra Project - 3 & 4 Incline :: Bonbahal (R-VII)/ R-VIIA	5801-6100 / G5	5950	STM(-100MM)	2000	3759	3 & 4 Road WB; Capacity : 50 Te; Dimension: 9 x 3 mts
Kajora	JAMBAD::KENDA (R-VI)	6401-6700/ G3	6550	STM(-250MM)	6000	4268	LINKED WB-JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. - 6.13 M X 2.48 M
Kajora	KHAS KAJORA::LOWER KAJORA (R-VIIIT)	6401-6700/ G3	6550	STM(-250MM)	6000	4268	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Kajora	JAMBAD OCP::JAMBAD (R-VIII)	6101-6400/ G4	6250	STM(-250MM)	3000	4088	Location: Moti Bazar, near Jambad OCP, Capacity-60 MT, Dimension-9 m X 3 m

Kajora	CENTRAL KAJORA::LOWER KAJORA (R-VIII)	6401- 6700/ G3	6550	STM(- 250MM)	2000	4268	Central Kajora Colliery Sdg. Location Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46m
Kajora	PARASCOLE::JAMBAD (R-VIII)	6101- 6400/ G4	6250	STM(- 250MM)	2000	4088	Located near Parascole colliery adjacent to Parascole west siding; Capacity 60mt Dimension 9mX3m
Kenda	SANKARPUR OCP::JAMBAD (R-VIII)	6101- 6400/ G4	6250	STM(- 250MM)	3000	4088	Weigh Bridge at the entry of Mine premises.: Capacity-60 Te : Dimension - 9MX3M
Kenda	CHORA 7/9::CHORA (R-VI)	6101- 6400/ G4	6250	STM(- 250MM)	3000	4088	CHORA 7/9 LOCATION:CHOR A 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 200 MTRS
Kunustoria	KUNUSTORIA::KENDA (R - V / VI)	6401- 6700/ G3	6550	STM(- 100MM)	6000	4268	Location:Kunustori a Stockyard , Cap:- 30Te :Dim- 7.5MX3M
Kunustoria	BANSRA:: KENDA (R- VI)	6401- 6700/ G3	6550	STM(- 250MM)	3000	4268	Near Bansra Sdg, CAP: 50 Te, DIM- 9M X 3 M
Pandaveswar	PANDAVESWAR::DOB RANA (R - V)	6101- 6400/ G4	6250	STM(- 250MM)	4000	4088	DALURBAND ROAD WB- NEAR DALURBAND OCP, SIDING, CAP : 40 TE
Pandaveswar	KHOTTADIH OCP : : KENDA TOP &BOTTOM (R - V)	5801- 6100 / G5	5950	STM(- 250MM)	3000	3759	KHOTTADIH OCP WB; CAPACITY-50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M
Pandaveswar	MADHAIPUR OCP:: SAMPLA(R-- II & III)	6101- 6400/ G4	6250	STM(- 100MM)	3000	4088	Madhaipur Pandaveswar Rly Sdg near Pandaveswar Gourbazar Rd., Electronic WB; Capacity- 60MT; Platform 9mx3m
Pandaveswar	DALURBAND OCP::CHORA	5801- 6100/ G5	5950	STM(- 100MM)	2000	3759	Location: SS Siding, Capacity- 50Te Dim-9mX3m
Satgram	J.K.NAGAR:: BOGRA(R-VI) & SATGRAM (R - V)	6101- 6400/ G4	6250	STM(- 250MM)	3500	4088	Modern Satgram Coal Depot Road WB; Location: Modern Satgram Siding. Cap- 50 Te, Dim: 9M X 3M

Satgram	NIMCHA::NEGA(R-VIII)&NARAINKURI (R-VII)	6101-6400/G4	6250	STM(-250MM)	3500	4088	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Sodepur	NARSAMUDA::NARSAMUDA (R-X)	6101-6400/G4	6250	STM(-250MM)	2500	4088	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43' X 11'
Sonepur	SONPUR BAZARI PROJ::: CHORA (R-VI)/ Dobrana (R- V)/ Chinchuria (R- IV)	6101-6400/G4	6250	STM(-250MM)	15000	4088	SONEPUR PROJ. W.B, NEAR S. BAZARI PROJ, CAP-50 TE, DIM-17M X 3M

OFFER BY RAIL MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in rake)	Reserve Price	Weighbridge Details
Kajora	UKA-II (KK)	6401-6700 / G3	6550	STM(-100MM)	1	4268	Andal Railway Weigh Bridge , : 100M