

**EASTERN COALFIELDS LIMITED
COAL HOUSE, KOLKATA- 700 001**

ECL/KOL/SPOT E-AUCTION/ALLOC/APR'15/ 244

Dt :20.04..2015

ROAD SPOT E-AUCTION OFFER 27. 04. 2015

Area	Source	Range / Grade	Mid GCV	Size	Quantity Offered	Reserve Price	Weighbridge Details
Salanpur	DABOR OCP: : Salanpur A (B-II)	5501 – 5800 / G6	5650	STM(- 250mm)	5000	2330	Linked WB-DABOR COLLY, Capacity- 25 te, Location-Near – Dabor Colly
Mugma	KUMARDHUBI (UG): Brindabanpur B-III & Singhpur	5801- 6100 / G5	5950	STM(- 250mm)	4000	2980	Linked WB-Kumardhubi, Capacity- 30 te, Location-Kumardhubi, Dimension - 30'5" x 8'3" [Upto 10 wheeler
Mugma	LAKHIMATA(U/G): Brindabanpur B-III	5801- 6100 / G5	5950	STM(- 250mm)	4000	2980	Linked WB-Centralpool, Cap- 30 te, Loc-Centralpool, Dim -24'6" x 9'10", Upto 10 wheeler
Mugma	Chapapur : Kalimati (B-II)	5801- 6100 / G5	5950	STM(- 250mm)	4500	2980	Linked WB-Hariazam, Capacity- 30 te, Location-Hariazam, Dimension - 24'10" x 9'10" [Upto 10 wheeler
Mugma	Barmuri Project:Kalimati (B-II)	5801- 6100 / G5	5950	STM(- 250mm)	2680	2980	Linked WB-BARMURI WB, Cap-50 te, Loc-BARMURI OCP, Dim - 9M x 3M, Upto 10 wheeler
Sripur	NINGHA: Dishergarh(R-IV)	6401- 6700 / G3	6550	STM(- 250mm)	500	4070	NEAR COAL DEPOT OF SSI COLLIERY; 60 TONNES; 10 WHEELER

S P Mines	CHITRA-A OC: :Saharjori / Patrika	6401- 6700 / G3	6550	STM(- 250mm)	15000	4070	DALURBAN D ROAD WB- NEAR DALURBAN D OCP, SIDING, CAP : 40 TE
SP Mines	CHITRA OCP::COLONY	6401- 6700 / G3	6550	STM(- 250mm)	23130	4070	Linked WB- Chitra-C Capacity- 60 te, Location- , near check post, Dimension -9MX3M
Sodepur	BEJDIH:: SRIPUR(R-VI)	5501- 5800/ G6	5650	STM(- 250mm)	500	2330	BEJDIH WB, NEAR PATMOHNA, CAP:30 TE, DIMENSION- 7.5 M X 2.7 M
Sodepur	Narsamuda:: Narsamuda (R-X)	6101- 6400 / G4	6250	STM(- 250mm)	1500	3670	Narsamuda Road WB Loc: Narsamuda colly Cap- 50Te 43'x 11'
Sodepur	PARBELIA : : HIJULI (R-V I I I)	6101- 6400 / G4	6250	STM(- 250mm)	1000	3670	WEIGHBRID GE LOCATION- Parbelia Colly, CAPACITY- 60 TE EPS, DIENSIION- 12 M X 3 M
Kunustoria	BANSRA : : (Purandip R-VII)	5801- 6100 / G5	5950	STM(- 250mm)	1200	2980	NEAR Bansra Sdg, CAP: 50 TE, DIM- 9M X 3 M
Kunustoria	AMRASOTA INCL A & B: :Kunustoria	5801- 6100 / G5	5950	STM(- 250mm)	1600	2980	NEAR AMRASOTA INCL, CAP: 25 TE, DIM- 9M X 3 M
Pandaves war	Dalurband:Dobr ana (R-VII A&B)	6101- 6400 / G4	6250	STM(- 250mm)	2000	3670	DALURBAN D ROAD WB- NEAR DALURBAN D OCP, SIDING, CAP : 40 TE
Kajora	Khaskajora::Lo wer Kajora(R- VIIIIT)	6401- 6700 / G3	6550	STM(- 250mm)	4000	4070	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M

Kajora	Parascole ::Jambad (R- VIII B)	6101- 6400 /G4	6250	STM(- 250mm)	4000	3670	Located near Parascole colliery adjacent to Parascole west siding: Capacity 60mt Dimensio n 9mX3m
Kajora	CENTRAL KAJORA : Lower Kajora R- VIII T	6401- 6700 / G3	6550	STM(- 250mm)	3500	4070	Central Kajora Colliery Sdg. Location Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46 m
Kajora	Naba Kajora:: Sonachara (R- VIII B)	6101- 6400 /G4	6250	STM(- 250mm)	1000	3670	Located adjacent to Nabakajor a siding: Capacity 60mt Dimensio n 9mX3m
Kajora	Madhabpur:: Sonachara (R- VIII B)	6101- 6400 /G4	6250	STM(- 250mm)	1000	3670	Linked WB – Near Pit No- 11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te, Dimension-9 M X 3M
Rajmahal	RAJMAHAL OCP : Seam III, II & Comb, III & II Top, II Top & II Bottom	4901- 5200 / G8	5050	STM(- 250mm)	10610	2712	Linked WB – Lalmatia, Capacity 50 Te, Location- Near lalmatia Colliery, Length – 14.3 m

