

Area	Source	Range/Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price Rs)	Weighbridge Details
Kajora	JAMBAD :: KENDA(R-VI)	6401-6700 / G3	6550	STM(-250MM)	4500	3480	LINKED WB-JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. - 6.13 M X 2.48 M
Pandaveswar	KHOTTADIH OCP :: KENDA TOP & BOTTOM (R - V)	5801-6100 / G5	5950	STM(-250MM)	5000	3165	KHOTTADIH OCP WB; CAPACITY-50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M
Kenda	CHORA 10 PIT::CHORA (R - VI)	6101-6400 / G4	6250	STM(-250MM)	1000	3270	NAME:CHORA 7/9 LOCATION:CHORA 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 2.4 KM
Kenda	CHORA BLOCK MINE:: BONBAHAL BOT R-VIIA	5801-6100 / G5	5950	STM(-250MM)	500	3165	Bonbahal OCP WB, Location : Near Bonbahal Police Out Post, Capacity : 60 Tonnes, Dimension 9x3 m
Salanpur	BONJEMEহারি OCP : : SALANPUR A& B (B-I I & B-II I)	5801-6100 / G5	5950	STM(-250MM)	8000	3165	Linked WB-BONJEMEহারি, Capacity- 30 te, Location- Near BONJEMEহারি OFFICE, Dimension - 7.5m x 2.7
Jhanjra	Jhanjra Project - 1 & 2 Incline :: Bonbahal (R-VII)/ R-VIIA	5801-6100 / G5	5950	STM(-100MM)	4000	3165	1 & 2 Road WB; Capacity : 50 Te; Dimension: 9 x 3 mts
Kenda	CHORA 7/9 :: CHORA (R - VI)	6101-6400 / G4	6250	STM(-250MM)	1500	3270	CHORA 7/9 LOCATION:CHORA 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 200 MTRS

Satgram	NIMCHA : : NEGA(R-VIII)&NARAINKURI(R-VII)	6101-6400 / G4	6250	STM(-250MM)	3000	3270	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Kenda	SANKARPUR OCP : : JAMBAD (R-VIII)	6101-6400 / G4	6250	STM(-250MM)	10000	3270	Weigh Bridge at the entry of Mine premises.: Capacity-60 Te : Dimension - 9MX3M
Satgram	J.K.NAGAR : : BOGRA(R- VI) & SATGRAM(R - V)	6101-6400 / G4	6250	STM(-250MM)	3500	3270	Modern Satgram Coal Depot Road WB; Location: Modern Satgram Siding. Cap- 50 Te, Dim: 9M X 3M
Kajora	NABAKAJORA : : SONACHORA(R - VIII B)	6101-6400 / G4	6250	STM(-250MM)	1000	3270	Located adjacent to Nabakajora siding: Capacity 60mt Dimension 9m X 3m
Sodepur	NARSAMUDA : : NARSAMUDA (R-X)	6101-6400 / G4	6250	STM(-250MM)	2250	3270	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43' X 11'
Satgram	KALIDASPUR PROJ : : GHUSICK'A'(R-IXA)	6101-6400 / G4	6250	STM(-250MM)	500	3270	Kalidaspur Rd W.B. Capacity - 25 TE, Loca- Kalidaspur, Dim- 20' X 8'
Kajora	KHAS KAJORA : : LOWER KAJORA (R-VIIIT)	6401-6700 / G3	6550	STM(-250MM)	6000	3480	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Rajmahal	RAJMAHAL OCP : : {III & II COMB, {III & II TOP, {II TOP & {IIBOTTOM	4601-4900 / G10	4450	STM(-250MM)	20000	2280	Linked WB - Lalmatia, Capacity 50 Te, Location- Near lalmatia Colliery, Length - 14.3 m

Sodepur	DHEMOMAIN : : SRIPUR(R--VI)	5801- 6100 / G5	5950	STM(- 250MM)	750	3165	Dhemomein coal Depot Cap:-60Te 43'X11'
Kunustoria	KUNUSTORIA : : KENDA(R - V / VI)	6401- 6700 / G3	6550	STM(- 100MM)	4000	3480	Location:Kunus toria Stockyard ,Cap:-30Te :Dim-7.5MX3M

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in rake)	Reserve Price	Weighbridge Details
Kunustoria	CHA-II(P)	6101- 6400 / G4	6250	STM(- 100MM)	5	3270	SONACHARA: ; CAP-100 TES
Jhanjra	PAWI POCP-I	6101- 6400 / G4	6250	STM(- 100MM)	25	3270	PAW - I Railway Weighbridge Capacity 100 TE
Salanpur	SLS – I	5501- 5800 / G6	5650	STM(- 100MM)	30	2628	DALMIYA RLWAY WB, NEAR SALANPUR STATION