

ECL



Eastern Coalfields Limited

(A subsidiary of Coal India Limited)

COAL HOUSE

13, R. N. MUKHERJEE ROAD

Kolkata 700001

Phone – 033-2248 6266/67/68

CIN – U10101WB1975GOI030295

Fax -033 2248 0512

Email : eclnmukherjee@yahoo.co.in

ECL/KOL/S&M/ SPOT E-AUCTION/

Dated: 22.05.2017

SUB : SPOT E -AUCTION OFFER

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD **29th May, 2017**. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

OFFER BY ROAD MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer Qty	Reserve Price	Weighbridge Details
Salanpur	DABOR OCP : : SALANPUR 'A(B-- II)	5501-5800 / G6	5650	STM(-250MM)	2000	2952	Linked WB-DABOR COLLY, Capacity- 25 te, Location- Near – Dabor Colly
Kajora	MADHUSUDANPUR : : KAJORA (R-IX)	6401-6700 / G3	6550	STM(-250MM)	1500	3390	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Kajora	JAMBAD : : KENDA(R-VI)	6401-6700 / G3	6550	STM(-250MM)	5000	3390	LINKED WB-JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. – 6.13 M X 2.48 M
Kajora	MADHABPUR : : SONACHORA (R - VIII B)	6101-6400 / G4	6250	STM(-250MM)	1500	3180	Linked WB –Near Pit No-11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te , Dimension-9 M X 3M
Kajora	NABAKAJORA : : SONACHORA(R - VIII B)	6101-6400 / G4	6250	STM(-250MM)	1500	3180	Located adjacent to Nabakajora siding: Capacity 60mt Dimension 9m X 3m

Kajora	MADHABPUR OC PATCH : : LOWER KAJORA (R-VIII)	6101-6400 / G4	6250	STM(-250MM)	500	3180	Near Pit No-11 adjacent to CMAT PVT LTD Office Cap-60 TeDim-9M X3M.
Kenda	SANKARPUR OCP : : JAMBAD (R-VIII)	6101-6400 / G4	6250	STM(-250MM)	2000	3180	Weigh Bridge at the entry of Mine premises.: Capacity-60 Te : Dimension - 9MX3M
Kunustoria	BANSRA : : KENDA (R- VI)	6401-6700 / G3	6550	STM(-250MM)	5000	3390	Near Bansra Sdg, CAP: 50 Te, DIM-9M X 3 M
Kunustoria	KUNUSTORIA : : KENDA(R - V / VI)	6401-6700 / G3	6550	STM(-100MM)	4000	3390	Location:Kunustoria Stockyard ,Cap:-30Te :Dim-7.5MX3M
Kunustoria	BANSRA: : (Purandip R-VII)	5801-6100 / G5	5950	STM(-250MM)	2000	3066	NEAR Bansra Sdg, CAP: 50 TE, DIM- 9M X 3 M
Mugma	Hariajam	WGIII		STM(-250MM)	4000	2508	Linked WB-Hariajam,Capacity- 30 te, Location-Hariajam, Dimension - 24'10" x 9'10" [Upto 10 wheeler
Pandaveswar	MADHAIPUR : : SAMLA(R-II / III)	6101-6400 / G4	6250	STM(-250MM)	1200	3180	Madhaipur WB, near coal depot Cap:60Te:: Dim-9.1MX3 M
Pandaveswar	KHOTTADIH CHP : : SAMLA SEAM OF KHOTTADIH	6401-6700 / G3	6550	STM(-100MM)	2500	3390	PANDAVESWAR WB; CAPACITY-60 TE LOCATION NEAR PANDAVESWAR COLLIERY, DIM 354.33" X 118.11"
Pandaveswar	PANDAVESWAR : : DOBRANA (R - V)	6101-6400 / G4	6250	STM(-250MM)	3000	3180	DALURBAND ROAD WB- NEAR DALURBAND OCP, SIDING, CAP : 40 TE
Pandaveswar	MANDERBONI : : SAMLA(R-II / III)/PUROSHOTTAMPUR(R-IV)	6101-6400 / G4	6250	STM(-250MM)	1000	3180	Manderboni WB, Location:- 5&6 pit, Cap-60 Te Dim:- 9.1M X 3 M

S P Mines	CHITRA AOC : : SAHARJORI/PATRIKA	6401- 6700 / G3	6550	STM(- 250MM)	3500 0	3390	Linked WB- Chitra,A / Chitra-B Capacity- 40 te & 60 te, resp Dimension – 9 m x 3 m
Sodepur	NARSAMUDA : : NARSAMUDA (R-X)	6101- 6400 / G4	6250	STM(- 250MM)	3000	3180	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43' X 11'
Salanpur	GOURANGDIH OCP : : SALANPUR A& B (B-I I & B-II I)	5201- 5500 / G7	5350	STM(- 250MM)	2000	2520	GOURANGDIH OCP WB, Capacity 60 Tonnes, Location : Near Coal Dump 6, Dimension 9 x 3 mts

OFFER BY RAIL MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in rake)	Reserve Price	Weighbridge Details
Jhanjra	PAWI POCP-I	6101- 6400 / G4	6250	STM(- 100MM)	10	3180	PAW - I Railway Weighbridge Capacity 100 TE
Salanpur	SLS – I	5501- 5800 / G6	5650	STM(- 100MM)	20	2520	DALMIYA RLWAY WB, NEAR SALANPUR STATION