



Eastern Coalfields Limited

(A subsidiary of Coal India Limited)

COAL HOUSE

13, R. N. MUKHERJEE ROAD

Kolkata 700001

Phone – 033-2248 6266/67/68

CIN – U10101WB1975GOI030295

Fax -033 2248 0512

Email : eclrnukherjee@yahoo.co.in

ECL/KOL/SPOT E-AUCTION/ALLOC' /Sept'16/

Dated: 04.10.2016

SUB : SPOT E -AUCTION OFFER

OFFER BY ROAD MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in mts)	Reserve Price	Weighbridge Details
Rajmahal	RAJMAHAL OCP :: {III & II COMB, {III & II TOP, {II TOP & {IIBOTTOM	4901-5200 / G8	5050	STM(-250MM)	10000	2796	Linked WB – Lalmatia, Capacity 50 Te, Location- Near lalmatia Colliery, Length – 14.3 m
Kajora	JAMBAD :: KENDA(R-VI)	6401-6700 / G3	6550	STM(-250MM)	4500	3390	LINKED WB- JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. – 6.13 M X 2.48 M
Salanpur	DABOR OCP :: SALANPUR 'A(B-- II)	5501-5800 / G6	5650	STM(-250MM)	2000	2952	Linked WB- DABOR COLLY, Capacity- 25 te, Location- Near – Dabor Colly
Kajora	PARASCOLE :: JAMBAD(R-VIII)	6101-6400 / G4	6250	STM(-250MM)	3000	3180	Located near Parascole colliery adjacent to Parascole west siding: Capacity 60mt Dimension 9mX3m
Satgram	NIMCHA (DamaliaPatch) : : GHUSICK(R-IX)	5801-6100 / G5	5950	STM(-250MM)	2500	3066	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Kunustoria	KUNUSTORIA :: KENDA(R - V / VI)	6401-6700 / G3	6550	STM(-100MM)	3000	3390	Location:Kunustoria Stockyard ,Cap:-30Te :Dim-7.5MX3M

Satgram	NIMCHA : : NEGA(R-VIII)&NARAINKURI(R-VII)	6101-6400 / G4	6250	STM(-250MM)	3000	3180	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Satgram	J.K.NAGAR : : BOGRA(R- VI)&SATGRAM(R- V)	6101-6400 / G4	6250	STM(-250MM)	3500	3180	Modern Satgram Coal Depot Road WB; Location: Modern Satgram Siding. Cap- 50 Te, Dim: 9M X 3M
Sodepur	NARSAMUDA : : NARSAMUDA (R-X)	6101-6400 / G4	6250	STM(-250MM)	2500	3180	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43' X 11'
Sodepur	PATMOHONA PIT : : BORACHAK(R-VIII)	6101-6400 / G4	6250	STM(-250MM)	1000	3180	Location of WB:BC Incline, Cap-60 Te Dim-40ftX10.5ft
Kajora	MADHABPUR OC PATCH : : LOWER KAJORA (R-VIIT)	6101-6400 / G4	6250	STM(-250MM)	3000	3180	Near Pit No-11 adjacent to CMAT PVT LTD Office Cap-60 TeDim-9M X3M.
Sodepur	CHINAKURI 3 PIT : : BORACHAK(R-VIII)	6101-6400 / G4	6250	STM(-250MM)	1000	3180	Chinakuri Road W.B. Cap-30 Te Dim-29'5" X 9'10"
Sripur	KALIPAHARI : : KUSADANGA	5801-6100 / G5	5950	STM(-250MM)	1000	3066	NORTH GHUSICK W.B., LOC-NORTH GHUSICK COLLY, CAP-25 TE, SIZE- 7.42 M X 3.1 M
Pandaveswar	MANDERBONI : : SAMLA(R-II / III)/PUROSHOTTAMPUR(R-IV)	6101-6400 / G4	6250	STM(-250MM)	1500	3180	Manderboni WB, Location:- 5&6 pit, Cap-60 Te Dim:- 9.1M X 3 M
Sodepur	PARBELIA : : HIJULI(R-VIII)	6101-6400 / G4	6250	STM(-250MM)	750	3180	Weigh Bridge at Parbelia Colly, Capacity- 60 TE, EPS, Dimension-12 M X 3 M
Sripur	S.S.INCLINE : : SRIPUR (R- VI)	6101-6400 / G4	6250	STM(-250MM)	500	3180	Near Coal Depot of SSI Colliery; 60 Tonnes; 10 Wheeler

Pandaveswar	DALURBAND OCP :: CHORA	5801- 6100 / G5	5950	STM(- 100MM)	3000	3066	Location: SS Siding, Capacity- 50Te Dim-9mX3m
Pandaveswar	KHOTTADIH OCP :: KENDA TOP &BOTTOM (R- V)	5801- 6100 / G5	5950	STM(- 100MM)	2000	3066	KHOTTADIH OCP WB; CAPACITY- 50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M
Kajora	CENTRAL KAJORA :: LOWER KAJORA (R-VIIIT)	6401- 6700 / G3	6550	STM(- 250MM)	2500	3390	Central Kajora Colliery Sdg. Location Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46m

OFFER BY RAIL MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in rake)	Reserve Price	Weighbridge Details
Salanpur	SLS – I	5501- 5800 / G6	5650	STM(- 100MM)	20	2520	DALMIYA RLWAY WB, NEAR SALANPUR STATION