

EASTERN COALFIELDS LIMITED
COAL HOUSE, KOLKATA- 700 001

ECL/KOL/SPOT E-AUCTION/ALLOC' /JAN'16/39

Dt :20.01.2016

SUB: SPOT E -AUCTION OFFER

ROAD SPOT E-AUCTION OFFER 27. 01. 2016

Area	Source	Range / Grade	Mid GCV (Kcal/Kg)	Size	Quantity Offered (Metric Tonne)	Notified Price/ Reserve Price (Rs)	Weighbridge Details
Salanpur	DABOR OCP: : Salanpur A (B-II)	5501 – 5800 / G6	5650	STM(- 250mm)	7000	2796	Linked WB- DABOR COLLY, Capacity- 25 te, Location- Near –Dabor Colly
Kajora	CENTRAL KAJORA : Lower Kajora R-VIII T	6401-6700 / G3	6550	STM(- 250mm)	2000	4070	Central Kajora Colliery Sdg. Location Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46m
Kajora	Madhabpur:: Sonachara (R- VIII B)	6101-6400 /G4	6250	STM(- 250mm)	1500	3670	Linked WB – Near Pit No- 11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te , Dimension-9 M X 3M
Kajora	Naba Kajora:: Sonachara (R- VIII B)	6101-6400 /G4	6250	STM(- 250mm)	1500	3670	Located adjacent to Nabakajora siding: Capacity 60mt Dimension 9mX3m
Kenda	Sankarpur OCP:: Jambad	6101-6400 /		STM(-	20000		Weigh Bridge at the entry of Mine premises.:

	(R-VIII)	G4	6250	250mm)		3670	Capacity-60 Te : Dimension - 9MX3M
Sodepur	DHEMOMAIN:: SRIPUR (R--VI)	5801-6100 / G5	5950	STM(- 250mm)	1000	2980	Dhemomein coal Depot Cap:-60Te 43'X11'
Sodepur	Dhemomain;; Borachak (R- VIII)	6101-6400 / G4	6250	STM(- 250mm)	750	3670	Dhemomein coal Depot Cap:-60Te 43'X11'
Sodepur	BEJDIH:: SRIPUR(R-VI)	5501-5800/ G6	5650	STM(- 250mm)	500	2796	WB, AT BC INCLINE RANISAYER, CAP:60 TE, DIMENSION- 40 FT X10.5 FT
Sodepur	CHINAKURI-3 PIT : Borachak R-VIII	6101-6400 / G4	6250	STM(- 250mm)	1500	3670	Chinakuri Road W.B. Cap-30 Te Dim-29'5'' X 9'10''
Sodepur	Narsamuda:: Narsamuda (R- X)	6101-6400 / G4	6250	STM(- 250mm)	2250	3670	Narsamuda Road WB Loc: Narsamuda colly Cap- 50Te 43'x 11'
Satgram	KALIDASPUR PROJECT:GH USICK A (R IX A)	6101-6400 /G4	6250	STM(- 250mm)	1620	3670	Kalidaspur Rd W.B. Capacity - 25 TE, Loca- Kalidaspur, Dim- 20' X 8'
Satgram	Nimcha (Extension Damalia Patch::Ghusick (R-IX)	5801-6100 / G5	5950	STM(- 250mm)	7000	2980	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Sripur	S.S.INCLINE: Sripur (R-VI)	6101-6400 / G4	6250	STM(- 250mm)	1200	3670	NEAR COAL DEPOT OF SSI COLLIERY; 60 TONNES; 10 WHEELER
							NEAR COAL

Sripur	NINGHA: Dishergarh(R-IV)	6401-6700 / G3	6550	STM(- 250mm)	700	4070	DEPOT OF SSI COLLIERY; 60 TONNES; 10 WHEELER
Kunustoria	Amritnagar:: Bogra (R-VI)	6101-6400 / G4	6250	STM(- 250mm)	1500	3670	Loacatio of W/B Amritnagar Colliery, Cap- 30 MT, DIM- 6MX 2.4M
Bankola	Bankola 8No Pit:: Bonbahal (R-VIIA)	6101-6400 / G4	6250	STM(- 100mm)	2000	3670	Location: Bankola W/B No-I I Cap-60 MT
Bankola	Shankarpur Millennium Incline::Jamba d (R-VIII)	6101-6400 / G4	6250	STM(- 100mm)	2000	3670	Location: Bankola W/B No-I Cap-60 MT
Bankola	Shankarpur 3&4 Pit :: Jambad (R- VIII)	6101-6400 / G4	6250	STM(- 100mm)	2000	3670	Location: Shankarpur 3/4 Cap-60 MT

RAIL SPOT E-AUCTION OFFER FOR 27.01. 2016

Area	Pilot	Range / Grade	Mid GCV (Kcal/K g)	Size	Quantit y Offered (Rakes)	Notified Price/ Reserve Price (Rs)	Weighbridge Details
SALANPUR	SLS – I	5501- 5800 / G6	5650	STM (- 100mm)	30	2796	DALMIYA RLWAY WB, NEAR SALANPUR STATION
KAJORA	UKA-I (PW)	6101 – 6400 /G4	6250	STM (- 100mm)	10	3670	Andal Railway Weigh Bridge , : 100MT