

**EASTERN COALFIELDS LIMITED
COAL HOUSE, KOLKATA- 700 001**

ECL/KOL/SPOT E-AUCTION/ALLOC' /APR'16/ 232

Dt :19.04..2016

SUB : SPOT E -AUCTION OFFER

ROAD SPOT E-AUCTION OFFER **27.04. 2016**

Area	Source	Range / Grade	Mid GCV (Kcal/Kg)	Size	Quantity Offered (Metric Tonne)	Reserve Price (Rs)	Weighbridge Details
Kajora	Madhabpur OCP:: Lower Kajora (R-VIII T)	6101-6400 /G4	6250	STM(-250mm)	5000	3670	Near Pit No-11 adjacent to CMAT PVT LTD Office Cap-60 TeDim-9M X3M.
Kajora	CENTRAL KAJORA : Lower Kajora R-VIII T	6401-6700 / G3	6550	STM(-250mm)	2000	4070	Central Kajora Colliery Sdg. Location Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46 m
Kajora	Madhabpur:: Sonachara (R-VIIIB)	6101-6400 /G4	6250	STM(-250mm)	1000	3670	Linked WB – Near Pit No-11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te , Dimension-9 M X 3M
Kajora	Naba Kajora:: Sonachara (R-VIIIB)	6101-6400 /G4	6250	STM(-250mm)	1500	3670	Located adjacent to Nabakajora siding: Capacity 60mt Dimension 9mX3m
Kajora	Madhusudanpur::Kajora (R-IX)	6401-6700 / G3	6550	STM(-	2500		Location:Khas Kajora Sdg near pit-6, Capacity-

				250mm)		4070	60 Tonne Dim: 9M X 3M
Kajora	Khaskajora::Lower Kajora(R-VIIIT)	6401-6700 / G3	6550	STM(- 250mm)	2000	4070	Location:Kh as Kajora Sdg near pit- 6, Capacity- 60 Tonne Dim: 9M X 3M
Kajora	Parascole ::Jambad (R- VIIIB)	6101-6400 /G4	6250	STM(- 250mm)	3500	3670	Located near Parascole colliery adjacent to Parascole west siding: Capacity 60mt Dimension 9mX3m
Salanpur	DABOR OCP: : Salanpur A (B-II)	5501 – 5800 / G6	5650	STM(- 250mm)	10000	2796	Linked WB- DABOR COLLY, Capacity- 25 te, Location- Near –Dabor Colly
Sodepur	Dhemomain;; Borachak (R- VIII)	6101-6400 / G4	6250	STM(- 250mm)	500	3670	Dhemomein coal Depot Cap:-60Te 43'X11'
Sodepur	BEJDIH:: SRIPUR(R-VI)	5501-5800/ G6	5650	STM(- 250mm)	500	2796	WB, at BC Incline Ranisayer, CAP:60 TE, Dimension- 40 FT X10.5 FT
Pandaveswar	Dalurband OCP::Chora	5801-6100 / G5	5950	STM(- 100mm)	4000	2980	Location: SS Siding, Capacity- 50Te Dim- 9mX3m
S P Mines	CHITRA-A OC: :Saharjori / Patrika	6401-6700 / G3	6550	STM(- 250mm)	18000	4070	Linked WB- Chitra,A / Chitra-B Capacity- 40 te & 60 te, resp Dimension –

							9 m x 3 m
Sripur	S.S.INCLINE: Sripur (R-VI)	6101-6400 / G4	6250	STM(- 250mm)	500	3670	Near Coal Depot of SSI Colliery; 60 Tonnes; 10 Wheeler
Sripur	NINGHA: Dishergarh(R- IV)	6101-6400 / G4	6250	STM(- 250mm)	500	3670	Near Coal Depot of SSI Colliery; 60 Tonnes; 10 Wheeler
Satgram	Nimcha :: Nega(R – VIII)Narainkuri (R-VII)	6101-6400 / G4	6250	STM(- 250mm)	3000	3670	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Satgram	J.K.Nagar:: Bogra (R- VI)&Satgram (R-V)	6101-6400 / G4	6250	STM(- 250mm)	3000	3670	Modern Satgram Coal Depot Road WB Location: Modern Satgram Siding. Cap- 50 Te, Dim: 9M X 3M
Kunustoria	Amritnagar:: Bogra (R-VI)	6101-6400 / G4	6250	STM(- 250mm)	1500	3670	Loacatio of W/B Amritnagar Colliery, Cap-30 MT, DIM- 6MX 2.4M
Kunustoria	Mahabir OC Patch::Searsol e(R-IX)	5801-6100 / G5	5950	STM(- 250mm)	5000	2980	WB - Mahabir OC Patch, Cap- 50 MT , Dim- 9MX3M
Kunustoria	North Searsole OCP::Kenda Bottom (R-V)	6101-6400 / G4	6250	STM(- 100mm)	2000	3670	Location of W/B-Bansra Sdg. Cap- 60 Te DIM 9MX3M:
Mugma	HARIAJAM	WGIII	----	STM(-	2500		Linked WB- Hariazam,C

	U/G			250mm)		2508	apacity- 30 te, Location- Hariazam, Dimension - 24'10" x 9'10" [Upto 10 wheeler
--	-----	--	--	--------	--	-------------	--