ईस्टर्न कोलिफल्ड्स लिमिटेड (कोल इंडिया का एक उपक्रम) सांक्तोड़िया, पो: डिसेरगढ़ विपणन एवम विक्रय विभाग



Eastern Coalfields Limited (A subsidiary of Coal India Ltd) Sanctoria. PO. Dishergarh, DEPT: MARKETING & SALES

ECL/HQ/ M&S/E-AUCTION/

Dated: 23.09.2023

SUB: E-AUCTION OFFER

KIND ATTEN: Mr. PROSENJIT BANERJEE, SR MANAGER/BHASKAR SAHU, SR OFFICER

TO: M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK-DP, SECTOR-V, SALT LAKE ,KOLKATA –91.

FROM: HOD (M&S), ECL, SANCTORIA.

PLEASE FIND ATTACHED HEREWITH THE OFFERS FOR E-AUCTION SCHEDULED TO BE HELD on **30TH OF SEPTEMBER**, **2023**. THE AUCTION IS TO BE HELD IN TERMS OF CIL E-AUCTION SCHEME 2022.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER E-AUCTION

For terms and conditions of CIL E-Auctions Scheme 2022, prospective bidders are advised to visit the CIL's website.

Post auction activities

Coal value and requisite documents are to be deposited within a period of 10 working days after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). 10 working days would be reckoned as applicable to the ECL Office, Sanctoria. Sale Orders / consent of Railway programme will be issued within next 7 days after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- **Documents to be submitted for booking** Successful bidders are required to submit Sale intimation letter, customer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e. Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL.
- Presently, all the coal customers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.

- If the same address comes within the same state from which coal is supplied then CGST & SGST will
 be charged and if above address of recipient falls in a different state from where coal is supplied then
 IGST will be levied.
- Exact amount to be deposited: Earnest Money Deposit (EMD), is now termed as Bid Security which is Rs.500 per tonne at present. The sum total of Bid Security and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done.
 - Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of Bid Security) in one instalment only. The successful bidders are required to deposit financial coverage for the quantity 4012 tonnes per rake in Rail mode.
- Process Fee: In addition, with the bid security, the Bidders shall also be required to submit a Process
 Fee, in cash through e-transfer, prior to participation in e-auction at the rate of Rs.20/- per ton for the
 intended bid quantity, inclusive of applicable taxes, with service provider for participation in e-auction.
 The Process fee shall be non-refundable to the extent of provisionally successful bid quantity in the
 First stage of bidding process.
- **Separate amount of advance**: The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately.
 - Further the E-Auction coal customers are advised to deposit the advance Auction-wise Bidwise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.
- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.
- Details of Bank to which the payment instruments are to be sent: Payment must be made through banking interface only of Axis Bank and ICICI Bank. No other mode of payment will be acknowledged. Relevant details are available in ECL website.
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f. 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the Bid Security in the form of BG are required to submit through SFMS mode in addition to submission of original BG to the E-Auction Service Provider at least 3 working days from the date of auction. (Eg: If auction date is 22nd Dec 2022, then last date of deposition of Bid Security in the form of BG is 19th Dec 2022.). The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office.
- The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol. SFMS details are as below: -

Bank Name: ICICI Bank Account No.:- 029105006160

Cust ID: 582866895

Bank Branch IFSC Code: ICIC0000291

Unique Identifier for Field 7037:- ECL582866895

Alert for message type- Issuance & Amendment both (5017 & 5018 both).

• The requisite documents along with application may be sent in mail id eclmns2020@yahoo.com within 2 working days of deposition of coal value.

		Auction Flo	or					
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade	Floor Price			
Mugma	60500	G5	STEAM	3240	4050			
						-		
Cluster description		T	1					
Loading Points	Mode	Grade	Size	Notified price	Evacuation capacity under offer (tes)	SAP Siding Code	SAP Plant code	Weighbridge Details
MMU IIIA / PMCS	Rail	G5	-100 MM,STEAM	3240	4000 (1 Rake)	PMCS	4001	Pandra Rail Weighbridge, Capacity: 100 MT
Chapapur UG	Road	G5	-250 MM,STEAM	3240	1500	N/A	4613	Linked WB of Chapapur UG, Capacity- 60 te
Lakhimata UG	Road	G5	-250 MM,STEAM	3240	3000	N/A	4616	Linked WB of Lakhimata UG, Capacity: 60 Te.
Rajpura OC	Road	G5	-250 MM,STEAM	3240	1000	N/A	4619	Linked WB of Rajpura OC, Capacity: 60 Te.
Barmuri OC	Road	G5	-250 MM,STEAM	3240	10000	N/A	4624	Linked WB- Barmuri OC , Cap- 60 te
Khoodia UG	Road	G5	-250 MM,STEAM	3240	1000	N/A	4618	Linked WB of Lakhimata UG, Capacity: 60 Te.
Nirsa OC	Road	G5	-250 MM,STEAM	3240	40000	N/A	4620	Linked WB- Nirsa OC , Cap- 50 te
	1	Auction Flo	or	Notice desired		1		
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade	Floor Price			
JHANJRA	16000	G5	-100 MM,STEAM	3240	4050	1		
			, , ,			1		
Cluster description								
Loading Points	Mode	Grade	Size	Notified price	Evacuation capacity under offer (tes)	SAP Siding Code	SAP Plant code	Weighbridge Details
PAWI POCP-I	Rail	G4	-100 MM,STEAM	3520	4000 (1 Rake)	RWJ1	4001	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 T
Jhanjra UG	Road	G5	-100 MM,STEAM	3240	12000	N/A	4162	3 & 4 Incline Road WB; Capacity : 60 Te
			, , , , , , , , , , , , , , , , , , , ,				-	, , ,
		Auction Flo	or					
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative	Floor Price			
Sodepur								
	19500	G5	-100 MM,STEAM	grade 3240	4050			
•	19500	G5	-100 MM,STEAM		4050			
Cluster description	19500	G5	-100 MM,STEAM		4050			
•	19500 Mode	G5 Grade	-100 MM,STEAM		4050 Evacuation capacity under offer (tes)	SAP Siding Code	SAP Plant code	Weighbridge Details
Cluster description	1			3240	Evacuation capacity	SAP Siding Code ASCR	SAP Plant code	Radhanagar In Motion W/B, Cap: 140 Te
Cluster description Loading Points	Mode	Grade	Size	3240 Notified price	Evacuation capacity under offer (tes)	_		
Cluster description Loading Points CKI -III	Mode Rail	Grade G4	Size	Notified price	Evacuation capacity under offer (tes) 4000 (1 Rake)	ASCR	4001	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG Bejdih UG	Mode Rail Road	Grade G4 G4 G4 G4 G5	Size -100 MM,STEAM -100 MM,STEAM -100 MM,STEAM -100 MM,STEAM	3240 Notified price 3520 3520 3520 3520 3240	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500	ASCR N/A N/A N/A	4001 4565 4566 4562	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 60 Patmohna Road Weighbridge Cap: 60 Te
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG	Mode Rail Road Road	Grade G4 G4 G4 G5 G5	Size -100 MM,STEAM -100 MM,STEAM -100 MM,STEAM	3240 Notified price 3520 3520 3520 3240 3520	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500 3000	ASCR N/A N/A N/A N/A	4001 4565 4566 4562 4564	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 66 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG Bejdih UG	Mode Rail Road Road Road	Grade G4 G4 G4 G4 G5	Size -100 MM,STEAM -100 MM,STEAM -100 MM,STEAM -100 MM,STEAM	3240 Notified price 3520 3520 3520 3520 3240	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500	ASCR N/A N/A N/A	4001 4565 4566 4562	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 6 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te Dhemomain Road WB, Cap: 60Te
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG Bejdih UG Patmohona UG	Mode Rail Road Road Road Road Road	Grade G4 G4 G4 G5 G5	Size -100 MM,STEAM -100 MM,STEAM -100 MM,STEAM -100 MM,STEAM -100 MM,STEAM	3240 Notified price 3520 3520 3520 3240 3520	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500 3000	ASCR N/A N/A N/A N/A	4001 4565 4566 4562 4564	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 66 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te Dhemomain Road WB, Cap: 60
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG Bejdih UG Patmohona UG Dhemomain Incline UG Dhemo main Pit UG Narsamuda UG	Mode Rail Road Road Road Road Road Road Road	Grade G4 G4 G4 G5 G4 G5	-100 MM,STEAM -100 MM,STEAM -100 MM,STEAM -100 MM,STEAM -100 MM,STEAM -100 MM,STEAM	3240 Notified price 3520 3520 3520 3520 3240 3520 3520 3520	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500 3000 1500	ASCR N/A N/A N/A N/A N/A	4001 4565 4566 4562 4564 4567	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 61 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te Dhemomain Road WB, Cap: 60Te Dhemomain Road WB, Cap: 60Te Narsamuda Road WB, Cap: 60Te
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG Bejdih UG Patmohona UG Dhemomain Incline UG Dhemo main Pit UG	Mode Rail Road	Grade G4 G4 G5 G4 G5 G4 G5	-100 MM,STEAM	3240 Notified price 3520 3520 3520 3240 3520 3520 3520 3520 3520 3520	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500 3000 1500 1500	ASCR N/A N/A N/A N/A N/A	4001 4565 4566 4562 4564 4567 4568	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 66 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te Dhemomain Road WB, Cap: 60
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG Bejdih UG Patmohona UG Dhemomain Incline UG Dhemo main Pit UG Narsamuda UG	Mode Rail Road Road	Grade G4 G4 G4 G5 G4 G5 G4 G4 G5 G4 G5 G4 G5 G4	Size -100 MM,STEAM	3240 Notified price 3520 3520 3520 3520 3520 3520 3520 352	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500 3000 1500 1500 3000 3000	ASCR N/A N/A N/A N/A N/A N/A	4001 4565 4566 4562 4564 4567 4568 4569	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 61 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te Dhemomain Road WB, Cap: 60Te Dhemomain Road WB, Cap: 60Te Narsamuda Road WB, Cap: 60Te
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG Bejdih UG Patmohona UG Dhemomain Incline UG Dhemo main Pit UG Narsamuda UG	Mode Rail Road Road	Grade G4 G4 G4 G5 G4 G5 G4 G4 G5 G4	Size -100 MM,STEAM	3240 Notified price 3520 3520 3520 3520 3520 3520 3520 352	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500 3000 1500 1500 3000 3000	ASCR N/A N/A N/A N/A N/A N/A	4001 4565 4566 4562 4564 4567 4568 4569	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 61 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te Dhemomain Road WB, Cap: 60Te Dhemomain Road WB, Cap: 60Te Narsamuda Road WB, Cap: 60Te
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG Bejdih UG Patmohona UG Dhemomain Incline UG Dhemo main Pit UG Narsamuda UG	Mode Rail Road Road	Grade G4 G4 G4 G5 G4 G5 G4 G4 G5 G4 G5 G4 G5 G4	Size -100 MM,STEAM	3240 Notified price 3520 3520 3520 3520 3520 3520 3520 352	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500 3000 1500 1500 3000 3000	ASCR N/A N/A N/A N/A N/A N/A	4001 4565 4566 4562 4564 4567 4568 4569	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 61 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te Dhemomain Road WB, Cap: 60Te Dhemomain Road WB, Cap: 60Te Narsamuda Road WB, Cap: 60Te
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG Bejdih UG Patmohona UG Dhemomain Incline UG Dhemo main Pit UG Narsamuda UG Chinakuri No.3 UG	Mode Rail Road Road Road Road Road Road Road Road	Grade G4 G4 G4 G5 G4 G5 G4 G5 G4 G5 G4 G5 G4 G8 G4 G8 G4 G8	-100 MM,STEAM	3240 Notified price 3520 3520 3520 3520 3520 3520 3520 352	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500 3000 1500 1500 4000	ASCR N/A N/A N/A N/A N/A N/A	4001 4565 4566 4562 4564 4567 4568 4569	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 6 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te Dhemomain Road WB, Cap: 60Te Dhemomain Road WB, Cap: 60Te Narsamuda Road WB, Cap: 60Te
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG Bejdih UG Patmohona UG Dhemomain Incline UG Dhemomain Pit UG Narsamuda UG Chinakuri No.3 UG Cluster Name Sonepur Bazari Area	Mode Rail Road Road Road Road Road Road Road Road	Grade G4 G4 G5 G4 G5 G4 G5 G4 G5 G4 G4	-100 MM,STEAM	3240 Notified price 3520 3520 3520 3520 3520 3520 3520 352	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500 3000 1500 3000 4000 Floor Price	ASCR N/A N/A N/A N/A N/A N/A	4001 4565 4566 4562 4564 4567 4568 4569	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 61 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te Dhemomain Road WB, Cap: 60Te Dhemomain Road WB, Cap: 60Te Narsamuda Road WB, Cap: 60Te
Cluster description Loading Points CKI -III Parbelia UG Dubeswari UG Bejdih UG Patmohona UG Dhemomain Incline UG Dhemo main Pit UG Narsamuda UG Chinakuri No.3 UG Cluster Name	Mode Rail Road Road Road Road Road Road Road Road	Grade G4 G4 G5 G4 G5 G4 G5 G4 G5 G4 G4	-100 MM,STEAM	3240 Notified price 3520 3520 3520 3520 3520 3520 3520 352	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500 3000 1500 3000 4000 Floor Price	ASCR N/A N/A N/A N/A N/A N/A	4001 4565 4566 4562 4564 4567 4568 4569 4570	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 61 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te Dhemomain Road WB, Cap: 60Te Dhemomain Road WB, Cap: 60Te Narsamuda Road WB, Cap: 60Te
Cluster description Loading Points CKI - III Parbelia UG Dubeswari UG Bejdih UG Patnohona UG Dhemomain Incline UG Dhemo main Pit UG Narsamuda UG Chinakuri No.3 UG Cluster Name Sonepur Bazari Area	Mode Rail Road Road Road Road Road Road Road Road	Grade G4 G4 G4 G5 G4 G5 G4 G5 G4 G4	Size -100 MM,STEAM	3240 Notified price 3520 3520 3520 3520 3520 3520 3520 352	Evacuation capacity under offer (tes) 4000 (1 Rake) 1500 3500 1500 1500 1500 4000 Floor Price 4400 Evacuation capacity	ASCR N/A N/A N/A N/A N/A N/A N/A	4001 4565 4566 4562 4564 4567 4568 4569 4570	Radhanagar In Motion W/B, Cap: 140 Te Parbelia Road Weighbridge Cap: 60 Te Dubeswari Colliery Road Weighbridge; Cap: 60 Patmohna Road Weighbridge Cap: 60 Te Patmohna Road Weighbridge Cap: 60 Te Dhemomain Road WB, Cap: 60Te Dhemomain Road WB, Cap: 60Te Chinakuri Road WB, Cap: 60Te Chinakuri Road W.B. Cap: 60Te