



CENTRAL COALFIELDS LIMITED
A Miniratna Company
(Govt. of India Undertaking)
Marketing & Sales Department
Reg. Office: Darbhanga House, Ranchi
Jharkhand – 834 001
Phone/Fax: (0651) 2360369
CIN NO: U10200JH1956GOI000581
E-mail: gmsm.ccl@coalindia.in
Web: <https://www.centralcoalfields.in>

संख्या:CCL/HQ/C-4/e-Auction/2025-26/2137

दिनांक:18.09.2025

SALE OF COAL THROUGH SINGLE WINDOW MODE AGNOSTIC E-AUCTION PHASE-9 of FY 2025-26

It is for information of all Buyers that "Single Window Mode agnostic e auction" through CIL E-auction scheme 2022 has been introduced by CIL. CENTRAL COALFIELDS LTD., Ranchi (A subsidiary of COAL INDIA LTD.) has scheduled to hold Single Window Mode agnostic E-Auction for sale of Coal & Coal Products on **25th, 26th, 27th and 29th September 2025**.

Sale of coal/ Washery products through E-Auction will cover all buyers including Consumers as well as Traders. Such consumers / traders, will have to register themselves with the service provider(s) **M/s M-Junction** by visiting Website www.coaljunction.in. Though registration will be a continuous process, only those who deposit Bid Security with service provider shall be allowed to participate in e-Auction to be held on **25th, 26th, 27th and 29th September 2025**. Participants of e-auction may please note that **bid security** for any type of coal will be **₹ 150/-** per tonne.

The e-Auction shall be conducted as per the "Terms and Conditions of CIL e-auction scheme 2022 (Effective from 22-05-25)".

Service Provider wise e-Auction schedule is as follows:

Service Provider
MJunction Ltd
MJunction Ltd
MJunction Ltd
MJunction Ltd

Auction date
25th September 2025
26th September 2025
27th September 2025
29th September 2025

Details of M/s M junction is as under:

Godrej Water Side, Tower 1, 3rd Floor,
Plot No.5, Block DP Sector V, Salt Lake City
Kolkata – 700091
E-mail: coaljunction@mjunction.in

Contact Persons at M/s Mjunction:

(Toll Free) | 1800 419 20001
Website <http://www.coaljunction.in>

Contact Persons at CCL:

Sri Deepankar Singh, Mgr. (M&S) | 8521331307
Smt Parul Bansal, Dy. Mgr. (M&S) | 8987784158

Contact Details of CCL:

Website: <http://www.centralcoalfields.in>
Fax: 0651 – 2360369

All concerned are requested to contact **M/s M-Junction** on the above website address or by visiting **M-Junction** office, Kolkata or Office of the **GM (M&S), CCL, Ranchi** on the above address or at the addresses given in the above websites for collection of further details regarding the E-Auction, such as Products offered, Quantity, Sources/ Grades, Floor Prices & Other Statutory Charges, & other Terms & Conditions

afw 18/9/25
General Manager (M & S)

DATED:-25.09.2025

11

| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries |
|----|-------------------|-------------------|--------------------------------|----------------------|----------------|----------------------|---------------------|---------------------------------|--|---|-------------------------------|---|--|
| | Religara | Road | - | 3009 | G8 | G8 | ROM | 20000 | 4900000014 | Payloader | 1926 | 1926 | - |
| 12 | Name | Total offer | | Representative Grade | | | Representative Size | | | Modulated price of representative grade | | Floor Price | |
| | Urimari OCP | 23000 | | G8 | | | ROM | | | 1926 | | 2504 | |
| | | Offer Description | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries |
| | Urimari OCP | Road | - | 3018 | G8 | G8 | ROM | 15000 | 4900000014 | Payloader | 1926 | 1926 | - |
| | Saunda-B Siding | Rail | Gidi A Urimari Bhirkunda | LS26 | G8 G8 G8 | G8 | (-)100mm | 8000 | 4100000000 4100000000 4100000000 | Payloader Payloader Payloader | 1926 1926 1926 | 1926 | 10-30% 10-30% 50-70% |
| 13 | Name | Total offer | | Representative Grade | | | Representative Size | | | Modulated price of representative grade | | Floor Price | |
| | Sayal D OCP | 25000 | | G9 | | | ROM | | | 1502 | | 1953 | |
| | | Offer Description | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries |
| | Sayal D OCP | Road | - | 3017 | G9 | G9 | ROM | 25000 | 4900000014 | Payloader | 1502 | 1502 | - |
| | | Offer Description | | | | | | | | | | | |
| 14 | Name | Total offer | | Representative Grade | | | Representative Size | | | Modulated price of representative grade | | Floor Price | |
| | North Urimari OCP | 19000 | | G8 | | | ROM | | | 1926 | | 2504 | |
| | | Offer Description | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries |
| | Birsa OCP | Road | - | 3020 | G8 | G8 | ROM | 15000 | 4900000014 | Payloader | 1926 | 1926 | - |
| | NUGP Silo | Rail | Birsa OCP Urimari | LS34 | G8 G8 | G8 | (-)100mm | 4000 | 4100000000 4100000000 | Silo | 1926 1926 | 1926 | 65-85% 15-35% |
| 15 | Name | Total offer | | Representative Grade | | | Representative Size | | | Modulated price of representative grade | | Floor Price | |
| | Churi UG | 24000 | | G7 | | | (-)100mm | | | 2533 | | 3293 | |
| | | Offer Description | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries |
| | Churi UG | Road | - | 3114 | G7 | G7 | (-)100mm | 20000 | 4100000000 | Payloader | 2533 | 2533 | - |
| | Dakra siding | Rail | Dakra OCP Churi UG | LS17 | G10 G7 | G7 | (-)100mm | 4000 | 4100000000 4100000000 | Payloader Payloader | 1356 2533 | 2533 | 40-60% 40-60% |
| 16 | Name | Total offer | | Representative Grade | | | Representative Size | | | Modulated price of representative grade | | Floor Price | |
| | KDH OCP | 19000 | | G11 | | | ROM | | | 1181 | | 1536 | |
| | | Offer Description | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries |
| | KDH OCP | Road | - | 3118 | G11 | G11 | ROM | 15000 | 4900000014 | Payloader | 1181 | 1181 | - |
| | KDH siding | Rail | KDH OCP Rohini OCP | LS18 | G11 G11 | G11 | (-)100mm | 4000 | 4100000000 4100000000 | Payloader Payloader | 1181 1181 | 1181 | 25-45% 55-75% |
| 17 | Name | Total offer | | Representative Grade | | | Representative Size | | | Modulated price of representative grade | | Floor Price | |
| | Purnadih OCP | 10000 | | G11 | | | ROM | | | 1181 | | 1181 | |
| | | Offer Description | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries |
| | Purnadih OCP | Road | - | 3117 | G11 | G11 | ROM | 10000 | 4900000014 | Payloader | 1181 | 1181 | - |

| 18 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
|--------------------------|--------------------------|--------------------------------------|--------------------|----------------------|----------------------|----------------------|---------------------------------|---------------------------------|----------------|-------------------------------|---|---|--|
| | Swang Washery | 10000 | | G12 | | | REJ | | | | 1098 | | 1428 |
| | Offer Description | | | | | | | | | | | | |
| Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (In Rs./Tes.) | Modulated Price of representative grade (In Rs./Tes.) | Supply pattern from feeding collieries | |
| Swang Washery | Road | - | 3095 | G12 | G12 | REJ | 10000 | 4100000026 | Payloader | 1098 | 1098 | - | |
| 19 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | Jarangdih OCP | 9000 | | W03 | | | Steam | | | | 3080 | | 4004 |
| | Offer Description | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (In Rs./Tes.) | Modulated Price of representative grade (In Rs./Tes.) | Supply pattern from feeding collieries |
| | Jarangdih OCP | Road | - | 3088 | W03 | W03 | Steam | 5000 | 4900000015 | Manual | 3080 | 3080 | - |
| Jarangdih PF-II Siding | Rail | Jarangdih OCP Govindpur Ph-II OCP | LS21 | W04 W04 | W04 | (-)100mm | 4000 | 4100000023 | Payloader | 2590 | 2590 | 40-60% 40-60% | |
| 20 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | KATHARA OC | 50000 | | W01 | | | ROM | | | | 3525 | | 4583 |
| | Offer Description | | | | | | | | | | | | |
| Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (In Rs./Tes.) | | Supply pattern from feeding collieries | |
| KATHARA OC | Road | - | 3083 | W01 | W01 | ROM | 50000 | 4900000015 | Payloader | 3525 | | - | |
| 21 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | Karo OCP | 48000 | | W04 | | | ROM | | | | 2590 | | 2849 |
| | Offer Description | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (In Rs./Tes.) | Modulated Price of representative grade (In Rs./Tes.) | Supply pattern from feeding collieries |
| | Karo OCP | Road | - | 3036 | W04 | W04 | ROM | 40000 | 4900000015 | Payloader | 2590 | 2590 | - |
| KARGALI-II (KWJP) Siding | Rail | Karo OCP AKK OCP | LS20 | W04 W04 | W04 | (-)100mm (-)100mm | 8000 | 4100000023 | Payloader | 2590 | 2590 | 60-80% 20-40% | |
| 22 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | AKK OCP | 34000 | | W04 | | | ROM | | | | 2590 | | 2590 |
| | Offer Description | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (In Rs./Tes.) | Modulated Price of representative grade (In Rs./Tes.) | Supply pattern from feeding collieries |
| | AKK OCP | Road | - | 3037 | W04 | W04 | ROM | 30000 | 4900000015 | Payloader | 2590 | 2590 | - |
| JARANDIH-I(PSJA) Siding | Rail | AKK OCP AKK OCP | LS19 | W04 W05 | W04 | (-)100mm (-)100mm | 4000 | 4100000023 | Payloader | 2590 2311 | 2590 | 40-60% 40-60% | |
| 23 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | SDOCH | 39000 | | W02 | | | Steam | | | | 3550 | | 4615 |
| | Offer Description | | | | | | | | | | | | |
| Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (In Rs./Tes.) | Modulated Price of representative grade (In Rs./Tes.) | Supply pattern from feeding collieries | |
| SDOCH | Road | - | 3046 | W02 | W02 | Steam | 35000 | 4900000015 | Manual | 3550 | 3550 | - | |
| Tarmi Siding | Rail | SDOCH | LS27 | W03 | W03 | (-)100mm | 4000 | 4100000023 | Payloader | 2810 | 2810 | 100% | |
| 24 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | AADOCH | 54000 | | W03 | | | ROM | | | | 2810 | | 3091 |
| | Offer Description | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (In Rs./Tes.) | Modulated Price of representative grade (In Rs./Tes.) | Supply pattern from feeding collieries |
| | AADOCH | Road | - | 3054 | W03 | W03 | ROM | 50000 | 4900000015 | Payloader | 2810 | 2810 | - |
| Dhori-II Siding | Rail | AADOCH | LS28 | W04 | W04 | (-)100mm | 4000 | 4100000023 | Payloader | 2590 | 2590 | 100% | |
| 25 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | Karma OCP | 14000 | | G7 | | | ROM | | | | 2533 | | 3293 |
| | Offer Description | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (In Rs./Tes.) | Modulated Price of representative grade (In Rs./Tes.) | Supply pattern from feeding collieries |
| | Karma OCP | Road | - | 3102 | G7 | G7 | ROM | 10000 | 4900000014 | Payloader | 2533 | 2533 | - |
| NEW KLUJ(KNSP) Siding | Rail | Tope OCP | LS24 | W04 | G6 | (-)100mm | 4000 | 4100000023 | Payloader | 2590 | 2754 | 5-25% | |
| | | Tapin North OCP | | W04 | | (-)100mm | | 4100000023 | | 2590 | | 15-35% | |
| | | Karma OCP | | G7 | | (-)100mm | | 4100000000 | | 2533 | | 25-35% | |
| | | Karma OCP | | G6 | | (-)100mm | | 4100000000 | | 2754 | | 25-35% | |
| 26 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | Ashoka OC | 54000 | | G9 | | | ROM | | | | 1502 | | 1953 |
| | Offer Description | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (In Rs./Tes.) | Modulated Price of representative grade (In Rs./Tes.) | Supply pattern from feeding collieries |
| | Ashoka OC | Road | - | 3126 | G9 | G9 | ROM | 50000 | 4100000000 | Payloader | 1502 | 1502 | - |
| Rajdhar (RDML) Siding | Rail | Ashoka OC | LS03 | G11 | G11 | (-)100mm | 4000 | 4100000000 | Payloader | 1181 | 1181 | 100% | |
| 27 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | Piparwar Washery Rejects | 3000 | | G15 | | | Rejects | | | | 735 | | 956 |
| | Offer Description | | | | | | | | | | | | |
| Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (In Rs./Tes.) | Modulated Price of representative grade (In Rs./Tes.) | Supply pattern from feeding collieries | |
| Piparwar Washery | Road | - | 3128 | G15 | G15 | Rejects | 3000 | 4100000030 | Manual | 735 | 735 | - | |
| 28 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | Piparwar Washery Slurry | 3000 | | G12 | | | Slurry | | | | 1098 | | 1098 |
| | Offer Description | | | | | | | | | | | | |
| Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (In Rs./Tes.) | Modulated Price of representative grade (In Rs./Tes.) | Supply pattern from feeding collieries | |
| Piparwar Washery | Road | - | 3128 | G12 | G12 | Slurry | 3000 | 4100000026 | Manual | 1098 | 1098 | - | |

NOTE:

1. Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
 2. In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
 3. Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
 4. In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
 5. Price is available on company website www.centralcoalfields.in for non-coking & coking coal.
 6. The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
 7. Bid Security for all types of coal will be ₹ 150/- per tonnes.
 8. All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
 9. In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
 10. The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
 11. Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
 12. Auction shall be conducted on the floor price i.e. reserve price for each cluster
 13. Percentage premium will remain constant throughout lifting period of the particular e-auction.
 14. Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
 15. Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
 16. Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
 17. In case of Washed Medium Coking Coal (WMCC), the price notification dated 23.04.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
 18. The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.
- * The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-
GM (M&S)

Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in SEPTEMBER'25 (PHASE 9)

SERVICE PROVIDER :- MI

DATED:-26.09.2025

| | | | | | | | | | | | | | | |
|---|-------------------|-------------|--------------------|----------------------|-------|----------------------|---------------------|---------------------------------|---------------|----------------|---|---|--|--|
| | | | | | | | | | | | | | | |
| 1 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price | |
| | North Urimari OCP | 16000 | | G7 | | | ROM | | | | 2533 | | 3293 | |
| | Offer Description | | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries | |
| | Birsa OCP | Road | - | 3020 | G7 | G7 | ROM | 12000 | 4900000014 | Payloader | 2533 | 2533 | - | |
| | NUGP Silo | Rail | Birsa OCP | LS34 | G8 | G8 | (-)100mm | 4000 | 4100000000 | Silo | 1926 | 1926 | 65-85% | |
| | | | Urimari | | G8 | | | | 4100000000 | | 1926 | | 15-35% | |
| 2 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price | |
| | Dakra OCP | 19000 | | G10 | | | ROM | | | | 1356 | | 1763 | |
| | Offer Description | | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries | |
| | Dakra OCP | Road | - | 3119 | G10 | G10 | ROM | 15000 | 4900000014 | Payloader | 1356 | 1356 | - | |
| | Dakra siding | Rail | Dakra OCP | LS17 | G10 | G7 | (-)100mm | 4000 | 4100000000 | Payloader | 1356 | 2533 | 40-60% | |
| | | | Churi LG | | G7 | | | | 4100000000 | Payloader | 2533 | | 40-60% | |
| 3 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price | |
| | Rohini OCP | 14000 | | G11 | | | ROM | | | | 1181 | | 1181 | |
| | Offer Description | | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries | |
| | Rohini OCP | Road | - | 3120 | G11 | G11 | ROM | 10000 | 4900000014 | Payloader | 1181 | 1181 | - | |
| | KDH siding | Rail | KDH OCP | LS18 | G11 | G11 | (-)100mm | 4000 | 4100000000 | Payloader | 1181 | 1181 | 25-45% | |
| | | | Rohini OCP | | G11 | | | | 4100000000 | Payloader | 1181 | | 55-75% | |

| 4 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
|---|-------------------------|-------------|---|----------------------|-----------------|----------------------|--|---------------------------------|--|------------------------|---|---|--|
| | AKK OCP | 14000 | | W03 | | | Steam | | | | 3080 | | 4004 |
| | Offer Description | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries |
| | AKK OCP | Road | - | 3037 | W03 | W03 | Steam | 10000 | 4900000015 | Manual | 3080 | 3080 | - |
| | JARANDIH-I(PSJA) Siding | Rail | AKK OCP AKK OCP | LS19 | W04 W05 | W04 | (-)100mm (-)100mm | 4000 | 4100000023 4100000023 | Payloader Payloader | 2590 2311 | 2590 | 40-60% 40-60% |
| 5 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | AADOCM | 44000 | | W03 | | | Steam | | | | 3080 | | 3388 |
| | Offer Description | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries |
| | AADOCM | Road | - | 3054 | W03 | W03 | Steam | 40000 | 4900000015 | Manual | 3080 | 3080 | - |
| | Dhori-II Siding | Rail | AADOCM | LS28 | W04 | W04 | (-)100mm | 4000 | 4100000023 | Payloader | 2590 | 2590 | 100% |
| 6 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
| | Topa OCP | 14000 | | W04 | | | ROM | | | | 2590 | | 3108 |
| | Offer Description | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries |
| | Topa OCP | Road | - | 3101 | W04 | W04 | ROM | 10000 | 4900000015 | Payloader | 2590 | 2590 | - |
| | NEW KJUU(KNSP) Siding | Rail | Topa OCP Tapin North OCP Karma OCP Karma OCP | LS24 | W04 G7 G6 | G6 | (-)100mm (-)100mm (-)100mm (-)100mm | 4000 | 4100000023 4100000023 4100000000 4100000000 | Payloader | 2590 2533 2754 | 2754 | 5-25% 15-35% 25-35% 25-35% |

NOTE:

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website www.centralcoalfields.in for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 23.04.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sdl/
GM (M&S)

Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in SEPTEMBER'25 (PHASE 9)

SERVICE PROVIDER :- **MJ**

DATED:-27.09.2025

[illegible]

| 1 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
|-----------------------|-------------------|-----------------|--------------------|----------------------|-------|----------------------|---------------------|---------------------------------|---------------|----------------|---|---|--|
| | Topa OCP | 19000 | | W03 | | | ROM | | | | 2810 | | 3653 |
| | Offer Description | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tes.) | Supply pattern from feeding collieries |
| | Topa OCP | Road | - | 3101 | W03 | W03 | ROM | 15000 | 4900000015 | Payloader | 2810 | 2810 | - |
| NEW KUJU(KNSP) Siding | Rail | Topa OCP | LS24 | W04 | G6 | (-)100mm | 4000 | 4100000023 | Payloader | 2590 | 2754 | 5-25% | |
| | | Tapin North OCP | | W04 | | (-)100mm | | 4100000023 | | 2590 | | 15-35% | |
| | | Karma OCP | | G7 | | (-)100mm | | 4100000000 | | 2533 | | 25-35% | |
| | | Karma OCP | | G6 | | (-)100mm | | 4100000000 | | 2754 | | 25-35% | |

NOTE:

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website www.centralcoalfields.in for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 23.04.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mini/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-
GM (M&S)

SERVICE PROVIDER :- **MJ**

[illegible]

| 1 | Name | Total offer | | Representative Grade | | | Representative Size | | | | Modulated price of representative grade | | Floor Price |
|-----------------------|-------------------|-----------------|--------------------|----------------------|-------|----------------------|---------------------|---------------------------------|---------------|----------------|---|--|--|
| | Topa OCP | 14000 | | SII | | | ROM | | | | 4169 | | 4169 |
| | Offer Description | | | | | | | | | | | | |
| | Source | Mode | Feeding Collieries | Plant Code | Grade | Representative Grade | Size | Evacuation Qty under Offer(tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.) | Modulated Price of representative grade (in Rs./Tons.) | Supply pattern from feeding collieries |
| | Topa OCP | Road | - | 3101 | SII | SII | ROM | 10000 | 4900000015 | Payloader | 4169 | 4169 | - |
| NEW KUJU(KNSP) Siding | Rail | Topa OCP | LS24 | W04 | G6 | (-)100mm | 4000 | 4100000023 | Payloader | 2590 | 2754 | 5-25% | |
| | | Tapin North OCP | | W04 | | (-)100mm | | 4100000023 | | 2590 | | 15-35% | |
| | | Karma OCP | | G7 | | (-)100mm | | 4100000000 | | 2533 | | 25-35% | |
| | | Karma OCP | | G6 | | (-)100mm | | 4100000000 | | 2754 | | 25-35% | |

NOTE:

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website www.centralcoalfields.in for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 23.04.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-
GM (M&S)