ईस्टर्न कोलफिल्ड्स लिमिटेड (कोल इंडिया का एक उपक्रम) सांक्तोड़िया, पो: डिसेरगढ़ विपणन एवम विक्रय विभाग



Eastern Coalfields Limited (A subsidiary of Coal India Ltd) Sanctoria. PO. Dishergarh, DEPT: MARKETING & SALES

Dated: 18.01.2023

ECL/HQ/ M&S/ SPOT E-AUCTION/

SUB : SPOT E -AUCTION OFFER

KIND ATTEN: Mr. PROSENJIT BANERJEE, SR MANAGER/BHASKAR SAHU, SR OFFICER

TO: M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK- DP, SECTOR-V, SALT LAKE ,KOLKATA –91.

FROM: HOD (M&S), ECL, SANCTORIA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on **25th OF JANUARY, 2023.** THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE. OFFER BY ROAD MODE

Area	Source	Colliery Code	Range/ Grade	Mid GCV (Kcal/ kg)	Size	Offer Qty (MT)	Notifie d Price (Rs)	Reserv e Price (Rs)	Weighbridge Details
			6401						
	JAMBAD::KEN		-		STM(-				LINKED WB-JAMBAD
	DA (R-VI)		6700		250M				NEAR 3 PIT, CAP25 TE,
Kajora	>>9178	9178	/ G3	6550	M)	7000	3424	4280	DIM 6.13 M X 2.48 M
	KHAS		6401						
	KAJORA::LOW		-		STM(-				Location:Khas Kajora Sdg
	ER KAJORA (R-		6700		250M				near pit-6, Capacity-60
Kajora	VIIIT) >>9257	9257	/ G3	6550	M)	9000	3424	4280	Tonne Dim: 9M X 3M
	LOWER		6101						Location: Near Chora 7
	KENDA::DOBR		-		STM(-				/9 Pit;Capacity: 50
	ANA (R - V)		6400		100M				Tones;Dimention:9X3Mtr
Kenda	>>9236	9236	/ G4	6250	M)	3000	3280	4100	s.;Distance:0.8 Km.
	NORTH								
	SEARSOLE		6101						North Searsole OCP
	OCP::KENDA		-		STM(-				Weighbridge, Distance
	BOTTOM (R -		6400		100M				from mine: 800 to 1000
Kunustoria	V) >>9317	9317	/ G4	6250	M)	1000	3280	4100	Meter, Cap 60 MT
	CHAPAPUR- II								Linked WB-Chapapur,
	OCP ::		5801						Capacity- 60 te, Location-
	SINGHPUR		-		STM(-				Chapapur, Nirsa,
	MIDDLE / TOP		6100		250M				Dimension -24'10" x
Mugma	>>9586	9586	/ G5	5950	M)	3000	3017	3772	9'10"
									PANDAVESWAR WB;
	KHOTTADIH								CAPACITY-60 TE
	CHP::SAMLA		6401						LOCATION NEAR
	SEAM OF		-		STM(-				PANDAVESWAR
Pandavesw	KHOTTADIH		6700		100M				COLLIERY, DIM 354.33'' X
ar	>>9175	9175	/ G3	6550	M)	15000	3424	4280	118.11"
	MANDERBONI:								
	:SAMLA (R II								
	& III)		6101						
	/PURUSOTTA		-		STM(-				Manderboni WB,
Pandavesw	MPUR (R - I V		6400		250M				Location:- 5&6 pit, Cap-
ar)>>9318	9318	/ G4	6250	M)	1300	3280	4100	60 Te Dim:- 9.1M X 3 M

Area	Source	Colliery Code	Range/ Grade	Mid GCV (Kcal/ kg)	Size	Offer Qty (MT)	Notifie d Price (Rs)	Reserv e Price (Rs)	Weighbridge Details
	CHITRA A		6401						
	OC::SAHARJOR		-		STM(-				Linked WB-Chitra,A /
	I/PATRIKA		6700		250M				Saharjori/Patrika
S.P.Mines	>>9163	9163	/ G3	6550	M)	15000	3424	4280	Capacity- 40 te,
			6101						Khoon patch
	CHITRA		-		STM(-				Weighbridge, Capacity
	OCP::CHITRA		6400		250M				100 MT, Situated near
S.P.Mines	>>9162	9162	/ G4	6250	M)	15000	3280	4100	Khoon Patch
			6401						
	CHITRA		-		STM(-				Linked WB-Chitra-B
	OCP::COLONY		6700		250M				Colony Seam, Capacity-
S.P.Mines	>>9132	9132	/ G3	6550	M)	10000	3424	4280	60 te,
			6401						Linked WB-DABOR
			-		STM(-				COLLY, Capacity- 60 te,
			6700		250M				Location- Near -Dabor
Salanpur	Dabor OCP	9588	/ G3	6550	M)	5000	3424	4280	Colly
•			6101						Dubeswari Colliery Road
	DUBESWARY::		-		STM(-				Weighbridge; Size:
	HIJULI (R-		6400		100M				9x3.4m; Capacity: 60MT;
Sodepur	VIII) >>9218	9218	/ G4	6250	M)	2500	3280	4100	Loc: Dubeswari Colly.
	,				,				, Patmohana WB, B.C.
									Incline, Capacity-60
			5801						MT,Dist from Bejdih ~
	METHANI ::		-		STM(-				2.25 km (approx.),
	SRIPUR (R - V I		6100		100M				Platform size - 40 feet /
Sodepur) >>9587	9587	/ G5	5950	M)	500	3017	3772	10 feet (approx.)
	,		6101						Weigh Bridge at Parbelia
	PARBELIA::HIJ		-		STM(-				Colly, Capacity- 60 TE,
	ULI (R- VIII)		6400		100M				EPS, Dimension- 12 M X
Sodepur	>>9266	9266	/ G4	6250		2000	3280	4100	3 M
	PATMOHONA		, 6101		,				
	PIT::BORACHA		-		STM(-				Patmohna Road
	K (RVIII)		6400		100M				Weighbridge Cap-60 Te
Sodepur	>>9219	9219	/ G4	6250	M)	2500	3280	4100	Dim- 12m x 3m
	CHINAKURI 3		6101						
	PIT::BORACHA		-		STM(-				
	K (R-VIII)		6400		100M				Chinakuri Road W.B.
Sodepur	>>9265	9265	/ G4	6250	M)	5000	3280	4100	Cap-60 Te Dim- 9m x 3m
			, 6101						SSI Colliery Road
	NINGHA::DISH		-		STM(-				Weighbridge, Capacity
	ERGARH (R -IV		6400		250M				60 Tonnes, Dimension
Sripur) >>9223	9223	/ G4	6250	M)	500	3280	4100	9M X 3M

OFFER BY RAIL MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in rake)	Notifie d Price	Reserve Price	Weighbridge Details
Bankola	POCP-II	6101-6400 / G4	6250	STM (- 100MM)	15	3280	4100	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
Bankola	UKA IV (Bankola I)	6101-6400 / G4	6250	STM (- 100MM)	5	3280	4100	Andal Railway Weigh Bridge : 100TE
Bankola	UKA IV (Bankola II)	6101-6400 / G4	6250	STM (- 100MM)	10	3280	4100	Andal Railway Weigh Bridge : 100TE

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited (<u>www.coalindia.in</u>). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

"Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.

Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction.

Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.

Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply."

Post auction activities

Coal value and requisite documents are to be deposited within a period of 10 working days after the closure of the auction. Ten working days would be reckoned as applicable to the respective Subsidiary Coal companies' office where the payment/ deposit is required to be made' (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). Sale Orders / consent of Railway programme will be issued within **next** 7 days after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- Documents to be submitted for booking Successful bidders are required to submit Sale intimation letter, consumer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate (duly notarized) alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL Computerised Sale Centre.
- Presently, all the coal consumers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The spot e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.

- Exact amount to be deposited: The sum total of EMD and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done. Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of EMD) in one instalment only.
- Separate amount of advance: The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately. Further the E-Auction coal consumers are advised to deposit the advance Auction-wise Bidwise/Source-wise so that separate advance receipt youcher can be issued for each bid/source. The

wise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.

- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.
- Details of Bank to which the payment instruments are to be sent : State Bank of India, CAG Branch,34 J.N.Road, Kol-700 071, MICR CODE NO- 700002199, Account No- 10373629858, IFSC: SBIN0009998, ECL's PAN-AAACE7590E
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office. SFMS details are as below: -
 - Bank Name: ICICI Bank Account No.:- 029105006160 Cust ID: 582866895 Bank Branch IFSC Code: ICIC0000291 Unique Identifier for Field 7037:- ECL582866895 Alert for message type- Issuance & Amendment both (5017 & 5018 both).
- The requisite documents along with application may be sent in mail id <u>eclmns2020@yahoo.com</u> within 2 working days of deposition of coal value.

HOD (M&S)