

ECL/KOL/M&S/ SPOT E-AUCTION/HOD/ 389

Dated: 20.01.2020

SUB : SPOT E -AUCTION OFFER

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on **27TH OF JANUARY, 2020**. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

OFFER BY ROAD MODE

Area	Source	Colliery Code	Range/ Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price (Rs)	Weighbridge Details
Bankola	BANKOLA COLLIERY:: JAMBAD (R-VIII T&B)/ BONBAHAL (R-VII)/ R-VIIA	9331	6101-6400 / G4	6250	STM (-100 MM)	2500	4088	BANKOLA WEIGHBRIDGE No.II,CAPACITY:60 TONNES,DIMENSION 9MTRS X 3 MTRS, LOCATION-BANKOLA SIDING I(NEAR BANKOLA No.1 INCLINE)
Bankola	Khandra:: Kajora (R-IX)/ Jambad (R-VIII)/ Bonbahal (R-VII)/ R-VIIA	9560	6101-6400/ G4	6250	STM (-100 MM)	1500	4088	KHANDRA ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 1 KMS
Bankola	Kumardihi-A:: R-VIIA / R-VIIB	9561	6101-6400/ G4	6250	STM (-100 MM)	500	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:0 TO 0.5 KMS
Bankola	Kumardihi-B::R-V	9562	6101-6400/ G4	6250	STM (-100 MM)	7000	4088	KUM-B ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Shankerpur:: Bonbahal (R-VII)/ R-VIIA	9564	6101-6400/ G4	6250	STM (-100 MM)	1500	4088	SHANKERPUR ROAD WEIGHBRIDGE, CAPACITY: 60MT DISTANCE: 0 TO 0.5 KMS
Bankola	Tilboni:: Jambad (R-VIII)/R-VIIA/ Bonbahal (R-VII)	9563	6101-6400/ G4	6250	STM (-100 MM)	3000	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:1 TO 1.5 KMS

Kajora	MADHABPUR:: SONACHORA (R - VIII B)	9272	6101-6400/ G4	6250	STM (-250 MM)	750	4088	Linked WB -Near Pit No-11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te , Dimension-9 M X 3M
Kajora	MADHABPUR OCP:: LOWER KAJORA (R-VIII T)	9143	6101-6400/ G4	6250	STM (-250 MM)	500	4088	Location: Near Pit No. 11, adjacent to CMAT Pvt Ltd Office; Capacity: 60MT; Dimensions: 9m x 3m
Kajora	MADHUSUDANPUR:: KAJORA (R-IX)	9258	6401-6700/ G3	6550	STM (-250 MM)	500	4268	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Kenda	LOWER KENDA:: DOBRANA (R - V)	9236	6101-6400/ G4	6250	STM (-250 MM)	1500	4088	Location: Near Chora 7 /9 Pit;Capacity: 50 Tones;Dimention:9 X3 Mtis.;Distance:0.8 Km.
Kunustoria	BANSRA:: KENDA (R- VI)	9277	6401-6700/ G3	6550	STM (-100 MM)	5000	4268	Near Bansra Sdg, CAP: 50 Te, DIM- 9M X 3 M
Kunustoria	KUNUSTORIA:: KENDA (R - V / VI)	9316	6401-6700/ G3	6550	STM (-100 MM)	5000	4268	Location:Kunustori a Stockyard ,Cap:- 30Te :Dim- 7.5MX3M
Kunustoria	NORTH SEARSOLEOCP:: KENDA BOTTOM(R - V)	9317	6101-6400/ G4	6250	STM (-100 MM)	2000	4088	Location of W/B- Bansra Sdg. Cap- 60 Te DIM 9MX3M:
Pandaveswar	KHOTTADIH CHP:: SAML A SEAMOF KHOTTADIH	9175	6401-6700/ G3	6550	STM (-100 MM)	10000	4268	PANDAVESWAR WB; CAPACITY- 60 TE LOCATION NEAR PANDAVESWAR COLLIERY, DIM 354.33" X 118.11"
Pandaveswar	MADHAIPUR:: SAML A (R-- II & III)	9279	6101-6400/ G4	6250	STM (-250 MM)	1000	4088	Madhaipur WB, near coal depot Cap:60Te:: Dim- 9.1MX3 M
Pandaveswar	MANDERBONI:: SAML A (R-- II & III)/ PURUSOTTAMPUR (R-IV)	9318	6101-6400/ G4	6250	STM (-250 MM)	2000	4088	Manderboni WB, Location:- 5&6 pit, Cap-60 Te Dim:- 9.1M X 3 M
Sodepur	PARBELIA:: HIJULI (R- VIII)	9266	6101-6400/ G4	6250	STM (-250 MM)	1500	4088	Weigh Bridge at Parbelia Colly, Capacity- 60 TE, EPS, Dimension- 12 M X 3 M
Sonepur Bazari	SONPUR BAZARI PROJ.:CHORA (R-VI)/ Dobrana (R- V)/ Chinchuria (R- IV)	9220	6101-6400/ G4	6250	STM (-250 MM)	30000	4088	SONEPUR PROJ. W.B, NEAR S. BAZARI PROJ, CAP-50 TE, DIM- 17M X 3M

OFFER BY RAIL MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in rake)	Reserve Price	Weighbridge Details
Bankola	UKA IV (Bankola I)	6101-6400 / G4	6250	STM (-100MM)	15	4088	Andal Railway Weigh Bridge , : 100M
Salanpur	SLS - I	5501-5800 / G6	5650	STM (-100MM)	25	3493	DALMIYA RAILWAY WB, NEAR SALANPUR STATION