

ECL/KOL/M&S/ SPOT E-AUCTION/HOD/494

Dated: 20.03.2019

SUB : SPOT E -AUCTION OFFER

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on **28TH OF March, 2019**. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

OFFER BY ROAD MODE

Area	Source	Colliery Code	Range/ Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price (Rs)	Weighbridge Details
Bankola	Khandra::Kajora (R-IX)/ Jambad (R-VIII)/ Bonbahal (R-VII)/ R-VIIA	9560	6101-6400/ G4	6250	STM (-100 MM)	1000	4088	KHANDRA ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 1 KMS
Bankola	Shankerpur::Bonbahal (R-VII)/ R-VIIA	9564	6101-6400/ G4	6250	STM (-100 MM)	2500	4088	SHANKERPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Shyamsunderpur:: Jambad (R-VIII T2 &T1)/ Bankola (R-VII)	9559	6101-6400/ G4	6250	STM (-100 MM)	10000	4088	SSPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Jhanjra	Jhanjra Project - 3 & 4 Incline :: Bonbahal (R-VII)/ R-VIIA	9324	5801-6100 / G5	5950	STM (-100 MM)	4000	3759	3 & 4 Road WB; Capacity : 50 Te; Dimension: 9 x 3 mts
Kajora	MADHABPUR OCP:: LOWERKAJORA (R-VIII)	9143	6101-6400/ G4	6250	STM (-250 MM)	4000	4088	Location: Near Pit No. 11, adjacent to CMAT Pvt Ltd Office; Capacity: 60MT; Dimensions: 9m x 3m
Kenda	CHORA BLOCK MINE:: BONBAHAL BOT (R-VIIA)	9208	5801-6100/ G5	5950	STM (-250 MM)	1300	3759	Bonbahal OCP WB, Location : Near Bonbahal Police Out Post, Capacity : 60 Tonnes, Dimension 9x3 m
Kenda	LOWER KENDA:: DOBRANA (R - V)	9236	6101-6400/ G4	6250	STM (-250 MM)	1700	4088	Location: Near Chora 7 /9 Pit;Capacity: 50 Tonnes;Dimention: 9X3

								Mtis.;Distance:0.8 Km.
Kenda	SIDULI COLLIERY:: BONBAHAL (R-VII/R-VIIA)	9120	5801-6100/ G5	5950	STM (-250 MM)	2500	3759	Name: Siduli Colliery Location: Sankarpur OCP Capacity: 60 Tones Dimention: 9X3 Mtrs. Distance: 1.8 Km.
Kunustoria	BANSRA:: (Purandip R-VII)	9278	5801-6100 / G5	5950	STM (-250 MM)	1600	3759	NEAR Bansra Sdg, CAP: 50 TE, DIM- 9M X 3 M
Kunustoria	NORTH SEARSOLEOCP:: KENDA BOTTOM(R - V)	9317	6101-6400/ G4	6250	STM (-100 MM)	7000	4088	Location of W/B- Bansra Sdg. Cap- 60 Te DIM 9MX3M:
Pandaveswar	KHOTTADIH OCP : : KENDA TOP &BOTTOM (R- V)	9300	5801-6100 / G5	5950	STM (-250 MM)	3000	3759	KHOTTADIH OCP WB; CAPACITY-50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M
Pandaveswar	MADHAIPUR OCP:: SAMPLA(R-- II & III)	9340	6101-6400/ G4	6250	STM (-100 MM)	4000	4088	Madhaipur Pandaveswar Rly Sdg near Pandaveswar Gourbazar Rd., Electronic WB; Capacity- 60MT; Platform 9mx3m
Pandaveswar	MANDERBONI:: SAMPLA (R-- II & III)/ PURUSOTTAMPUR (R-IV)	9318	6101-6400/ G4	6250	STM (-250 MM)	1500	4088	Manderboni WB, Location:- 5&6 pit, Cap-60 Te Dim:- 9.1M X 3 M
Rajmahal	RAJMAHAL OCP:: { III & II COMB, { III & II TOP, (II TOP & III BOTTOM)	9164	4301-4600/ G10	4450	STM (-250 MM)	25000	2435	Linked WB - Lalmatia, Capacity 50 Te, Location- Near lalmatia Colliery, Length - 14.3 m
Salanpur	DABOR OCP:: SALANPUR'A (B- II)	9239	5501-5800/ G6	5650	STM (-250 MM)	8000	3493	Linked WB- DABOR COLLY, Capacity- 25 te, Location- Near - Dabor Colly
Sodepur	DUBESWARY:: HIJULI(R- VIII)	9218	6101-6400/ G4	6250	STM (- 250M M)	2000	4088	Dubeswari Colliery Road Weighbridge; Size: 9x3m; Capacity: 30MT; Loc: Inside Dubeswari Colly. Premises
Sodepur	PARBELIA:: HIJULI (R- VIII)	9266	6101-6400/ G4	6250	STM (- 250M M)	2500	4088	Weigh Bridge at Parbelia Colly, Capacity- 60 TE, EPS, Dimension- 12 M X 3 M
Sripur	BHANORA WESTBLOCK MINE:: SRIPUR (R- VI)	9287	6101-6400/ G4	6250	STM (- 250M M)	1000	4088	NORTH GHUSICK W.B., LOC- NORTH GHUSICK COLLY, CAP-25 TE, SIZE- 7.42 M X 3.1 M

OFFER BY RAIL MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in rake)	Reserve Price	Weighbridge Details
Bankola	UKA IV (Bankola I)	6101-6400 / G4	6250	STM(-100MM)	12	4088	Andal Railway Weigh Bridge ; : 100M
Kunustoria	CHA-II(P)	6101-6400 / G4	6250	STM(-100MM)	6	4088	SONACHARA ; ; CAP-100 TES