



**CENTRAL COALFIELDS LIMITED**  
*A Mineral Company*  
*(Govt. of India Undertaking)*  
**Marketing & Sales Department**  
Reg. Office: Darbhanga House, Ranchi  
Jharkhand - 834 001  
Phone/Fax: (0651) 2360369  
CIN NO: U10200JH1956GOI000581  
E-mail: gm@m cclcoalindia.in  
Web: <https://www.centralcoalfields.in>

संख्या: CCL/HQ/C-4/e-Auction/2024-25/ 159

दिनांक: 27.01.2025

**NOTICE**


This is in reference to the notice no. CCL/HQ/C-4/E-AUCTION/2024-25/135 dated 21.01.2025 vide which offer of coal for Single Window Mode Agnostic e-Auction (Phase-XV) has been notified.

In this regard, it is for information of all Buyers that **following modifications in offer have further been made:-**

- **Auction Date-28.01.2025**
  1. Total Offer for Source(s)-**Karo OCP under SI No 12** has been *revised*
  2. Total Offer for Source(s)-**AKK OCP under SI No 13** has been *revised*
- **Auction Date-29.01.2025**

**Source(s)-AKK OCP under SI No 10** has been **withdrawn**
- **Auction Date-30.01.2025**
  1. Total Offer for Source(s)-**AKK OCP under SI No 2** has been revised
  2. Loading method for **Piparwar Washery NCWC under SI no 4** may kindly be read as **Payloader Loading**

All other terms and conditions of the notice dated 21.01.2025 remain same.

  
27/1/25

Manager (M&S),  
CCL, Ranchi

Distribution:

1. GM(M&S),CCL
2. M/s MJunction/M/s MSTC, Ranchi – For incorporating above on auction portal
3. Sr. Manager (Road Sale), CCL, Ranchi
4. Manager (CSC), CCL, Ranchi

**Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD IN Jan'25 (PHASE XV)**

SERVICE PROVIDER :-

Mjunction Ltd

DATED:-

28.01.2025

|          | Name                            |                 | Total offer        |            | Representative Grade |          | Representative Size               |               |                | Modulated price of representative grade | Floor Price                            |
|----------|---------------------------------|-----------------|--------------------|------------|----------------------|----------|-----------------------------------|---------------|----------------|---|--|
| 1        | Rajrappa OCP                    |                 | 52000              |            | W04                  |          | ROM                               |               |                | 2573                                    | 3345                                   |
|          | Offer Description               |                 |                    |            |                      |          |                                   |               |                |   |  |
|          | Source                          | Mode            | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
|          | Rajrappa OCP                    | Road            | -                  | 3137       | W04                  | ROM      | 40000                             | 490000015     | Payloader      | 2573                                    | -                                      |
|          | Rajrappa Washery Siding (Wharf) | Rail            | Rajrappa OCP       | LS25       | W04                  | (-)100mm | 12000                             | 410000023     | Payloader      | 2573                                    | 100%                                   |
| 2        | Amrapali OCP                    |                 | 154000             |            | G11                  |          | (-)100mm                          |               |                | 1173                                    | 1525                                   |
|          | Offer Description               |                 |                    |            |                      |          |                                   |               |                |   |  |
|          | Source                          | Mode            | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
|          | Amrapali OCP                    | Road            | -                  | 3112       | G11                  | (-)100mm | 150000                            | 410000000     | Payloader      | 1173                                    | -                                      |
|          | Shivpoor Siding                 | Rail            | Amrapali OCP       | LS12       | G11                  | (-)100mm | 4000                              | 410000000     | Payloader      | 1173                                    | 40-60%                                 |
|          |                                 |                 |                    |            | G13                  | (-)100mm |                                   |               | 1006           | 40-60%                                  |  |
| 3        | Magadh OCP                      |                 | 54000              |            | G11                  |          | (-)100mm                          |               |                | 1173                                    | 1525                                   |
|          | Offer Description               |                 |                    |            |                      |          |                                   |               |                |   |  |
|          | Source                          | Mode            | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
|          | Magadh OCP                      | Road            | -                  | 3110       | G11                  | (-)100mm | 50000                             | 410000000     | Payloader      | 1173                                    | -                                      |
|          | Balumath Siding                 | Rail            | Magadh OCP         | LS06       | G11                  | (-)100mm | 4000                              | 410000000     | Payloader      | 1173                                    | 100%                                   |
| 4        | Magadh OCP                      |                 | 54000              |            | G12                  |          | (-)100mm                          |               |                | 1090                                    | 1417                                   |
|          | Offer Description               |                 |                    |            |                      |          |                                   |               |                |   |  |
|          | Source                          | Mode            | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
|          | Magadh OCP                      | Road            | -                  | 3110       | G12                  | (-)100mm | 50000                             | 410000000     | Payloader      | 1090                                    | -                                      |
|          | Phulbasiya Siding               | Rail            | Magadh OCP         | LS08       | G11                  | (-)100mm | 4000                              | 410000000     | Payloader      | 1173                                    | 100%                                   |
| 5        | Tapin North OCP                 |                 | 22000              |            | W04                  |          | ROM                               |               |                | 2573                                    | 3345                                   |
|          | Offer Description               |                 |                    |            |                      |          |                                   |               |                |   |  |
|          | Source                          | Mode            | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
|          | Tapin North OCP                 | Road            | -                  | 3071       | W04                  | ROM      | 10000                             | 490000015     | Payloader      | 2573                                    | -                                      |
|          | Charhi Siding                   | Rail            | Tapin North OCP    | LS16       | W04                  | (-)100mm | 12000                             | 410000023     | Payloader      | 2573                                    | 20-40%                                 |
|          |                                 |                 | Tapin South OCP    |            | W04                  | (-)100mm |                                   | 410000023     | Payloader      | 2573                                    | 40-60%                                 |
|          |                                 |                 | Parej OCP          |            | W04                  | (-)100mm |                                   | 410000023     | Payloader      | 2573                                    | 20-40%                                 |
| 6        | Gidi A                          |                 | 18000              |            | G8                   |          | ROM                               |               |                | 1913                                    | 2487                                   |
|          | Offer Description               |                 |                    |            |                      |          |                                   |               |                |   |  |
|          | Source                          | Mode            | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
|          | Gidi A                          | Road            | -                  | 3007       | G8                   | ROM      | 10000                             | 490000014     | Payloader      | 1913                                    | -                                      |
|          |                                 | Saunda-B Siding |                    | LS26       | G8                   | (-)100mm | 8000                              | 410000000     | Payloader      | 1913                                    | 5-25%                                  |
|          |                                 |                 | Birsa OCP          |            | G6                   |          |                                   | 410000000     | Payloader      | 2737                                    | 5-25%                                  |
|          | Urimary                         |                 | G8                 |            | 410000000            |          |                                   | Payloader     | 1913           | 5-25%                                   |  |
|          | Bhurkunda                       |                 | G8                 |            | 410000000            |          |                                   | Payloader     | 1913           | 30-50%                                  |  |
|          |                                 | Sayal           |                    | G10        |                      |          | 410000000                         | Payloader     | 1347           | 5-25%                                   |  |
|          |                                 |                 |                    | G9         |                      |          | 410000000                         | Payloader     | 1492           | 20-40%                                  |  |
| 7        | Gidi C                          |                 | 20000              |            | G11                  |          | ROM                               |               |                | 1173                                    | 1525                                   |
|          | Offer Description               |                 |                    |            |                      |          |                                   |               |                |   |  |
|          | Source                          | Mode            | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| Gidi C   | Road                            | -               | 3006               | G11        | ROM                  | 20000    | 490000014                         | Payloader     | 1173           | -                                       |  |
| 8        | Religara                        |                 | 10000              |            | G8                   |          | ROM                               |               |                | 1913                                    | 2487                                   |
|          | Offer Description               |                 |                    |            |                      |          |                                   |               |                |   |  |
|          | Source                          | Mode            | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| Religara | Road                            | -               | 3009               | G8         | ROM                  | 10000    | 490000014                         | Payloader     | 1913           | -                                       |  |

|                          |                        |                     |                    |            |                      |          |                                  |               |   |                               |  |   |
|--------------------------|------------------------|---------------------|--------------------|------------|----------------------|----------|----------------------------------|---------------|---|-------------------------------|--|---|
| 9                        | Sirka OCP              |                     | 10000              |            | G5                   |          | ROM                              |               | 2977                                    |                               | 3871                                   |   |
|                          | Offer Description      |                     |                    |            |                      |          |                                  |               |   |                               |  |   |
|                          | Source                 | Mode                | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer(tes) | Material Code | Loading Method                          | MODULATED PRICE (in Rs./Tes.) | Supply pattern from feeding collieries |   |
| Sirka OCP                |                        | Road                | -                  | 3005       | G5                   | ROM      | 10000                            | 490000014     | Payloader                               | 2977                          |  | - |
| 10                       | Name                   |                     | Total offer        |            | Representative Grade |          | Representative Size              |               | Modulated price of representative grade |                               | Floor Price                            |   |
|                          | Churi UG               |                     | 24000              |            | G7                   |          | (-)100mm                         |               | 2516                                    |                               | 3271                                   |   |
|                          | Cluster Description    |                     |                    |            |                      |          |                                  |               |   |                               |  |   |
|                          | Source                 | Mode                | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer(tes) | Material Code | Loading Method                          | MODULATED PRICE (in Rs./Tes.) | Supply pattern from feeding collieries |   |
|                          | Churi UG               | Road                | -                  | 3114       | G7                   | (-)100mm | 20000                            | 410000000     | Chute                                   | 2516                          |  | - |
| Dakra siding             | Rail                   | Dakra OCP           | LS17               | G11        | (-)100mm             | 4000     | 410000000                        | Payloader     | 1173                                    |                               | 40-60%                                 |   |
|                          |                        | Churi UG            |                    | G7         |                      |          | 410000000                        | Payloader     | 2516                                    |                               | 40-60%                                 |   |
| 11                       | Name                   |                     | Total offer        |            | Representative Grade |          | Representative Size              |               | Modulated price of representative grade |                               | Floor Price                            |   |
|                          | Govindpur Ph-II OCP    |                     | 10000              |            | W02                  |          | Steam                            |               | 3529                                    |                               | 4588                                   |   |
|                          | Offer Description      |                     |                    |            |                      |          |                                  |               |   |                               |  |   |
|                          | Source                 | Mode                | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer(tes) | Material Code | Loading Method                          | MODULATED PRICE (in Rs./Tes.) | Supply pattern from feeding collieries |   |
|                          | GOVINDPUR PHASE-II O/C | Road                | -                  | 3091       | W02                  | Steam    | 6000                             | 490000015     | Manual                                  | 3529                          |  | - |
| Jarangdih PF-II Siding   | Rail                   | Govindpur Ph-II OCP | LS21               | W04        | (-)100mm             | 4000     | 410000023                        | Payloader     | 2573                                    |                               | 100%                                   |   |
| 12                       | Source                 |                     | Total offer        |            | Representative Grade |          | Representative Size              |               | Modulated price of representative grade |                               | Floor Price                            |   |
|                          | Karo OCP               |                     | 100000             |            | W04                  |          | ROM                              |               | 2573                                    |                               | 3345                                   |   |
|                          | Offer Description      |                     |                    |            |                      |          |                                  |               |   |                               |  |   |
|                          | Source                 | Mode                | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer(tes) | Material Code | Loading Method                          | MODULATED PRICE (in Rs./Tes.) | Supply pattern from feeding collieries |   |
|                          | Karo OCP               | Road                | -                  | 3036       | W04                  | ROM      | 60000                            | 490000015     | Payloader                               | 2573                          |  | - |
| KARGALI-II (KWJP) Siding | Rail                   | Karo OCP            | LS19               | W04        | (-)100mm             | 40000    | 410000023                        | Payloader     | 2573                                    |                               | 60-80%                                 |   |
|                          |                        | AKK OCP             |                    | W04        | (-)100mm             |          | 410000023                        | Payloader     | 2573                                    |                               | 20-40%                                 |   |
| 13                       | Name                   |                     | Total offer        |            | Representative Grade |          | Representative Size              |               | Modulated price of representative grade |                               | Floor Price                            |   |
|                          | AKK OCP                |                     | 74900              |            | W04                  |          | ROM                              |               | 2573                                    |                               | 3345                                   |   |
|                          | Offer Description      |                     |                    |            |                      |          |                                  |               |   |                               |  |   |
|                          | Source                 | Mode                | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer(tes) | Material Code | Loading Method                          | MODULATED PRICE (in Rs./Tes.) | Supply pattern from feeding collieries |   |
|                          | AKK OCP                | Road                | -                  | 3037       | W04                  | ROM      | 34900                            | 490000015     | Payloader                               | 2573                          |  | - |
| JARANDIH-(PSJA) Siding   | Rail                   | AKK OCP             | LS19               | W04        | (-)100mm             | 40000    | 410000023                        | Payloader     | 2573                                    |                               | 60-80%                                 |   |
|                          |                        | Bokaro OCP          |                    | W04        | (-)100mm             |          | 410000023                        | Payloader     | 2573                                    |                               | 20-40%                                 |   |
| 14                       | Name                   |                     | Total offer        |            | Representative Grade |          | Representative Size              |               | Modulated price of representative grade |                               | Floor Price                            |   |
|                          | SDOCH                  |                     | 54000              |            | W03                  |          | ROM                              |               | 2792                                    |                               | 3630                                   |   |
|                          | Offer Description      |                     |                    |            |                      |          |                                  |               |   |                               |  |   |
|                          | Source                 | Mode                | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer(tes) | Material Code | Loading Method                          | MODULATED PRICE (in Rs./Tes.) | Supply pattern from feeding collieries |   |
| SDOCH                    | Road                   | -                   | 3046               | W03        | ROM                  | 50000    | 490000015                        | Payloader     | 2792                                    |                               | -                                      |   |
| Tarmi Siding             | Rail                   | SDOCH               | LS27               | W03        | (-)100mm             | 4000     | 410000023                        | Payloader     | 2792                                    |                               | 100%                                   |   |
| 15                       | Name                   |                     | Total offer        |            | Representative Grade |          | Representative Size              |               | Modulated price of representative grade |                               | Floor Price                            |   |
|                          | AADOCM                 |                     | 39000              |            | W03                  |          | ROM                              |               | 2792                                    |                               | 3630                                   |   |
|                          | Offer Description      |                     |                    |            |                      |          |                                  |               |   |                               |  |   |
|                          | Source                 | Mode                | Feeding Collieries | Plant Code | Grade                | Size     | Evacuati on Qty under Offer(tes) | Material Code | Loading Method                          | MODULATED PRICE (in Rs./Tes.) | Supply pattern from feeding collieries |   |
| AADOCM                   | Road                   | -                   | 3054               | W03        | ROM                  | 35000    | 490000015                        | Payloader     | 2792                                    |                               | -                                      |   |
| Dhori-I Siding           | Rail                   | SDOCH               | LS28               | W04        | (-)100mm             | 4000     | 410000023                        | Payloader     | 2573                                    |                               | 100%                                   |   |

| 16                    | Name              | Total offer        | Representative Grade |       | Representative Size |  |               |                | Modulated price of representative grade | Floor Price                            |
|-----------------------|-------------------|--------------------|----------------------|-------|---------------------|--|---------------|----------------|---|--|
|                       |                   | Chainpur OC        | 20000                | W04   |                     | ROM  |               |                |   | 2573                                   |
|                       | Offer Description |                    |                      |       |                     |  |               |                |   |  |
| Source                | Mode              | Feeding Collieries | Plant Code           | Grade | Size                | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| Chainpur OC           | Road              | -                  | 3100                 | W04   | ROM                 | 20000  | 4900000015    | Payloader      | 2573                                    | -                                      |
| 17                    | Name              | Total offer        | Representative Grade |       | Representative Size |  |               |                | Modulated price of representative grade | Floor Price                            |
|                       |                   | Ashoka OC          | 90000                | G11   |                     | ROM  |               |                |   | 1173                                   |
|                       | Offer Description |                    |                      |       |                     |  |               |                |   |  |
| Source                | Mode              | Feeding Collieries | Plant Code           | Grade | Size                | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| Ashoka OC             | Road              | -                  | 3126                 | G11   | ROM                 | 70000  | 4900000014    | Payloader      | 1173                                    | -                                      |
| Rajdhar (RDML) Siding | Rail              | Ashoka OC          | LS03                 | G9    | (-)100mm            | 20000  | 4100000000    | Payloader      | 1492                                    | 100%                                   |
| 18                    | Name              | Total offer        | Representative Grade |       | Representative Size |  |               |                | Modulated price of representative grade | Floor Price                            |
|                       |                   | Tetariakhar OCP    | 50000                | G10   |                     | ROM  |               |                |   | 1347                                   |
|                       | Offer Description |                    |                      |       |                     |  |               |                |   |  |
| Source                | Mode              | Feeding Collieries | Plant Code           | Grade | Size                | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| Tetariakhar OCP       | Road              | -                  | 3134                 | G10   | ROM                 | 50000  | 4900000014    | Payloader      | 1347                                    | -                                      |
| 19                    | Name              | Total offer        | Representative Grade |       | Representative Size |  |               |                | Modulated price of representative grade | Floor Price                            |
|                       |                   | Tetariakhar OCP    | 300000               | G11   |                     | ROM  |               |                |   | 1173                                   |
|                       | Offer Description |                    |                      |       |                     |  |               |                |   |  |
| Source                | Mode              | Feeding Collieries | Plant Code           | Grade | Size                | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| Tetariakhar OCP       | Road              | -                  | 3134                 | G11   | ROM                 | 300000                                       | 4900000014    | Payloader      | 1173                                    | -                                      |
| 20                    | Name              | Total offer        | Representative Grade |       | Representative Size |  |               |                | Modulated price of representative grade | Floor Price                            |
|                       |                   | Tetariakhar OCP    | 10000                | G12   |                     | ROM  |               |                |   | 1090                                   |
|                       | Offer Description |                    |                      |       |                     |  |               |                |   |  |
| Source                | Mode              | Feeding Collieries | Plant Code           | Grade | Size                | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| Tetariakhar OCP       | Road              | -                  | 3134                 | G12   | ROM                 | 10000  | 4900000014    | Payloader      | 1090                                    | -                                      |

**NOTE:**

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
  - In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
  - Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
  - In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, GST Compensation cess, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
  - Price is available on company website [www.centralcoalfields.in](http://www.centralcoalfields.in) for non-coking & coking coal.
  - The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
  - Bid Security for all types of coal will be ₹ 150/- per tonnes.
  - All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
  - In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
  - The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
  - Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
  - Auction shall be conducted on the floor price i.e. reserve price for each cluster
  - Percentage premium will remain constant throughout lifting period of the particular e-auction.
  - Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
  - Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
  - Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
  - In case of Washed Medium Coking Coal (WMCC), the price notification dated 14.01.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
  - The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.
- \* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-  
GM (M&S)

**Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD IN Jan'25 (PHASE XV)**

**SERVICE PROVIDER :-**

**MSTC Ltd**

**DATED:-**

**29.01.2025**

| 1                               | Name                                       |                    | Total offer |           | Representative Grade |  |               | Representative Size |                               |      | Modulated price of representative grade | Floor Price |       |  |        |
|---------------------------------|--|--------------------|-------------|-----------|----------------------|--|---------------|---------------------|-------------------------------|------|---|-------------|-------|--|--------|
|                                 | Rajrappa OCP Steam Coal                    |                    | 16000       |           | W03                  |  |               | Steam               |                               |      | 3062                                    | 3981        |       |  |        |
| Offer Description               |  |                    |             |           |                      |  |               |                     |                               |      |   |             |       |  |        |
| Source                          | Mode                                       | Feeding Collieries | Plant Code  | Grade     | Size                 | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method      | MODULATED PRICE (in Rs./Tes.) |      | Supply pattern from feeding collieries  |             |       |  |        |
| Rajrappa OCP                    | Road                                       | -                  | 3137        | W03       | Steam                | 8000   | 490000015     | Manual              | 3062                          |      | -                                       |             |       |  |        |
| Rajrappa Washery Siding (Wharf) | Rail                                       | Rajrappa OCP       | LS25        | W04       | (-)100mm             | 8000   | 410000023     | Payloader           | 2573                          |      | 100%                                    |             |       |  |        |
| 2                               | Name                                       |                    | Total offer |           | Representative Grade |  |               | Representative Size |                               |      | Modulated price of representative grade | Floor Price |       |  |        |
|                                 | Rajrappa Washery Washed Medium Coking Coal |                    | 30000       |           | WMCC                 |  |               | -                   |                               |      | 7383                                    | 7383        |       |  |        |
| Cluster Description             |  |                    |             |           |                      |  |               |                     |                               |      |   |             |       |  |        |
| Source                          | Mode                                       | Feeding Collieries | Plant Code  | Grade     | Size                 | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method      | MODULATED PRICE (in Rs./Tes.) |      | Supply pattern from feeding collieries  |             |       |  |        |
| Rajrappa Washery                | Road                                       | -                  | 3139        | WMCC      | -                    | 10000  | 410000028     | Manual              | 7383                          |      | -                                       |             |       |  |        |
| Rajrappa Washery                | Rail                                       | Rajrappa Washery   | LS25        | WMCC      | -                    | 20000  | 410000028     | Chute               | 7383                          |      | 100%                                    |             |       |  |        |
| 3                               | Name                                       |                    | Total offer |           | Representative Grade |  |               | Representative Size |                               |      | Modulated price of representative grade | Floor Price |       |  |        |
|                                 | Amrapali OCP                               |                    | 354000      |           | G13                  |  |               | (-)100mm            |                               |      | 1006                                    | 1308        |       |  |        |
| Offer Description               |  |                    |             |           |                      |  |               |                     |                               |      |   |             |       |  |        |
| Source                          | Mode                                       | Feeding Collieries | Plant Code  | Grade     | Size                 | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method      | MODULATED PRICE (in Rs./Tes.) |      | Supply pattern from feeding collieries  |             |       |  |        |
| Amrapali OCP                    | Road                                       | -                  | 3112        | G13       | (-)100mm             | 350000                                       | 410000000     | Payloader           | 1006                          |      | -                                       |             |       |  |        |
| Shivpoor Siding                 | Rail                                       | Amrapali OCP       | LS12        | G11       | (-)100mm             | 4000   | 410000000     | Payloader           | 1173                          |      | 40-60%                                  |             |       |  |        |
|                                 |  |                    |             |           | (-)100mm             |  |               |                     | 1006                          |      | 40-60%                                  |             |       |  |        |
| 4                               | Name                                       |                    | Total offer |           | Representative Grade |  |               | Representative Size |                               |      | Modulated price of representative grade | Floor Price |       |  |        |
|                                 | Kedla Washery                              |                    | 118000      |           | WMCC                 |  |               | -                   |                               |      | 7383                                    | 7383        |       |  |        |
| Cluster Description             |  |                    |             |           |                      |  |               |                     |                               |      |   |             |       |  |        |
| Source                          | Mode                                       | Feeding Collieries | Plant Code  | Grade     | Size                 | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method      | MODULATED PRICE (in Rs./Tes.) |      | Supply pattern from feeding collieries  |             |       |  |        |
| Kedla Washery                   | Road                                       | -                  | 3076        | WMCC      | -                    | 30000  | 410000028     | Payloader           | 7383                          |      | -                                       |             |       |  |        |
| Chainpur(SCSC) siding           | Rail                                       | Kedla Washery      | LS15        | WMCC      | -                    | 88000  | 410000028     | Payloader           | 7383                          |      | 100%                                    |             |       |  |        |
| 5                               | Name                                       |                    | Total offer |           | Representative Grade |  |               | Representative Size |                               |      | Modulated price of representative grade | Floor Price |       |  |        |
|                                 | Tapin South OCP                            |                    | 17000       |           | W04                  |  |               | ROM                 |                               |      | 2573                                    | 3345        |       |  |        |
| Offer Description               |  |                    |             |           |                      |  |               |                     |                               |      |   |             |       |  |        |
| Source                          | Mode                                       | Feeding Collieries | Plant Code  | Grade     | Size                 | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method      | MODULATED PRICE (in Rs./Tes.) |      | Supply pattern from feeding collieries  |             |       |  |        |
| Tapin South OCP                 | Road                                       | -                  | 3072        | W04       | ROM                  | 5000   | 490000015     | Payloader           | 2573                          |      | -                                       |             |       |  |        |
| Charhi Siding                   | Rail                                       | Tapin North OCP    | LS16        | W04       | (-)100mm             | 12000  | 410000023     | Payloader           | 2573                          |      | 20-40%                                  |             |       |  |        |
|                                 |  |                    |             |           | (-)100mm             |  |               |                     | 2573                          |      | 40-60%                                  |             |       |  |        |
|                                 |  |                    |             |           | (-)100mm             |  |               |                     | 2573                          |      | 20-40%                                  |             |       |  |        |
| Parsej OCP                      |  |                    |             | W04       | (-)100mm             |  | 410000023     | Payloader           | 2573                          |      | 20-40%                                  |             |       |  |        |
| 6                               | Name                                       |                    | Total offer |           | Representative Grade |  |               | Representative Size |                               |      | Modulated price of representative grade | Floor Price |       |  |        |
|                                 | Kedla Washery                              |                    | 25000       |           | G12                  |  |               | Rejects             |                               |      | 1090                                    | 1417        |       |  |        |
| Offer Description               |  |                    |             |           |                      |  |               |                     |                               |      |   |             |       |  |        |
| Source                          | Mode                                       | Feeding Collieries | Plant Code  | Grade     | Size                 | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method      | MODULATED PRICE (in Rs./Tes.) |      | Supply pattern from feeding             |             |       |  |        |
| Kedla Washery                   | Road                                       | -                  | 3076        | G12       | Rejects              | 25000  | 410000030     | Payloader           | 1090                          |      | -                                       |             |       |  |        |
| 7                               | Name                                       |                    | Total offer |           | Representative Grade |  |               | Representative Size |                               |      | Modulated price of representative grade | Floor Price |       |  |        |
|                                 | Birsra OCP                                 |                    | 48000       |           | G6                   |  |               | ROM                 |                               |      | 2737                                    | 3559        |       |  |        |
| Offer Description               |  |                    |             |           |                      |  |               |                     |                               |      |   |             |       |  |        |
| Name                            | Mode                                       | Feeding Collieries | Plant Code  | Grade     | Size                 | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method      | MODULATED PRICE (in Rs./Tes.) |      | Supply pattern from feeding collieries  |             |       |  |        |
| Birsra OCP                      | Road                                       | -                  | 3020        | G6        | ROM                  | 40000  | 490000014     | Payloader           | 2737                          |      | -                                       |             |       |  |        |
| Saunda-B Siding                 | Rail                                       | Gidi A             | LS26        | G8        | (-)100mm             | 8000   | 410000000     | Payloader           | 1913                          |      | 5-25%                                   |             |       |  |        |
|                                 |  |                    |             |           |                      |  |               |                     | Birsra OCP                    | G6   | 2737                                    |             | 5-25% |  |        |
|                                 |  |                    |             |           |                      |  |               |                     |                               |      | Urimari                                 | G8          | 1913  |  | 5-25%  |
|                                 |  |                    |             |           |                      |  |               |                     |                               |      |   |             | 1913  |  | 30-50% |
|                                 |  |                    |             |           |                      |  |               |                     |                               |      |   |             | 1347  |  | 5-25%  |
|                                 |  |                    |             |           |                      |  |               |                     |                               |      |   |             | 1492  |  | 20-40% |
| Sayal                           | G9   | 410000000          |             | Payloader | 1492                 |  | 20-40%        |                     |                               |      |   |             |       |  |        |
|                                 |  | 410000000          |             | Payloader | 1492                 |  | 20-40%        |                     |                               |      |   |             |       |  |        |
| 8                               | Name                                       |                    | Total offer |           | Representative Grade |  |               | Representative Size |                               |      | Modulated price of representative grade | Floor Price |       |  |        |
|                                 | Dakra OCP                                  |                    | 14000       |           | G11                  |  |               | ROM                 |                               |      | 1173                                    | 1525        |       |  |        |
| Cluster Description             |  |                    |             |           |                      |  |               |                     |                               |      |   |             |       |  |        |
| Source                          | Mode                                       | Feeding Collieries | Plant Code  | Grade     | Size                 | Evacuat<br>on Qty<br>under<br>Offer(tes<br>) | Material Code | Loading Method      | MODULATED PRICE (in Rs./Tes.) |      | Supply pattern from feeding collieries  |             |       |  |        |
| Dakra OCP                       | Road                                       | -                  | 3119        | G11       | ROM                  | 10000  | 490000014     | Payloader           | 1173                          |      | -                                       |             |       |  |        |
| Dakra siding                    | Rail                                       | Dakra OCP          | LS17        | G11       | (-)100mm             | 4000   | 410000000     | Payloader           | 1173                          |      | 40-60%                                  |             |       |  |        |
|                                 |  |                    |             |           |                      |  |               |                     | Churi UG                      | 2516 |   | 40-60%      |       |  |        |

| 9                      | Name              | Total offer                          | Representative Grade |       | Representative Size |                                  |               |                | Modulated price of representative grade | Floor Price                            |
|------------------------|-------------------|--------------------------------------|----------------------|-------|---------------------|----------------------------------|---------------|----------------|---|--|
|                        |                   | Jarangdih OCP                        | 9000                 | W03   |                     | Steam                            |               |                |   | 3062                                   |
|                        | Offer Description |                                      |                      |       |                     |                                  |               |                |   |  |
| Source                 | Mode              | Feeding Collieries                   | Plant Code           | Grade | Size                | Evacuation Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| Jarangdih OCP          | Road              | -                                    | 3088                 | W03   | Steam               | 5000                             | 4900000015    | Manual         | 3062                                    | -                                      |
| Jarangdih PF-II Siding | Rail              | Jarangdih OCP<br>Govindpur Ph-II OCP | LS21                 | W04   | (-)100mm            | 4000                             | 4100000023    | Payloader      | 2573                                    | 40-60%                                 |
|                        |                   |                                      |                      |       |                     |                                  |               |                | 2573                                    | 40-60%                                 |
| 10                     | Name              | Total offer                          | Representative Grade |       | Representative Size |                                  |               |                | Modulated price of representative grade | Floor Price                            |
|                        |                   | Karma OCP                            | 29000                | G6    |                     | ROM                              |               |                |   | 2737                                   |
|                        | Offer Description |                                      |                      |       |                     |                                  |               |                |   |  |
| Source                 | Mode              | Feeding Collieries                   | Plant Code           | Grade | Size                | Evacuation Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| Karma OCP              | Road              | -                                    | 3102                 | G6    | ROM                 | 25000                            | 4900000014    | Payloader      | 2737                                    | -                                      |
| NEW KUJU(KNSP) Siding  | Rail              | Karma OCP                            | LS24                 | G6    | (-)100mm            | 4000                             | 4100000000    | Payloader      | 2737                                    | 100%                                   |
| 11                     | Name              | Total offer                          | Representative Grade |       | Representative Size |                                  |               |                | Modulated price of representative grade | Floor Price                            |
|                        |                   | Topa OCP                             | 30000                | W04   |                     | ROM                              |               |                |   | 2573                                   |
|                        | Offer Description |                                      |                      |       |                     |                                  |               |                |   |  |
| Source                 | Mode              | Feeding Collieries                   | Plant Code           | Grade | Size                | Evacuation Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| Topa OCP               | Road              | -                                    | 3101                 | W04   | ROM                 | 30000                            | 4900000015    | Payloader      | 2573                                    | -                                      |
| 12                     | Name              | Total offer                          | Representative Grade |       | Representative Size |                                  |               |                | Modulated price of representative grade | Floor Price                            |
|                        |                   | Topa OCP                             | 10000                | StII  |                     | ROM                              |               |                |   | 4142                                   |
|                        | Offer Description |                                      |                      |       |                     |                                  |               |                |   |  |
| Source                 | Mode              | Feeding Collieries                   | Plant Code           | Grade | Size                | Evacuation Qty under Offer (tes) | Material Code | Loading Method | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| Topa OCP               | Road              | -                                    | 3101                 | StII  | ROM                 | 10000                            | 4900000015    | Payloader      | 4142                                    | -                                      |

**NOTE:**

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, GST Compensation cess, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website [www.centralcoalfields.in](http://www.centralcoalfields.in) for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 14.01.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

\* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-  
GM (M&S)

**Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in Jan'25 (PHASE XV)**

**SERVICE PROVIDER :-**

**MSTC Ltd**

**DATED:-**

**30.01.2025**

|   | Name                |             | Total offer        |                      | Representative Grade |                     | Representative Size                 |               |   | Modulated price of representative grade | Floor Price                            |
|---|---------------------|-------------|--------------------|----------------------|----------------------|---------------------|-------------------------------------|---------------|---|---|--|
|   | Birsra OCP          |             | 38000              |                      | G8                   |                     | ROM                                 |               |   | 1913                                    | 2487                                   |
| Offer Description                       |                     |             |                    |                      |                      |                     |                                     |               |   |   |  |
|   | Source              | Mode        | Feeding Collieries | Plant Code           | Grade                | Size                | Evacuati on Qty under Offer(tes \ ) | Material Code | Loading Method                          | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| 1                                       | Birsra OCP          | Road        | -                  | 3020                 | G8                   | ROM                 | 30000                               | 4900000014    | Payloader                               | 1913                                    | -                                      |
|   | Saunda-B Siding     | Rail        | Gidi A             | LS26                 | G8                   | (-)100mm            | 8000                                | 4100000000    | Payloader                               | 1913                                    | 5-25%                                  |
|   |                     |             | Birsra OCP         |                      |                      |                     |                                     | 4100000000    | Payloader                               | 2737                                    | 5-25%                                  |
|   |                     |             | Urimari            |                      |                      |                     |                                     | 4100000000    | Payloader                               | 1913                                    | 5-25%                                  |
|   |                     |             | Bhurkunda          |                      |                      |                     |                                     | 4100000000    | Payloader                               | 1347                                    | 5-25%                                  |
|   |                     |             | Sayal              |                      |                      |                     |                                     | 4100000000    | Payloader                               | 1492                                    | 20-40%                                 |
| Offer Description                       |                     |             |                    |                      |                      |                     |                                     |               |   |   |  |
| Name                                    |                     | Total offer |                    | Representative Grade |                      | Representative Size |                                     |               | Modulated price of representative grade | Floor Price                             |  |
| AKK OCP                                 |                     | 20100       |                    | W04                  |                      | ROM                 |                                     |               | 2573                                    | 3345                                    |  |
| Offer Description                       |                     |             |                    |                      |                      |                     |                                     |               |   |   |  |
|   | Source              | Mode        | Feeding Collieries | Plant Code           | Grade                | Size                | Evacuati on Qty under Offer(tes \ ) | Material Code | Loading Method                          | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| 2                                       | AKK OCP             | Road        | -                  | 3037                 | W04                  | ROM                 | 100                                 | 4900000015    | Payloader                               | 2573                                    | -                                      |
|   | KONAR (KCCJ) siding | Rail        | AKK OCP            | LS33                 | W04                  | (-)100mm            | 20000                               | 4100000023    | Payloader                               | 2573                                    | 100%                                   |
| Offer Description                       |                     |             |                    |                      |                      |                     |                                     |               |   |   |  |
| Name                                    |                     | Total offer |                    | Representative Grade |                      | Representative Size |                                     |               | Modulated price of representative grade | Floor Price                             |  |
| Piparwar Washery Rejects                |                     | 10000       |                    | G15                  |                      | Rejects             |                                     |               | 730                                     | 949                                     |  |
| Offer Description                       |                     |             |                    |                      |                      |                     |                                     |               |   |   |  |
|   | Source              | Mode        | Feeding Collieries | Plant Code           | Grade                | Size                | Evacuati on Qty under Offer(tes \ ) | Material Code | Loading Method                          | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| 3                                       | Piparwar Washery    | Road        | -                  | 3128                 | G15                  | Rejects             | 10000                               | 4100000030    | Manual                                  | 730                                     | -                                      |
|   | Offer Description   |             |                    |                      |                      |                     |                                     |               |   |   |  |
| Name                                    |                     | Total offer |                    | Representative Grade |                      | Representative Size |                                     |               | Modulated price of representative grade | Floor Price                             |  |
| Piparwar Washery Non Coking Washed Coal |                     | 5000        |                    | NCWC                 |                      | NCWC                |                                     |               | 2282                                    | 2967                                    |  |
| Offer Description                       |                     |             |                    |                      |                      |                     |                                     |               |   |   |  |
|   | Source              | Mode        | Feeding Collieries | Plant Code           | Grade                | Size                | Evacuati on Qty under Offer(tes \ ) | Material Code | Loading Method                          | MODULATED PRICE (in Rs./Tes.)           | Supply pattern from feeding collieries |
| 4                                       | Piparwar Washery    | Road        | -                  | 3128                 | NCWC                 | NCWC                | 5000                                | 4100000024    | Payloader                               | 2282                                    | -                                      |

**NOTE:**

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, GST Compensation cess, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website [www.centralcoalfields.in](http://www.centralcoalfields.in) for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 14.01.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

\* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-  
GM (M&S)

**Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD IN Jan'25 (PHASE XV)**

**SERVICE PROVIDER :-**

**MSTC Ltd**

**DATED:-**

**31.01.2025**

| 1                 | Name            | Total offer | Representative Grade |            | Representative Size |          |                                  | Modulated price of representative grade | Floor Price    |                               |  |
|-------------------|-----------------|-------------|----------------------|------------|---------------------|----------|----------------------------------|---|----------------|-------------------------------|--|
|                   | Urimari OCP     | 23000       | G8                   |            | ROM                 |          |                                  | 1913                                    | 2487           |                               |  |
| Offer Description |                 |             |                      |            |                     |          |                                  |   |                |                               |  |
|                   | Source          | Mode        | Feeding Collieries   | Plant Code | Grade               | Size     | Evacuation Qty under Offer (tes) | Material Code                           | Loading Method | MODULATED PRICE (in Rs./Tes.) | Supply pattern from feeding collieries |
|                   | Urimari OCP     | Road        | -                    | 3018       | G8                  | ROM      | 15000                            | 4900000014                              | Payloader      | 1913                          | -                                      |
|                   | Saunda-B Siding | Rail        | Gidi A               | LS26       | G8                  | (-)100mm | 8000                             | 4100000000                              | Payloader      | 1913                          | 5-25%                                  |
|                   |                 |             | Birsa OCP            |            | G6                  |          |                                  | 4100000000                              | Payloader      | 2737                          | 5-25%                                  |
|                   |                 |             | Urimari              |            | G8                  |          |                                  | 4100000000                              | Payloader      | 1913                          | 5-25%                                  |
|                   |                 |             | Bhurkunda            |            | G8                  |          |                                  | 4100000000                              | Payloader      | 1913                          | 30-50%                                 |
|                   |                 |             | Sayal                |            | G10                 |          |                                  | 4100000000                              | Payloader      | 1347                          | 5-25%                                  |
|                   |                 |             |                      |            | G9                  |          |                                  | 4100000000                              | Payloader      | 1492                          | 20-40%                                 |

**NOTE:**

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
  - In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
  - Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
  - In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, GST Compensation cess, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
  - Price is available on company website [www.centralcoalfields.in](http://www.centralcoalfields.in) for non-coking & coking coal.
  - The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
  - Bid Security for all types of coal will be ₹ 150/- per tonnes.
  - All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
  - In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
  - The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
  - Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
  - Auction shall be conducted on the floor price i.e. reserve price for each cluster
  - Percentage premium will remain constant throughout lifting period of the particular e-auction.
  - Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
  - Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
  - Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
  - In case of Washed Medium Coking Coal (WMCC), the price notification dated 14.01.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
  - The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOS.
- \* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-  
GM (M&S)



**Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in Jan'25 (PHASE XV)**

**SERVICE PROVIDER :-**

**MSTC Ltd**

**DATED:-**

**01.02.2025**

| 1                 | Name            | Total offer | Representative Grade |            | Representative Size |          |                                  | Modulated price of representative grade | Floor Price    |                               |  |
|-------------------|-----------------|-------------|----------------------|------------|---------------------|----------|----------------------------------|---|----------------|-------------------------------|--|
|                   | Sayal D OCP     | 28000       | G10                  |            | ROM                 |          |                                  | 1347                                    | 1752           |                               |  |
| Offer Description |                 |             |                      |            |                     |          |                                  |   |                |                               |  |
|                   | Source          | Mode        | Feeding Collieries   | Plant Code | Grade               | Size     | Evacuati on Qty under Offer(tes) | Material Code                           | Loading Method | MODULATED PRICE (in Rs./Tes.) | Supply pattern from feeding collieries |
|                   | Sayal D OCP     | Road        | -                    | 3017       | G10                 | ROM      | 20000                            | 4900000014                              | Payloader      | 1347                          | -                                      |
|                   | Saunda-B Siding | Rail        | Gidi A               | LS26       | G8                  | (-)100mm | 8000                             | 4100000000                              | Payloader      | 1913                          | 5-25%                                  |
|                   |                 |             | Birsas OCP           |            | G6                  |          |                                  | 4100000000                              | Payloader      | 2737                          | 5-25%                                  |
|                   |                 |             | Urimari              |            | G8                  |          |                                  | 4100000000                              | Payloader      | 1913                          | 5-25%                                  |
|                   |                 |             | Bhurkunda            |            | G8                  |          |                                  | 4100000000                              | Payloader      | 1913                          | 30-50%                                 |
|                   |                 |             | Sayal                |            | G10                 |          |                                  | 4100000000                              | Payloader      | 1347                          | 5-25%                                  |
|                   |                 |             |                      |            | G9                  |          |                                  | 4100000000                              | Payloader      | 1492                          | 20-40%                                 |

**NOTE:**

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, GST Compensation cess, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website [www.centralcoalfields.in](http://www.centralcoalfields.in) for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 14.01.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOS.

\* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/  
GM (M&S)