ईस्टर्न कोलफिल्ड्स लिमिटेड (कोल इंडिया का एक उपक्रम) सांक्तोड़िया, पो: डिसेरगढ़ विपणन एवम विक्रय विभाग



Eastern Coalfields Limited (A subsidiary of Coal India Ltd) Sanctoria. PO. Dishergarh, DEPT: MARKETING & SALES

Dated: 20.02.2023

- ECL/HQ/ M&S/ SPOT E-AUCTION/
- SUB: SPOT E -AUCTION OFFER
- TO: M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK- DP, SECTOR-V, SALT LAKE ,KOLKATA –91.

FROM: HOD (M&S), ECL, SANCTORIA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on **27th OF FEBRUARY, 2023.** THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

OFFER BY ROAD MODE

		Colli	Range	Mid GCV		Offer	Notif ied	Rese rve	
Area	Source	ery Code	/ Grade	(Kcal / kg)	Size	Qty (MT)	Price (Rs)	Price (Rs)	Weighbridge Details
	Tilboni::Jambad(/3/			()	()	KUM-A & TILABONI ROAD
	R-VIII)/R-		6101-		STM(-				WEIGHBRIDGE, CAPACITY: 60
	VIIA/Bonbahal(R		6400/		100MM				TONNES, DISTANCE:1 TO 1.5
Bankola	-VII)	9563	G4	6250)	3000	3280	4100	KMS
			6101-		STM(-				KUM-B ROAD WEIGHBRIDGE,
	Kumardihi-B::R-		6400/		100MM				CAPACITY: 60 TONNES,
Bankola	VIIC	9580	G4	6250)	7500	3280	4100	DISTANCE: 0 TO 0.5 KMS
			6101-		STM(-				Loc: Near Parascole colly
	PARASCOLE::JA		6400/		250MM				adjacent to Parascole (W) Sdg:
Kajora	MBAD (R-VIII)	9181	G4	6250)	6000	3280	4100	Cap: 60mt Dim: 9mX3m
	CENTRAL								
	KAJORA::LOWE		6401-		STM(-				
	r kajora (r-		6700/		250MM				Central Kajora Colliery Sdg.
Kajora	VIIIT)	9233	G3	6550)	6000	3424	4280	Location Colliery Sdg CAP. 60 TE
	JAMBAD		6101-		STM(-				Location: Moti Bazar, near
	OCP::JAMBAD		6400/		250MM				Jambad OCP, Capacity-60 MT,
Kajora	(R-VIII)	9256	G4	6250)	6000	3280	4100	Dimension-9 m X 3 m
									NAME:CHORA 7/9
					o=14				LOCATION:CHORA 7/9 PIT,
	CHORA 10		6101-		STM(-				CAPACITY:60 TONNES,
	PIT:CHORA (R-		6400/	6250	100MM	2500	2200	44.00	DIMENSION 9 X 3 MTRS,
Kenda	VI)	9333	G4	6250)	3500	3280	4100	DISTANCE 2.4 KM
	SANKARPUR		6101-		STM(-				Weigh Bridge at the entry of Mine
	OCP::JAMBAD	0076	6400/	6250	250MM	0000	2200	44.00	premises.: Capacity-60 Te :
Kenda	(R-VIII)	9276	G4	6250)	8000	3280	4100	Dimension -9MX3M
	CHORA BLOCK		5801-		STM(-				Location: Sankarpur OCP
Kanala	MINE::BONBAH	0200	6100/	FOFO	100MM	2500	2017	2772	Capacity: 60 Tones Dimention:
Kenda	AL BOT(R-VIIA)	9208	G5 6401-	5950)	2500	3017	3772	9X3 Mtrs.
Kupuctor	KUNUSTORIA::K ENDA (R - V /		6700/		STM(- 100MM				Lacation Kunustaria Stackward
Kunustor	VI)	9316	G3	6550		5000	3424	4280	Location:Kunustoria Stockyard ,Cap:-30Te :Dim-7.5MX3M
ia	V1)	9510	6401-	0550) STM(-	5000	3424	4200	,CapSolle .Dill-7.SMASM
Kunustor	BANSRA::KENDA		6700/		100MM				Near Bansra Sdg, CAP: 50 Te,
ia	(R-VI)	9277	G3	6550	10014114	6000	3424	4280	DIM- 9M X 3 M
iu		5211	05	0550)	0000	JTZT	7200	
	(U/G)::BRINDAB		5801-		STM(-				Linked WB- C P siding, Cap- 60
	ANPUR (B - I I I		6100/		250MM				te, Loc- C P siding, Dim -9M x
Mugma		9165	G5	5950)	2500	3017	3772	3M.
riugitiu	/	Colli	Range	Mid	,	Offer	Notif	Rese	5117
		ery	/	GCV		Qty	ied	rve	
Area	Source	Code		(Kcal	Size	(MT)	Price	Price	Weighbridge Details
Area	Source	Coae	Grade	(KCal	Size	(MI)	Price	Price	weignbridge Details

				/ kg)			(Rs)	(Rs)	
	NIRSA OC								
	PATCH::BRINDA								
	BANPUR(B-		5801-		STM(-				
	III)/KALIMATI(B		6100/		250MM				Linked WB-Nirsa, Capacity- 60 te,
Mugma	-II)	9572	G5	5950)	25000	3017	3772	Location-Nirsa, Dim -9M x 3M,
	MADHAIPUR::SA		6101-		STM(-				
Pandave	MLA (R II &		6400/		250MM				Madhaipur WB, near coal depot
swar	III)	9279	G4	6250)	1500	3280	4100	Cap:60Te:: Dim- 9.1MX3 M
	PANDAVESWAR:		6101-		STM(-				DALURBAND ROAD WB- NEAR
Pandave	:DOBRANA (R -		6400/		250MM				DALURBAND OCP, SIDING, CAP :
swar	V)	9184	G4	6250)	6000	3280	4100	40 TE
	RAJMAHAL								
	OCP:: { III & II								
	COMB, { III & II		4301-		STM(-				Linked WB - Lalmatia, Capacity
Definished	TOP, { II TOP &	0164	4600/	4450	250MM	25000	1050	2440	50 Te, Location- Near lalmatia
Rajmahal	{ II BOTTOM	9164	G10	4450)	25000	1958	2448	Colliery, Length - 14.3 m
	NIMCHA		F001		CTN/				
	OCP(AMKOLA)::		5801-		STM(-				Nimelas Daad W/D naam Nimelas
Cotarom	NARAINKURI(R- VII)	0220	6100/ G5	FOFO	100MM	10000	3017	2772	Nimcha Road WB near Nimcha
Satgram	SONPUR BAZARI	9330	65	5950)	10000	3017	3772	Colliery Siding, Capacity-60 Te
	PROJ.::CHORA								
	(R-								
	(K- VI)/DOBRANA								
	(R-		6101-		STM(-				SONEPUR PROJ. W.B, NEAR S.
Sonepur	V)/CHINCHURIA		6400/		100MM				BAZARI PROJ, CAP-50 TE, DIM-
Bazari	(R-IV)	9220	64 G4	6250)	60000	3280	4100	17M X 3M
Duzun	(11)	5220	51	0250		00000	5200	1100	1/11/ 3/1

OFFER BY RAIL MODE

		Danga	Mid		Offe			
		Range /	GCV (Kcal/kg		r (in rake	Notifie	Reserv	
Area	Source	/ Grade		Size)	d Price	e Price	Weighbridge Details
	UKA IV	6101-		STM (-				
	(Bankola	6400 /		100MM				Andal Railway Weigh Bridge :
Bankola	1)	G4	6250)	10	3280	4100	100TE
	UKA IV	6101-		STM (-				
	(Bankola	6400 /		100MM				Andal Railway Weigh Bridge :
Bankola	11)	G4	6250)	20	3280	4100	100TE
		6101-		STM (-				
Kunustori		6400 /		100MM				
а	CHA-II(P)	G4	6250)	4	3280	4100	SONACHARA: CAP-140 TES

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited (<u>www.coalindia.in</u>). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

"Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.

Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction. Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.

Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply."

Post auction activities

Coal value and requisite documents are to be deposited within a period of 10 working days after the closure of the auction. Ten working days would be reckoned as applicable to the respective Subsidiary Coal companies' office where the payment/ deposit is required to be made' (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). Sale Orders / consent of Railway programme will be issued within **next** 7 days after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- **Documents to be submitted for booking** Successful bidders are required to submit Sale intimation letter, consumer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate (duly notarized) alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL Computerised Sale Centre.
- Presently, all the coal consumers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The spot e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.
- **Exact amount to be deposited**: The sum total of EMD and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done. Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of EMD) in one instalment only.
- Separate amount of advance: The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately.

Further the E-Auction coal consumers are advised to deposit the advance Auction-wise Bidwise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.

- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.

- Details of Bank to which the payment instruments are to be sent : State Bank of India, CAG Branch,34 J.N.Road, Kol-700 071, MICR CODE NO- 700002199, Account No- 10373629858, IFSC: SBIN0009998, ECL's PAN-AAACE7590E
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office. SFMS details are as below: -

Bank Name: ICICI Bank Account No.:- 029105006160 Cust ID: 582866895 Bank Branch IFSC Code: ICIC0000291 Unique Identifier for Field 7037:- ECL582866895 Alert for message type- Issuance & Amendment both (5017 & 5018 both).

• The requisite documents along with application may be sent in mail id <u>eclmns2020@yahoo.com</u> within 2 working days of deposition of coal value.

HOD (M&S)