ईस्टर्न कोलिफिल्ड्स लिमिटेड (कोल इंडिया का एक उपक्रम) सांक्तोड़िया, पो: डिसेरगढ़ विपणन एवम विक्रय विभाग



Eastern Coalfields Limited (A subsidiary of Coal India Ltd) Sanctoria. PO. Dishergarh, DEPT: MARKETING & SALES

Dated: 11.11.2022

ECL/HQ/ M&S/ SPOT E-AUCTION/

SUB: SPOT E-AUCTION OFFER

KIND ATTEN: Mr. PROSENJIT BANERJEE, SR MANAGER/BHASKAR SAHU, SR OFFICER

TO: M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK-

DP, SECTOR-V, SALT LAKE ,KOLKATA -91.

FROM: HOD (M&S), ECL, SANCTORIA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on **18TH OF NOVEMBER, 2022.** THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

OFFER BY ROAD MODE

Area	Source	Coll iery Cod e	Rang e/ Grad e	Mid GCV (Kcal / kg)	Size	Offer Qty (MT)	Notifi ed Price (Rs)	Reser ve Price (Rs)	Weighbridge Details
			6101-		STM(-				KUM-B ROAD WEIGHBRIDGE,
			6400/		100M				CAPACITY: 60 TONNES, DISTANCE: 0
Bankola	Kumardihi-B::R-VIIC >>9580	9580	G4	6250	M)	8000	3280	4100	TO 0.5 KMS
			6401-		STM(-				
	JAMBAD::KENDA (R-VI)		6700/		250M				LINKED WB-JAMBAD NEAR 3 PIT,
Kajora	>>9178	9178	G3	6550	M)	9000	3424	4280	CAP25 TE, DIM 6.13 M X 2.48 M
			6401-		STM(-				
	KHAS KAJORA::LOWER		6700/		250M				Location:Khas Kajora Sdg near pit-6,
Kajora	KAJORA (R-VIIIT) >>9257	9257	G3	6550	M)	8000	3424	4280	Capacity-60 Tonne Dim: 9M X 3M
			6401-		STM(-				
	BANSRA::KENDA (R - VI)		6700/		100M				Near Bansra Sdg, CAP: 50 Te, DIM-
Kunustoria	>>9277	9277	G3	6550	M)	6000	3424	4280	9M X 3 M
	NORTH SEARSOLE		6101-		STM(-				North Searsole OCP Weighbridge,
	OCP::KENDA BOTTOM (R - V)		6400/		100M				Distance from mine: 800 to 1000
Kunustoria	>>9317	9317	G4	6250	M)	5000	3280	4100	Meter, Cap 60 MT
	CHAPAPUR- II OCP ::		5801-		STM(-				Linked WB-Chapapur, Capacity- 60
	SINGHPUR MIDDLE / TOP		6100/		250M				te, Location-Chapapur, Nirsa,
Mugma	>>9586	9586	G5	5950	M)	3000	3017	3772	Dimension -24'10" x 9'10"
			6401-		STM(-				PANDAVESWAR WB; CAPACITY-60
Pandaves	KHOTTADIH CHP::SAMLA		6700/		100M				TE LOCATION NEAR PANDAVESWAR
war	SEAM OF KHOTTADIH >>9175	9175	G3	6550	M)	20000	3424	4280	COLLIERY, DIM 354.33" X 118.11"
_	MANDERBONI::SAMLA (R II		6101-		STM(-				
Pandaves	& III) /PURUSOTTAMPUR (R -		6400/		250M				Manderboni WB, Location:- 5&6 pit,
war	IV)>>9318	9318	G4	6250	M)	1500	3280	4100	Cap-60 Te Dim:- 9.1M X 3 M
			6101-		STM(-				Khoon patch Weighbridge,
			6400/		250M				Capacity 100 MT, Situated near
S.P.Mines	CHITRA OCP::CHITRA >>9162	9162	G4	6250	M)	15000	3280	4100	Khoon Patch
	NIMCHA		5801-		STM(-				Nimcha Road WB near Nimcha
6 .	OCP(AMKOLA)::NARAINKURI(R	0000	6100/	5050	100M	0000	2017	2772	Colliery Siding, Capacity-30 Te
Satgram	-VII) >>9330	9330	G5	5950	M)	8000	3017	3772	Dimension:- 3M X 9M
			64.04		CTN 4/				Dubeswari Colliery Road
	DUDESIA/ADV LIIII /2		6101-		STM(-				Weighbridge; Size: 9x3.4m;
Cadamin	DUBESWARY::HIJULI (R- VIII)	0246	6400/	6350	100M	3500	2200	4100	Capacity: 60MT; Loc: Dubeswari
Sodepur	>>9218	9218	G4	6250	M)	2500	3280	4100	Colly.
			F901		CTN4/				Patmohana WB, B.C. Incline,
	METHANI CRIDIID / D. MAI		5801-		STM(-				Capacity-60 MT, Dist from Bejdih ~
Codor	METHANI :: SRIPUR (R - V I)	9587	6100/ G5	EOFO	100M	E00	3017	3772	2.25 km (approx.), Platform size - 40
Sodepur	>>9587	958/	G5	5950	M)	500	3017	3//2	feet / 10 feet (approx.)

			6101-		STM(-				Weigh Bridge at Parbelia Colly,
	PARBELIA::HIJULI (R- VIII)		6400/		100M				Capacity- 60 TE, EPS, Dimension- 12
Sodepur	>>9266	9266	G4	6250	M)	2500	3280	4100	M X 3 M
Area	Source	Coll iery Cod e	Rang e/ Grad e	Mid GCV (Kcal / kg)	Size	Offer Qty (MT)	Notifi ed Price (Rs)	Reser ve Price (Rs)	Weighbridge Details
	CHINAKURI 3		6101-		STM(-				
	PIT::BORACHAK (R-VIII)		6400/		100M				Chinakuri Road W.B. Cap-60 Te
Sodepur	>>9265	9265	G4	6250	M)	6000	3280	4100	Dim- 9m x 3m
	SONPUR BAZARI								
	PROJ.::CHORA (R-		6101-		STM(-				SONEPUR PROJ. W.B, NEAR S.
Sonepur	VI)/DOBRANA (R-		6400/		100M				BAZARI PROJ, CAP-50 TE, DIM- 17M
Bazari	V)/CHINCHURIA (R-IV) >>9220	9220	G4	6250	M)	50000	3280	4100	X 3M
			6101-		STM(-				SSI Colliery Road Weighbridge,
	NINGHA::DISHERGARH (R -IV)		6400/		250M				Capacity 60 Tonnes, Dimension 9M
Sripur	>>9223	9223	G4	6250	M)	500	3280	4100	X 3M

OFFER BY RAIL MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in rake)	Notified Price	Reserve Price	Weighbridge Details
Bankola	POCP-	6101-6400 / G4	6250	STM (- 100MM)	10	3280	4100	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
Kunustoria	TOP-I (BNS)	6101-6400 / G4	6250	STM (- 100MM)	3	3280	4100	SONACHARA: CAP-140 TES
	CHA-	6101-6400		STM (-				
Kunustoria	II(P)	/ G4	6250	100MM)	3	3280	4100	SONACHARA: CAP-140 TES
Sonepur Bazari	PSBP	6101-6400 / G4	6250	STM (-100 MM)	50	3280	4100	PSBP RAIL WEIGHBRIDGE; CAPACITY: 140 TE

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited (www.coalindia.in). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

"Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.

Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction.

Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply. Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply."

Post auction activities

Coal value and requisite documents are to be deposited within a period of 10 working days after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). Sale Orders / consent of Railway programme will be issued within **next** 7 days after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

Documents to be submitted for booking - Successful bidders are required to submit Sale intimation letter, consumer's acceptance letter in their letter head (mentioning Inside/Outside state for coal movement), Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all

- respect i.e Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate (duly notarized) alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL Computerised Sale Centre.
- Presently, all the coal consumers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The spot e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will
 be charged and if above address of recipient falls in a different state from where coal is supplied then
 IGST will be levied.
- **Exact amount to be deposited**: The sum total of EMD and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done.
 - Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of EMD) in one instalment only.
- **Separate amount of advance**: The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately.
 - Further the E-Auction coal consumers are advised to deposit the advance Auction-wise Bidwise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.
- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done manually / mechanically.
- Details of Bank to which the payment instruments are to be sent: State Bank of India, CAG Branch,34
 J.N.Road, Kol-700 071, MICR CODE NO- 700002199, Account No- 10373629858, IFSC:
 SBIN0009998, ECL's PAN-AAACE7590E
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office. SFMS details are as below: -

Bank Name: ICICI Bank Account No.:- 029105006160

Cust ID: 582866895

Bank Branch IFSC Code: ICIC0000291

Unique Identifier for Field 7037:- ECL582866895

Alert for message type- Issuance & Amendment both (5017 & 5018 both).

• The requisite documents along with application may be sent in mail id eclmns2020@yahoo.com within 2 working days of deposition of coal value.