



## Eastern Coalfields Limited

(A subsidiary of Coal India Limited)

COAL HOUSE

13, R. N. MUKHERJEE ROAD

Kolkata 700001

Phone – 033-2248 6266/67/68

CIN – U10101WB1975GOI030295

Fax -033 2248 0512

Email : [eclrmukherjee@yahoo.co.in](mailto:eclrmukherjee@yahoo.co.in)

**Provisional GSTIN No.of Eastern Coalfields Ltd.**

ECL – JHARKHAND : 20AAACE7590E3ZX

ECL – WEST BENGAL : 19AAACE7590E1ZI

ECL/KOL/S&M/ SPOT E-AUCTION/

Dated: 20.08.2018

SUB : SPOT E -AUCTION OFFER

FROM: HOD , ECL SALES OFFICE, KOLKATA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on 29TH OF AUGUST, 2018. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

### OFFER BY ROAD MODE

Area	Source	Colliery Code	Range/ Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price Rs)	Weighbridge Details
Bankola	Shankerpur::Bonbahal (R-VII) / R-VIIA	9564	6101-6400/ G4	6250	STM (-100 MM)	2000	4088	SHANKERPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Shyamsunderpur:: Jambad (R-VIII T2 & T1) / Bankola (R-VII)	9559	6101-6400/ G4	6250	STM (-100 MM)	7500	4088	SSPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Kumardihi-B::R-V	9562	6101-6400/ G4	6250	STM (-100 MM)	2000	4088	KUM-B ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Kajora	JAMBAD:: KENDA (R-VI)	9178	6401-6700/ G3	6550	STM (-250 MM)	5500	4268	LINKED WB-JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. - 6.13 M X 2.48 M
Kajora	PARASCOLE:: JAMBAD (R-VIII)	9181	6101-6400/ G4	6250	STM (-250 MM)	3000	4088	Located near Parascole colliery adjacent to Parascole west siding: Capacity 60mt Dimension 9mX3m

Kajora	KHAS KAJORA:: LOWER KAJORA (R-VIIIT)	9257	6401- 6700/ G3	6550	STM (-250 MM)	4500	4268	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Kajora	CENTRAL KAJORA:: LOWER KAJORA (R-VIIIT)	9233	6401- 6700/ G3	6550	STM (-250 MM)	2000	4268	Central Kajora Colliery Sdg. Location Colliery Sdg CAP: 25 TE Dim. 6.13mx2.46m
Kenda	SANKARPUR OCP:: JAMBAD (R-VIII)	9276	6101- 6400/ G4	6250	STM (-250 MM)	3000	4088	Weigh Bridge at the entry of Mine premises.: Capacity-60 Te : Dimension - 9MX3M
Kenda	CHORA 7/9:: CHORA (R-VI)	9332	6101- 6400/ G4	6250	STM (-250 MM)	2500	4088	CHORA 7/9 LOCATION:CHO RA 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 200 MTRS
Kunustoria	BANSRA: : (Purandip R-VII)	9278	5801- 6100 / G5	5950	STM (-250 MM)	2000	3759	NEAR Bansra Sdg, CAP: 50 TE, DIM- 9M X 3 M
Kunustoria	KUNUSTORIA:: KENDA (R - V / VI)	9316	6401- 6700/ G3	6550	STM (-100 MM)	6000	4268	Location:Kunustori a Stockyard ,Cap:- 30Te :Dim- 7.5MX3M
Kunustoria	BANSRA:: KENDA (R- VI )	9277	6401- 6700/ G3	6550	STM (-250 MM)	5000	4268	Near Bansra Sdg, CAP: 50 Te, DIM- 9M X 3 M
Pandaveswar	KHOTTADIH OCP : : KENDA TOP & BOTTOM ( R - V )	9300	5801- 6100 / G5	5950	STM (-250 MM)	2500	3759	KHOTTADIH OCP WB; CAPACITY-50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M
Pandaveswar	PANDAVESWAR:: DOBRANA ( R - V )	9184	6101- 6400/ G4	6250	STM (-250 MM)	4000	4088	DALURBAND ROAD WB- NEAR DALURBAND OCP, SIDING, CAP : 40 TE
Pandaveswar	KHOTTADIH CHP:: SAMLA SEAMOF KHOTTADIH	9175	6401- 6700/ G3	6550	STM (-100 MM)	8000	4268	PANDAVESWAR WB; CAPACITY- 60 TE LOCATION NEAR PANDAVESWAR COLLIERY, DIM 354.33" X 118.11"
Salanpur	BONJEMEHARI OCP:: SALANPUR A & B (B-II & B-III)	9186	5801- 6100/ G5	5950	STM (-250 MM)	3000	3759	Linked WB- BONJEMEHARI, Capacity- 30 te, Location- Near BONJEMEHARI OFFICE, Dimension - 7.5m x 2.7

Salanpur	MOHANPUR OCP:: SALANPUR A& B (B-II & B-II I)	9262	5501- 5800 / G6	5650	STM (-250 MM)	2000	3493	MHN OCP W.B. CAP.30tes, Location MHN W.B. Office, Dim. 24"8"X10"
Satgram	NIMCHA::NEGA(R- VIII)&NARAINKURI (R-VII)	9309	6101- 6400/ G4	6250	STM (-250 MM)	4000	4088	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Satgram	J.K.NAGAR:: BOGRA(R-VI) & SATGRAM (R - V)	9310	6101- 6400/ G4	6250	STM (-250 MM)	4000	4088	Modern Satgram Coal Depot Road WB; Location: Modern Satgram Siding. Cap- 50 Te, Dim: 9M X 3M
Sodepur	NARSAMUDA:: NARSAMUDA (R-X)	9128	6101- 6400/ G4	6250	STM (-250 MM)	2250	4088	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43' X 11'

**NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION**

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited ( [www.coalindia.in](http://www.coalindia.in)). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

*"Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.*

*Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction.*

*Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.*

*Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply."*