

ECL/KOL/M&S/ SPOT E-AUCTION/HOD/201D

Dated: 27.11.2018

SUB : SPOT E -AUCTION OFFER

KIND ATTEN: Mr. PROSENJIT BANERJEE, SR MANAGER/BHASKAR SAHU, SR OFFICER

TO : M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK- DP, SECTOR-V, SALT LAKE ,KOLKATA –91.

FROM: HOD , ECL SALES OFFICE, KOLKATA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on 5TH OF DECEMBER, 2018. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

OFFER BY ROAD MODE

Area	Source	Colliery Code	Range/Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price Rs)	Weighbridge Details
Jhanjra	Jhanjra Project - 3 & 4 Incline :: Bonbahal (R-VII)/ R-VIIA	9324	5801-6100 / G5	5950	STM (-100MM)	2000	3759	3 & 4 Road WB; Capacity : 50 Te; Dimension: 9 x 3 mts
Mugma	HARIAZAM :: BRINDABANPUR (B - I I I)	9226	5801-6100 / G5	5950	STM (-250MM)	1000	3759	Linked WB- Hariazam, Capacity- 30 te, Location- Hariazam, Dimension - 24'10" x 9'10" [Upto 10 wheeler
Kajora	JAMBAD OCP:: JAMBAD (R-VIII)	9256	6101-6400/ G4	6250	STM (-250MM)	8000	4088	Location: Moti Bazar, near Jambad OCP, Capacity-60 MT, Dimension-9 m X 3 m
Kajora	JAMBAD:: KENDA (R-VI)	9178	6401-6700/ G3	6550	STM (-250MM)	6000	4268	LINKED WB- JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. - 6.13 M X 2.48 M
Kajora	KHAS KAJORA:: LOWER KAJORA (R-VIIIT)	9257	6401-6700/ G3	6550	STM (-250MM)	7500	4268	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Kajora	PARASCOLE:: JAMBAD (R-VIII)	9181	6101-6400/ G4	6250	STM (-250MM)	3000	4088	Located near Parascole colliery adjacent to Parascole west siding: Capacity 60mt Dimension 9mX3m

Kajora	CENTRAL KAJORA:: LOWER KAJORA (R-VIII)	9233	6401- 6700/ G3	6550	STM (- 250MM)	2500	4268	Central Kajora Colliery Sdg. Location Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46m
Kenda	LOWER KENDA:: DOBRANA (R - V)	9236	6101- 6400/ G4	6250	STM (- 250MM)	1000	4088	Location: Near Chora 7 /9 Pit;Capacity: 50 Tones;Dimention:9X3 Mtis.;Distance:0.8 Km.
Kenda	SANKARPUR OCP:: JAMBAD (R- VIII)	9276	6101- 6400/ G4	6250	STM (- 250MM)	8000	4088	Weigh Bridge at the entry of Mine premises : Capacity- 60 Te : Dimension - 9MX3M
Kenda	CHORA 7/9:: CHORA (R-VI)	9332	6101- 6400/ G4	6250	STM (- 250MM)	2500	4088	CHORA 7/9 LOCATION:CHORA 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 200 MTRS
Kenda	CHORA 10PIT:: CHORA (R-VI)	9333	6101- 6400/ G4	6250	STM (- 250MM)	1200	4088	NAME:CHORA 7/9 LOCATION:CHORA 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 2.4 KM
Kenda	CHORA BLOCK MINE:: BONBAHAL BOT(R-VIIA)	9208	5801- 6100/ G5	5950	STM (- 250MM)	1200	3759	Bonbahal OCP WB, Location : Near Bonbahal Police Out Post, Capacity : 60 Tonnes, Dimension 9x3 m
Pandaveswar	MANDERBONI:: SAML A (R-- II & III)/ PURUSOTTAMPUR (R-IV)	9318	6101- 6400/ G4	6250	STM (- 250MM)	1500	4088	Manderboni WB, Location:- 5&6 pit, Cap-60 Te Dim:- 9.1M X 3 M
Pandaveswar	DALURBAND OCP:: CHORA	9172	5801- 6100/ G5	5950	STM (- 100MM)	2500	3759	Location: SS Siding, Capacity-50Te Dim- 9mX3m
Pandaveswar	MADHAIPUR:: SAML A (R-- II & III)	9279	6101- 6400/ G4	6250	STM (- 250MM)	1000	4088	Madhaipur WB, near coal depot Cap:60Te:: Dim- 9.1MX3 M
Salanpur	BONJEME HARI OCP:: SALANPUR A & B (B-II & B-III)	9186	5801- 6100/ G5	5950	STM (- 250MM)	6000	3759	Linked WB- BONJEME HARI, Capacity- 30 te, Location- Near BONJEME HARI OFFICE, Dimension - 7.5m x 2.7

Salanpur	MOHANPUR OCP:: SALANPUR A & B (B-II I & B-II I)	9262	5501- 5800 / G6	5650	STM (- 250MM)	3000	3493	MHN OCP W.B. CAP.30tes, Location MHN W.B. Office, Dim. 24"8"X10"
Satgram	J.K.NAGAR:: BOGRA(R-VI) & SATGRAM (R - V)	9310	6101- 6400/ G4	6250	STM (- 250MM)	4000	4088	Modern Satgram Coal Depot Road WB; Location: Modern Satgram Siding. Cap- 50 Te, Dim: 9M X 3M
Satgram	NIMCHA::NEGA(R- VIII) &NARAINKURI (R-VII)	9309	6101- 6400/ G4	6250	STM (- 250MM)	3000	4088	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Sripur	BHANORA WESTBLOCK MINE::SRIPUR (R- VI)	9287	6101- 6400/ G4	6250	STM (- 250MM)	1000	4088	NORTH GHUSICK W.B., LOC- NORTH GHUSICK COLLY, CAP-25 TE, SIZE- 7.42 M X 3.1 M

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited (www.coalindia.in). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

“Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.

Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction.

Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.

Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply.”