



CENTRAL COALFIELDS LIMITED
A Mineral Company
(Govt. of India Undertaking)
Marketing & Sales Department
Reg. Office: Darbhanga House, Ranchi
Jharkhand – 834 001
Phone/Fax: (0651) 2360369
CIN NO: U10200JH1956GOI000581
E-mail: gm@nml.ccl@coalindia.in
Web: <https://www.centralcoalfields.in>

संख्या: CCL/HQ/C-4/e-Auction/2025-26/ 896

दिनांक: 03.05.2025

सूचना / NOTICE

This is in reference to the notice no. CCL/HQ/C-4/E-AUCTION/2025-26/873 dated 29.04.2025 vide which offer of coal for Single Window Mode Agnostic e-Auction (Phase-II) has been notified.

In this regard, it is for information of all Buyers that **following modifications in offer have further been made:-**

- **Auction Date-06.05.2025**

Feeding Colliery Details for Source(s)-**Kabribad OCP/CP Siding under SI No 5** has been *updated*

- **Auction Date-07.05.2025**

Feeding Colliery Details for Source(s)-**Kabribad OCP/CP Siding under SI No 2** has been *updated*

- **Auction Date-09.05.2025**

Loading method for **Piparwar Washery NCWC under SI no 9** may kindly be read as **Payload Loading**

All other terms and conditions of the notice dated 29.04.2025 remain same.


Manager (M&S),
CCL, Ranchi

Distribution:

1. GM(M&S), CCL
2. M/s MJunction- For incorporating above on auction portal
3. Sr. Manager (Road Sale), CCL, Ranchi
4. Dy. Manager (CSC), CCL, Ranchi

Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in April'25 (PHASE II)

SERVICE PROVIDER :-

MJunction Ltd

DATED:-

06.05.2025

1	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Rajrappa OCP		52000		W04		ROM			2590	3367	
	Offer Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	
	Rajrappa OCP	Road	-	3137	W04	ROM	40000	4900000015	Payloader	2590	-	
	Rajrappa Washery Siding (Wharf)	Rail	Rajrappa OCP	LS25	W04	(-)100mm	12000	4100000023	Payloader	2590	100%	
2	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Amrapali OCP		254000		G11		(-)100mm			1181	1536	
	Offer Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	
	Amrapali OCP	Road	-	3112	G11	(-)100mm	250000	4100000000	Payloader	1181	-	
	Shivpoor Siding	Rail	Amrapali OCP	LS12	G11	(-)100mm	4000	4100000000	Payloader	1181	100%	
3	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Magadh OCP		54000		G11		(-)100mm			1181	1536	
	Offer Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	
	Magadh OCP	Road	-	3110	G11	(-)100mm	50000	4100000000	Payloader	1181	-	
	Balumath Siding	Rail	Magadh OCP	LS06	G11	(-)100mm	4000	4100000000	Payloader	1181	40-60%	
					G12	(-)100mm		4100000000	Payloader	1098	40-60%	
					G9	(-)100mm		4100000000	Payloader	1502	0-20%	
4	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Magadh OCP		104000		G12		(-)100mm			1098	1428	
	Offer Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	
	Magadh OCP	Road	-	3110	G12	(-)100mm	100000	4100000000	Payloader	1098	-	
	Phulbasiya Siding	Rail	Magadh OCP	LS08	G11	(-)100mm	4000	4100000000	Payloader	1181	40-60%	
					G12	(-)100mm		4100000000		1098	40-60%	
					G9	(-)100mm		4100000000		1502	0-20%	
5	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Kabribad OCP		14000		G8		ROM			1926	2504	
	Cluster Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	
	Kabribad OCP	Road	-	3059	G8	ROM	10000	4900000014	Payloader	1926	-	
	CP Siding	Rail	Kabribad OCP	LS30	G8	(-)100mm	4000	4100000000	Payloader	1926	100%	
6	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Tapin North OCP		46000		W04		ROM			2590	3367	
	Offer Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	
	Tapin North OCP	Road	-	3071	W04	ROM	6000	4900000015	Payloader	2590	-	
	Charhi Siding	Rail	Tapin North OCP	LS16	W04	(-)100mm	40000	4100000023	Payloader	2590	20-40%	
			Tapin South OCP		W04	(-)100mm		4100000023	Payloader	2590	40-60%	
			Parej OCP		W04	(-)100mm		4100000023	Payloader	2590	20-40%	
7	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Jharkhand OCP		20000		W04		ROM			2590	3367	
	Offer Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	
	Jharkhand OCP	Road	-	3073	W04	ROM	20000	4900000015	Payloader	2590	-	
8	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Urimari OCP		29000		G8		ROM			1926	2504	
	Offer Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	
	Urimari OCP	Road	-	3018	G8	ROM	25000	4900000014	Payloader	1926	-	
	Saunda-B Siding	Rail	Gidi A	LS26	G8	(-)100mm	4000	4100000000	Payloader	1926	10-30%	
			Urimari		G8			4100000000	Payloader	1926	10-30%	
			Bhirkunda		G8			4100000000	Payloader	1926	50-70%	
9	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Sayal D OCP		10000		G9		ROM			1502	1953	
	Offer Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	

10	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	North Urimari OCP	24000		G8		ROM			1926	2504	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Binsa OCP	Road	-	3020	G8	ROM	20000	4900000014	Payloader	1926	-
NUGP Silo	Rail	Binsa OCP	LS34	G8	(-)100mm	4000	4100000000	Silo	1926	65-85%	
		Urimari		G8			4100000000		1926	15-35%	
11	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Churi UG	24000		G7		(-)100mm			2533	3293	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Churi UG	Road	-	3114	G7	(-)100mm	20000	4100000000	Chute	2533	-
Dakra siding	Rail	Dakra OCP	LS17	G11	(-)100mm	4000	4100000000	Payloader	1181	40-60%	
		Churi UG		G7			4100000000	Payloader	2533	40-60%	
12	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	KDH OCP	20000		G11		ROM			1181	1536	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	KDH OCP	Road	-	3118	G11	ROM	20000	4900000014	Payloader	1181	-
13	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Purnadih OCP	10000		G11		ROM			1181	1536	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Purnadih OCP	Road	-	3117	G11	ROM	10000	4900000014	Payloader	1181	-
14	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Govindpur Ph-II OCP	10000		W02		Steam			3550	4615	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	GOVINDPUR PHASE-II O/C	Road	-	3091	W02	Steam	6000	4900000015	Manual	3550	-
Jarangdih PF-II Siding	Rail	Govindpur Ph-II OCP	LS21	W04	(-)100mm	4000	4100000023	Payloader	2590	100%	
15	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Karo OCP	54000		W04		ROM			2590	3367	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Karo OCP	Road	-	3036	W04	ROM	50000	4900000015	Payloader	2590	-
KARGALI-II (KWJP) Siding	Rail	Karo OCP	LS20	W04	(-)100mm	4000	4100000023	Payloader	2590	60-80%	
		AKK OCP		W04	(-)100mm		4100000023	Payloader	2590	20-40%	
16	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	AKK OCP	123900		W04		ROM			2590	3367	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	AKK OCP	Road	-	3037	W04	ROM	119900	4900000015	Payloader	2590	-
JARANDIH-I(PSJA) Siding	Rail	AKK OCP	LS19	W04	(-)100mm	4000	4100000023	Payloader	2590	60-80%	
		Bokaro OCP		W04	(-)100mm		4100000023	Payloader	2590	20-40%	
17	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	AADOCH	64000		W03		ROM			2810	3653	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	AADOCH	Road	-	3054	W03	ROM	60000	4900000015	Payloader	2810	-
Dhori-I Siding	Rail	AADOCH	LS28	W03	(-)100mm	4000	4100000023	Payloader	2810	100%	
18	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Karma OCP	24000		G7		ROM			2533	3293	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Karma OCP	Road	-	3102	G7	ROM	20000	4900000014	Payloader	2533	-
NEW KUJU(KNSP) Siding	Rail	Topa OCP	LS24	W04	(-)100mm	4000	4100000023	Payloader	2590	5-25%	
		Tapin North OCP		W04	(-)100mm		4100000023		2590	15-35%	
		Karma OCP		G6	(-)100mm		4100000000		2754	50-70%	

19	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade		Floor Price
	Chainpur OC	15000		W04		ROM			2590		3367
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer (tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Chainpur OC	Road	-	3100	W04	ROM	15000	4900000015	Payloader	2590	-
20	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade		Floor Price
	Ashoka OC	104000		G11		ROM			1181		1536
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer (tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Ashoka OC	Road	-	3126	G11	ROM	100000	4900000014	Payloader	1181	-
	Rajdhar (RDML) Siding	Rail	Ashoka OC	LS03	G11	(-)100mm	4000	4100000000	Payloader	1181	100%
21	Name	Total offer		Representative Grade		Representative Size			Modulated price of representative grade		Floor Price
	Tetariakhar OCP	20000		G12		ROM			1098		1428
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer (tes	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Tetariakhar OCP	Road	-	3134	G12	ROM	20000	4900000014	Payloader	1098	-

NOTE:

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, GST Compensation cess, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website www.centralcoalfields.in for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 23.04.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-
GM (M&S)

Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in April'25 (PHASE II)

SERVICE PROVIDER :-

MJunction Ltd

DATED:-

07.05.2025

	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price
	Rajrappa OCP		39000		W02		ROM			3280	4264
1	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes ↓	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Rajrappa OCP	Road	-	3137	W02	ROM	35000	4900000015	Payloader	3280	-
	Rajrappa Washery Siding (Wharf)	Rail	Rajrappa OCP	LS25	W04	(-)100mm	4000	4100000023	Payloader	2590	100%
	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price
	Kabribad OCP		5000		G6		Steam			3024	3932
2	Cluster Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes ↓	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Kabribad OCP	Road	-	3059	G6	Steam	1000	4900000014	Payloader	3024	-
	CP Siding	Rail	Kabribad OCP	LS30	G8	(-)100mm	4000	4100000000	Payloader	1926	100%
	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price
	North Urimari OCP		14000		G6		ROM			2754	3581
3	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes ↓	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Birsa OCP	Road	-	3020	G6	ROM	10000	4900000014	Payloader	2754	-
	NUGP Silo	Rail	Birsa OCP Urimari	LS34	G8 G8	(-)100mm	4000	4100000000 4100000000	Silo	1926 1926	65-85% 15-35%
	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price
	Dakra OCP		14000		G11		ROM			1181	1536
4	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes ↓	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Dakra OCP	Road	-	3119	G11	ROM	10000	4900000014	Payloader	1181	-
	Dakra siding	Rail	Dakra OCP Churi UG	LS17	G11 G7	(-)100mm	4000	4100000000 4100000000	Payloader Payloader	1181 2533	40-60% 40-60%
	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price
	Jarangdih OCP		9000		W03		Steam			3080	4004
5	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes ↓	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Jarangndih OCP	Road	-	3088	W03	Steam	5000	4900000015	Manual	3080	-
	Jarangndih PF-II Siding	Rail	Jarangndih OCP Govindpur Ph-II OCP	LS21	W04 W04	(-)100mm	4000	4100000023	Payloader	2590 2590	40-60% 40-60%
	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price
	Topa OCP		14000		W04		ROM			2590	3367
6	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes ↓	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Topa OCP	Road	-	3101	W04	ROM	10000	4900000015	Payloader	2590	-
	NEW KUJU(KNSP) Siding	Rail	Topa OCP Tapin North OCP Karma OCP	LS24	W04 W04 G6	(-)100mn (-)100mm (-)100mm	4000	4100000023 4100000000	Payloader	2590 2590 2754	5-25% 15-35% 50-70%

NOTE:

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, GST Compensation cess, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website www.centralcoalfields.in for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster.
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 23.04.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-
GM (M&S)

Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in April'25 (PHASE II)

SERVICE PROVIDER :-

MJunction Ltd

DATED:-

08.05.2025

1	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Rajrappa OCP Steam Coal		24000		W03		Steam			3080	4004	
	Offer Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	
	Rajrappa OCP		Road	-	3137	W03	Steam	20000	4900000015	Manual	3080	-
	Rajrappa Washery Siding (Wharf)		Rail	Rajrappa OCP	LS25	W04	(-)100mm	4000	4100000023	Payloader	2590	100%
2	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	AKK OCP		4100		W04		ROM			2590	3367	
	Offer Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	
	AKK OCP		Road	-	3037	W04	ROM	100	4900000015	Payloader	2590	-
	KONAR (KCC) siding		Rail	AKK OCP	LS33	W04	(-)100mm	4000	4100000023	Payloader	2590	100%
3	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Topa OCP		24000		SHII		ROM			4169	5420	
	Offer Description											
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(tes \\	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries	
	Topa OCP		Road	-	3101	SHII	ROM	20000	4900000015	Payloader	4169	-
	NEW KUJU(KNSP) Siding	Rail	Topa OCP	LS24	W04	(-)100mm	4000	4100000023	Payloader	2590	5-25%	
Tapin North OCP			W04		(-)100mm	4100000023		2590		15-35%		
Karma OCP			G6		(-)100mm	4100000000		2754		50-70%		

NOTE:

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, GST Compensation cess, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website www.centralcoalfields.in for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 23.04.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-
GM (M&S)

Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in April'25 (PHASE II)

SERVICE PROVIDER :-

MJunction Ltd

DATED:-

09.05.2025

1	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Rajrappa Washery G5 Slurry		20000		G5		Slurry			2997	2997	
	Offer Description											
	Source		Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes \	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Rajrappa Washery		Road	-	3139	G5	Slurry	20000	4100000026	Manual	2997	-
2	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Rajrappa Washery G7 Slurry		20000		G7		Slurry			2533	2533	
	Offer Description											
	Source		Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes \	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Rajrappa Washery		Road	-	3139	G7	Slurry	20000	4100000026	Manual	2533	-
3	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Rajrappa Washery Rejects		5000		G14		Rejects			927	1206	
	Offer Description											
	Source		Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes \	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Rajrappa Washery		Road	-	3139	G14	Rejects	5000	4100000030	Manual	927	-
4	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Kedla Washery		10000		G4		Slurry			3279	3279	
	Offer Description											
	Source		Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes \	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Kedla Washery		Road	-	3076	G4	Slurry	10000	4100000026	Payloader	3279	-
5	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Kedla Washery		8000		G12		Rejects			1098	1428	
	Offer Description											
	Source		Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding
	Kedla Washery		Road	-	3076	G12	Rejects	8000	4100000030	Payloader	1098	-

6	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Kathara Washery		10000		G9		SLY			1502	1502	
	Offer Description											
	Source		Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuatn on Qty under Offer(tes \	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Kathara Washery		Road	-	3094	G9	SLY	10000	4100000026	Payloader	1502	-
7	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Piparwar Washery Rejects		3000		G15		Rejects			735	956	
	Offer Description											
	Source		Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuatn on Qty under Offer(tes \	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Piparwar Washery		Road	-	3128	G15	Rejects	3000	4100000030	Manual	735	-
8	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Piparwar Washery Slurry		1000		G12		Slurry			1098	1098	
	Offer Description											
	Source		Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuatn on Qty under Offer(tes \	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Piparwar Washery		Road	-	3128	G12	Slurry	1000	4100000026	Manual	1098	-
9	Name		Total offer		Representative Grade		Representative Size			Modulated price of representative grade	Floor Price	
	Piparwar Washery Non Coking Washed Coal		5000		NCWC		NCWC			2297	2987	
	Offer Description											
	Source		Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuatn on Qty under Offer(tes \	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Piparwar Washery		Road	-	3128	NCWC	NCWC	5000	4100000024	Payloader	2297	-

NOTE:

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, GST Compensation cess, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website www.centralcoalfields.in for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 23.04.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-
GM (M&S)