



ECL/KOL/M&S/ SPOT E-AUCTION/HOD/ 334

Dated: 19.11.2019

SUB : SPOT E -AUCTION OFFER

TO : M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK-DP, SECTOR-V, SALT LAKE ,KOLKATA –91.

FROM: HOD , ECL SALES OFFICE, KOLKATA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on **27TH OF NOVEMBER, 2019**. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

OFFER BY ROAD MODE

Area	Source	Colliery Code	Range/ Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price (Rs)	Weighbridge Details
Bankola	Shankerpur:: Bonbahal (R-VII) / R-VIIA	9564	6101-6400/ G4	6250	STM (-100 MM)	2500	4088	SHANKERPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Bankola	Shyamsunderpur:: Jambad (R-VIII T2 & T1)/ Bankola (R-VII)	9559	6101-6400/ G4	6250	STM (-100 MM)	5000	4088	SSPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE: 0 TO 0.5 KMS
Kajora	CENTRAL KAJORA:: LOWER KAJORA (R-VIIIT)	9233	6401-6700/ G3	6550	STM (-250 MM)	2000	4268	Central Kajora Colliery Sdg. Location Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46m
Kajora	JAMBAD OCP:: JAMBAD (R-VIII)	9256	6101-6400/ G4	6250	STM (-250 MM)	6000	4088	Location: Moti Bazar, near Jambad OCP, Capacity-60 MT, Dimension-9 m X 3 m
Kajora	JAMBAD::KENDA (R-VI)	9178	6401-6700/ G3	6550	STM (-250 MM)	4500	4268	LINKED WB-JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. - 6.13 M X 2.48 M
Kajora	KHAS KAJORA:: LOWER KAJORA (R-VIIIT)	9257	6401-6700/ G3	6550	STM (-250 MM)	5000	4268	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Kajora	PARASCOLE:: JAMBAD (R-VIII)	9181	6101-6400/ G4	6250	STM (-250 MM)	4000	4088	Located near Parascole colliery adjacent to Parascole west siding: Capacity

								60mt Dimension 9mX3m
Kenda	CHORA 10PIT:: CHORA (R-VI)	9333	6101-6400/ G4	6250	STM (-250 MM)	1000	4088	NAME:CHORA 7/9 LOCATION:CHOR A 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 2.4 KM
Kenda	CHORA 7/9:: CHORA (R-VI)	9332	6101-6400/ G4	6250	STM (-250 MM)	2000	4088	CHORA 7/9 LOCATION:CHOR A 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 200 MTRS
Kenda	CHORA BLOCK MINE:: BONBAHAL BOT(R-VIIA)	9208	5801-6100/ G5	5950	STM (-250 MM)	1000	3759	Bonbahal OCP WB, Location : Near Bonbahal Police Out Post, Capacity : 60 Tonnes, Dimension 9x3 m
Kenda	SANKARPUR OCP:: JAMBAD (R-VIII)	9276	6101-6400/ G4	6250	STM (-250 MM)	7000	4088	Weigh Bridge at the entry of Mine premises.: Capacity-60 Te : Dimension - 9MX3M
Kunustoria	BANSRA:: KENDA (R- VI)	9277	6401-6700/ G3	6550	STM (-100 MM)	5000	4268	Near Bansra Sdg, CAP: 50 Te, DIM- 9M X 3 M
Kunustoria	KUNUSTORIA:: KENDA (R - V / VI)	9316	6401-6700/ G3	6550	STM (-100 MM)	5000	4268	Location:Kunustori a Stockyard ,Cap:- 30Te :Dim- 7.5MX3M
Pandaveswar	KHOTTADIH CHP:: SAMPLA SEAMOF KHOTTADIH	9175	6401-6700/ G3	6550	STM (-100 MM)	7000	4268	PANDAVESWAR WB; CAPACITY- 60 TE LOCATION NEAR PANDAVESWAR COLLIERY, DIM 354.33" X 118.11"
Pandaveswar	KHOTTADIH OCP : : KENDA TOP &BOTTOM (R- V)	9300	5801-6100 / G5	5950	STM (-250 MM)	3000	3759	KHOTTADIH OCP WB; CAPACITY- 50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M
Satgram	NIMCHA:: NEGA(R-VIII) & NARAINKURI (R-VII)	9309	6101-6400/ G4	6250	STM (-250 MM)	3500	4088	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3MX 9M
Sonepur Bazari	SONPUR BAZARI PROJ:: CHORA(R-VI)/ Dobrana (R- V)/Chinchuria (R- IV)	9220	6101-6400/ G4	6250	STM (-250 MM)	21000	4088	SONEPUR PROJ. W.B. NEAR S. BAZARI PROJ, CAP-50 TE, DIM- 17M X 3M

OFFER BY RAIL MODE

Area	Source	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer (in rake)	Reserve Price	Weighbridge Details
Kunustoria	CHA-II(P)	6101-6400 / G4	6250	STM(-100MM)	2	4088	SONACHARA: ; CAP-100 TES
Bankola	UKA IV (Bankola I)	6101-6400 / G4	6250	STM(-100MM)	12	4088	Andal Railway Weigh Bridge , : 100M
Salanpur	SLS - I	5501-5800 / G6	5650	STM(-100MM)	15	3493	DALMIYA RLWAY WB, NEAR SALANPUR STATION

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited (www.coalindia.in). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

“Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.

Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction.

Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.

Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply.”