

ECL/KOL/M&S/ SPOT E-AUCTION/HOD/ 109

Dated: 20.06.2019

SUB : SPOT E -AUCTION OFFER

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on **27TH OF JUNE, 2019**. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

OFFER BY ROAD MODE

Area	Source	Colliery Code	Range/ Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price (Rs)	Weighbridge Details
Jhanjra	Jhanjra Project - 3 & 4 Incline :: Bonbahal (R-VII)/ R-VIIIA	9324	5801-6100 / G5	5950	STM (-100 MM)	2500	3759	3 & 4 Road WB; Capacity : 50 Te; Dimension: 9 x 3 mts
Kajora	CENTRAL KAJORA:: LOWER KAJORA (R-VIIIT)	9233	6401-6700/ G3	6550	STM (-250 MM)	1500	4268	Central Kajora Colliery Sdg. Location Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46m
Kajora	JAMBAD::KENDA (R-VI)	9178	6401-6700/ G3	6550	STM (-250 MM)	5500	4268	LINKED WB-JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. - 6.13 M X 2.48 M
Kajora	KHAS KAJORA:: LOWER KAJORA (R-VIIIT)	9257	6401-6700/ G3	6550	STM (-250 MM)	6500	4268	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Kajora	NABAKAJORA:: SONACHORA(R - VIIIB)	9206	6101-6400/ G4	6250	STM (-250 MM)	1500	4088	Located adjacent to Nabakajora siding: Capacity 60mt Dimension 9m X 3m
Kajora	PARASCOLE:: JAMBAD (R-VIII)	9181	6101-6400/ G4	6250	STM (-250 MM)	3500	4088	Located near Parascole colliery adjacent to Parascole west siding: Capacity 60mt Dimension 9mX3m
Kenda	CHORA 7/9:: CHORA (R-VI)	9332	6101-6400/ G4	6250	STM (-250 MM)	2500	4088	CHORA 7/9 LOCATION:CHORA 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 200 MTRS

Kenda	SANKARPUR OCP:: JAMBAD (R-VIII)	9276	6101-6400/ G4	6250	STM (-250 MM)	2500	4088	Weigh Bridge at the entry of Mine premises.: Capacity-60 Te : Dimension - 9MX3M
Kenda	SIDULI COLLIERY:: BONBAHAL (R-VII / R- VIA)	9120	5801-6100/ G5	5950	STM (-250 MM)	1500	3759	Name: Siduli Colliery Location: Sankarpur OCP Capacity: 60 Tones Dimention: 9X3 Mtrs. Distance: 1.8 Km.
Pandaveswar	MANDERBONI:: SAMLA (R-- II & III)/ PURUSOTTAMPUR (R- IV)	9318	6101-6400/ G4	6250	STM (-250 MM)	2000	4088	Manderboni WB, Location:- 5&6 pit, Cap-60 Te Dim:- 9.1M X 3 M
S.P.Mines	CHITRA A OC:: SAHARJORI/PATRIKA	9163	6401-6700/ G3	6550	STM (-250 MM)	40000	4268	Linked WB- Chitra, A / Chitra-B Capacity- 40 te & 60 te, resp Dimension - 9 m x 3 m
Salanpur	BONJEMEHARI OCP:: SALANPUR A & B (B-II & B-III)	9186	5801-6100/ G5	5950	STM (-250 MM)	2000	3759	Linked WB- BONJEMEHARI, Capacity- 30 te, Location- Near BONJEMEHARI OFFICE, Dimension - 7.5m x 2.7
Salanpur	DABOR OCP:: SALANPUR'A (B- II)	9239	5501-5800/ G6	5650	STM (-250 MM)	4000	3493	Linked WB- DABOR COLLY, Capacity- 25 te, Location- Near - Dabor Colly
Satgram	J.K.NAGAR:: BOGRA(R-VI) & SATGRAM (R - V)	9310	6101-6400/ G4	6250	STM (-250 MM)	3000	4088	Modern Satgram Coal Depot Road WB; Location: Modern Satgram Siding. Cap- 50 Te, Dim: 9M X 3M
Satgram	NIMCHA:: NEGA(R-VIII) & NARAINKURI (R-VII)	9309	6101-6400/ G4	6250	STM (-250 MM)	4000	4088	Nimcha Road WB near Nimcha Colliery Siding, Capacity-30 Te Dimension:- 3M X 9M
Sodepur	CHINAKURI 3 PIT:: BORACHAK (R- VIII)	9265	6101-6400/ G4	6250	STM (-250 MM)	1000	4088	Chinakuri Road W.B. Cap-30 Te Dim-29'5" X 9'10"
Sodepur	DHEMOMAIN:: SRIPUR(R--VI)	9245	5801-6100/ G5	5950	STM (-250 MM)	500	3759	Dhemomein coal Depot Cap:-60Te 43'X11'
Sodepur	DUBESWARY:: HIJULI(R- VIII)	9218	6101-6400/ G4	6250	STM (-250 MM)	1000	4088	Dubswari Colliery Road Weighbridge; Size: 9x3m; Capacity: 30MT; Loc: Inside Dubswari Colly. Premises
Sodepur	NARSAMUDA:: NARSAMUDA (R-X)	9128	6101-6400/ G4	6250	STM (-250 MM)	1500	4088	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43' X 11'
Sodepur	PARBELIA:: HIJULI (R- VIII)	9266	6101-6400/ G4	6250	STM (-250 MM)	1500	4088	Weigh Bridge at Parbelia Colly, Capacity- 60 TE, EPS, Dimension- 12 M X 3 M

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited (www.coalindia.in). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

“Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.

Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction.

Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.

Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply.”