



CENTRAL COALFIELDS LIMITED
A Miniratna Company
(Govt. of India Undertaking)
Marketing & Sales Department
Reg. Office: Darbhanga House, Ranchi
Jharkhand – 834 001
Phone/Fax: (0651) 2360369
CIN NO: U10200JH1956GOI000581
E-mail: gmsnm.ccl@coalindia.in
Web: <https://www.centralcoalfields.in>

संख्या: CCL/HQ/C-4/e-Auction/2024-25/ 2287

सूचना / NOTICE

SALE OF COAL THROUGH SINGLE WINDOW MODE AGNOSTIC E-AUCTION
PHASE-XIII of FY 2024-25

It is for information of all Buyers that "Single Window Mode agnostic e auction" through CIL E-auction scheme 2022 has been introduced by CIL. **CENTRAL COALFIELDS LTD., Ranchi** (A subsidiary of **COAL INDIA LTD.**) has scheduled to hold Single Window Mode agnostic E-Auction for sale of Coal & Coal Products on **20th and 21st December 2024.**

Sale of coal/ Washery products through E-Auction will cover all buyers including Consumers as well as Traders. Such consumers / traders, will have to register themselves with the service provider M/s M-Junction by visiting Website www.coaljunction.in. Though registration will be a continuous process, only those who deposit Bid Security with service provider shall be allowed to participate in e-Auction to be held on **20th and 21st December 2024.** PARTICIPANTS OF E-AUCTION MAY PLEASE NOTE THAT **Bid Security** FOR ANY TYPE OF COAL WILL BE **₹ 150/- PER TONNE.**

The e-Auction shall be conducted as per the "Terms and Conditions of CIL e-auction scheme 2022 (updated on 25-11-24)".

Service Provider wise e-Auction schedule is as follows:

Service Provider
MJunction Ltd
MJunction Ltd

Auction date
20th December 2024
21st December 2024

Details of M/s M junction is as under:

Godrej Water Side, Tower 1, 3rd Floor,
Plot No.5, Block DP Sector V, Salt Lake City
Kolkata – 700091
E-mail: coaljunction@mjunction.in

Contact Persons at M/s Mjunction:

(Toll Free) | 1800 419 20001
Website <http://www.coaljunction.in>

Contact Persons at CCL:

Sri Deepankar Singh, Mgr. (M&S) | 8521331307
Sri Progyan Das, Dy. Mgr. (M&S) | 9471526287

Contact Details of CCL:

Website: <http://www.centralcoalfields.in>
Fax: 0651 – 2360369

All concerned are requested to contact M/s MJunction Ltd. on the above website address or by visiting M/s MJunction Ltd., Ranchi or Office of the GM (M&S), CCL, Ranchi on the above address or at the addresses given in the above websites for collection of further details regarding the E-Auction, such as Products offered, Quantity, Sources/ Grades, Floor Prices & Other Statutory Charges, & other Terms & Conditions.

afh 13/12/24
General Manager (M & S)

Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in Dec'24 (PHASE XIII)

SERVICE PROVIDER :-

Mjunction Ltd

DATED:-

20.12.2024

1	Source	Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price
		Rajrappa OCP	32000		W04			ROM			2573
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (In Rs./Tes.)	Supply pattern from feeding collieries
	Rajrappa OCP	Road	-	3137	W04	ROM	20000	490000015	Payloader	2573	-
	Rajrappa Washery Siding (Wharf)	Rail	Rajrappa OCP	LS25	W04	(-)100mm	12000	410000023	Payloader	2573	100%
2	Source	Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price
		Rajrappa Washery	30000		WMCC			-			7612
	Cluster Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (In Rs./Tes.)	Supply pattern from feeding collieries
	Rajrappa Washery	Road	-	-	WMCC	-	10000	410000028	Manual	7612	-
	Rajrappa Washery	Rail	Rajrappa Washery	LS25	WMCC	-	20000	410000028	Chute	7612	100%
3	Source	Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price
		Rajrappa Washery	18000		G5			-			2977
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (In Rs./Tes.)	Supply pattern from feeding collieries
	Rajrappa Washery	Road	-	3139	G5/Slurry	-	18000	410000026	Manual	2977	-
4	Source	Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price
		Rajrappa Washery	2000		G9			-			1492
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (In Rs./Tes.)	Supply pattern from feeding collieries
	Rajrappa Washery	Road	-	3139	G9/Slurry	-	2000	410000026	Manual	1492	-
5	Source	Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price
		Rajrappa Washery	5000		Washed Coal Power			-			3705
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (In Rs./Tes.)	Supply pattern from feeding collieries
	Rajrappa Washery	Road	-	3139	WCP	-	5000	410000029	Manual	3705	-
6	Source	Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price
		Kedla Washery	50000		WMCC			(-)50mm			7612
	Cluster Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (In Rs./Tes.)	Supply pattern from feeding collieries
	Kedla Washery	Road	-	-	WMCC	(-)50mm	10000	410000028	Payloader	7612	-
	Chainpur(SCSC) siding	Rail	Kedla Washery	LS15	WMCC	(-)50mm	40000	410000028	Payloader	7612	100%
7	Source	Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price
		Gidi A	14000		G8			ROM			1913
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (In Rs./Tes.)	Supply pattern from feeding collieries
	Gidi A	Road	-	3007	G8	ROM	10000	490000014	Payloader	1913	-
	Saunda-B Siding	Rail	Gidi A	LS26	G8	(-)100mm	4000	490000014	Payloader	1913	5-25%
			Ujirmari		G8			490000014	Payloader	1913	30-50%
			Bhurkunda		G8			490000014	Payloader	1913	30-50%
			Sayal		G10			490000015	Payloader	1347	5-25%
					G9			490000014	Payloader	1492	20-40%
8	Source	Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price
		Gidi C	50000		G11			ROM			1173
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (In Rs./Tes.)	Supply pattern from feeding collieries
	Gidi C	Road	-	3006	G11	ROM	50000	490000014	Payloader	1173	-

	Source	Total offer	Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	
9	Religara	10000	G8			ROM			1913	2487	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Religara	Road	-	3009	G8	ROM	10000	490000014	Payloader	1913	-
10	SDOCM	54000	W03			ROM			2792	3630	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
		SDOCM	Road	-	3046	W03	ROM	50000	490000015	Payloader	2792
	Tarmi Siding	Rail	SDOCM	LS27	W03	(-)100mm	4000	410000023	Payloader	2792	100%
11	AADOCM	34000	W03			ROM			2792	3630	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
		AADOCM	Road	-	3054	W03	ROM	30000	490000015	Payloader	2792
	Dhori-II Siding	Rail	SDOCM	LS29	W03	(-)100mm	4000	410000023	Payloader	2792	100%
12	AKK OCP	19000	W04			ROM			2573	3345	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
		AKK OCP	Road	-	3037	W04	ROM	15000	490000015	Payloader	2573
	JARANDIH-I(PSJA) Siding	Rail	AKK OCP	LS19	W04	(-)100mm	4000	410000023	Payloader	2573	100%
13	Karo OCP	40000	W04			ROM			2573	3345	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuat on Qty under Offer(te s)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Karo OCP	Road	-	3036	W04	ROM	40000	490000015	Payloader	2573	-

NOTE:

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, GST Compensation cess, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website www.centralcoalfields.in for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 12.07.2024 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-
GM (M&S)

Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in Dec'24 (PHASE XIII)

SERVICE PROVIDER :-

Mjunction Ltd

DATED:-

21.12.2024

	Source	Total offer	Representative Grade		Representative Size				Modulated price of representative grade	Floor Price	
1	Rajrappa OCP Steam Coal	28000	W03		Steam				3062	3981	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Rajrappa OCP	Road	-	3137	W03	Steam	20000	4900000015	Manual	3062	-
	Rajrappa Washery Siding (Wharf)	Rail	Rajrappa OCP	LS25	W04	(-)100mm	8000	4100000023	Payloader	2573	100%
2	AKK OCP	19000	W05		(-)100mm				2296	2985	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	AKK OCP	Road	-	3037	W05	(-)100mm	15000	4900000015	Payloader	2296	-
	JARANDIH-I(PSJA) Siding	Rail	AKK OCP	LS19	W04	(-)100mm	4000	4100000023	Payloader	2573	100%
3	Karma OCP	19000	G6		ROM				2737	3559	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Karma OCP	Road	-	3102	G6	ROM	15000	4900000014	Payloader	2737	-
	NEW KUJU(KNSP) Siding	Rail	Karma OCP	LS24	G6	(-)100mm	4000	4100000000	Payloader	2737	100%
4	Chainpur OC	10000	W04		ROM				2573	3345	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Chainpur OC	Road	-	3100	W04	ROM	10000	4900000015	Payloader	2573	-
5	Ashoka OC	90000	G11		ROM				1173	1525	
	Offer Description										
	Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuati on Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
	Ashoka OC	Road	-	3126	G11	ROM	70000	4900000014	Payloader	1173	-
	Rajdhra (RDML) Siding	Rail	Ashoka OC	LS03	G9	(-)100mm	20000	4100000000	Payloader	1492	100%

6	Source	Total offer	Representative Grade		Representative Size				Modulated price of representative grade	Floor Price
		Tetariakhar OCP	50000	G11		ROM				1173
	Offer Description									
Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuation Qty under Offer (tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
Tetariakhar OCP	Road	-	3134	G11	ROM	50000	4900000014	Payloader	1173	-
7	Source	Total offer	Representative Grade		Representative Size				Modulated price of representative grade	Floor Price
	Piparwar Washery	10000	G15		Rejects				730	949
	Offer Description									
Source	Mode	Feeding Collieries	Plant Code	Grade	Size	Evacuation Qty under Offer (tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Supply pattern from feeding collieries
Piparwar Washery	Road	-	3128	G15/Reject	-	10000	4100000030	Manual	730	-

NOTE:

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
 - In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
 - Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
 - In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, GST Compensation cess, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
 - Price is available on company website www.centralcoalfields.in for non-coking & coking coal.
 - The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
 - Bid Security for all types of coal will be ₹ 150/- per tonnes.
 - All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
 - In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
 - The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
 - Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
 - Auction shall be conducted on the floor price i.e. reserve price for each cluster
 - Percentage premium will remain constant throughout lifting period of the particular e-auction.
 - Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
 - Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
 - Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
 - In case of Washed Medium Coking Coal (WMCC), the price notification dated 12.07.2024 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
 - The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.
- * The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-
GM (M&S)