



## Eastern Coalfields Limited

(A subsidiary of Coal India Limited)

COAL HOUSE

13, R. N. MUKHERJEE ROAD

Kolkata 700001

Phone – 033-2248 6266/67/68

CIN – U10101WB1975GOI030295

Fax -033 2248 0512

Email : [eclrmukherjee@yahoo.co.in](mailto:eclrmukherjee@yahoo.co.in)

**Provisional GSTIN No.of Eastern Coalfields Ltd.**

ECL – JHARKHAND : 20AAACE7590E3ZX

ECL – WEST BENGAL : 19AAACE7590E1ZI

ECL/KOL/S&M/ SPOT E-AUCTION/

Dated: 21.08.2018

SUB : SPOT E -AUCTION OFFER

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD on 30TH OF AUGUST, 2018. THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

### OFFER BY ROAD MODE

Area	Source	Colliery Code	Range / Grade	Mid GCV (Kcal/kg)	Size	Offer Qty (MT)	Reserve Price Rs)	Weighbridge Details
Bankola	Kumardihi-A:: R-VIIA / R-VIIB	9561	6101-6400/ G4	6250	STM (-100MM)	1000	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:0 TO 0.5 KMS
Bankola	Tilboni:: Jambad (R-VIII) / R-VIIA / Bonbahal (R-VII)	9563	6101-6400/ G4	6250	STM (-100MM)	1000	4088	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES, DISTANCE:1 TO 1.5 KMS
Jhanjra	Jhanjra Project - 3 & 4 Incline :: Bonbahal (R-VII)/ R-VIIA	9324	5801-6100 / G5	5950	STM (-100MM)	2000	3759	3 & 4 Road WB; Capacity : 50 Te; Dimension: 9 x 3 mts
Jhanjra	JHANJRA Project-1&2 Incline:: Bonbahal(R-VII)/ R-VIIA	9337	5801-6100/ G5	5950	STM (-100MM)	3000	3759	1 & 2 Road WB; Capacity : 50 Te; Dimension: 9 x 3 mts
Kajora	MADHUSUDANPUR:: KAJORA (R-IX)	9258	6401-6700/ G3	6550	STM (-250MM)	800	4268	Location:Khas Kajora Sdg near pit-6, Capacity-60 Tonne Dim: 9M X 3M
Kajora	MADHABPUR:: SONACHORA (R - VIII B)	9272	6101-6400/ G4	6250	STM (-250MM)	700	4088	Linked WB -Near Pit No-11, adjacent to CMAT(P) Ltd's office, Capacity-60 Te , Dimension-9 M X 3M

Kenda	SIDULI COLLIERY:: BONBAHAL (R-VII / R-VIIA)	9120	5801-6100/ G5	5950	STM (-250MM)	1500	3759	Name: Siduli Colliery Location: Sankarpur OCP Capacity: 60 Tones Dimention: 9X3 Mtrs. Distance: 1.8 Km.
Kenda	CHORA BLOCK MINE:: BONBAHAL BOT(R-VIIA)	9208	5801-6100/ G5	5950	STM (-250MM)	1000	3759	Bonbahal OCP WB, Location : Near Bonbahal Police Out Post, Capacity : 60 Tonnes, Dimension 9x3 m
Kenda	LOWER KENDA:: DOBRANA ( R - V )	9236	6101-6400/ G4	6250	STM (-250MM)	1000	4088	Location: Near Chora 7 /9 Pit;Capacity: 50 Tones;Dimention: 9X3 Mtis.;Distance:0.8 Km.
Kenda	CHORA 10PIT:: CHORA (R-VI)	9333	6101-6400/ G4	6250	STM (-250MM)	1000	4088	NAME:CHORA 7/9 LOCATION:CH ORA 7/9 PIT, CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS, DISTANCE 2.4 KM
Kenda	C.L. Jambad:: Jambad R-VIII	9145	6101-6400/ G4	6250	STM (-250MM)	750	4088	Name: C L Jambad Location: Sankarpur OCP Capacity: 60 Tones Dimention: 9X3 Mtrs. Distance: 1.8 Km.
Mugma	LAKHIMATA(U/G) : : BRINDABANPUR(B-III)	9165	5801-6100 / G5	5950	STM (-250MM)	3500	3759	Linked WB-Centralpool, Cap-30 te, Loc-Centralpool, Dim -24'6" x 9'10", Upto 10 wheeler
Pandaveswar	DALURBAND OCP:: CHORA	9172	5801-6100/ G5	5950	STM (-100MM)	1500	3759	Location: SS Siding, Capacity-50Te Dim-9mX3m
Pandaveswar	MANDERBONI:: SAMLA ( R-- II & III)/ PURUSOTTAMPUR (R-IV)	9318	6101-6400/ G4	6250	STM (-250MM)	1500	4088	Manderboni WB, Location:- 5&6 pit, Cap-60 Te Dim:- 9.1M X 3 M
Pandaveswar	MADHAIPUR:: SAMLA( R-- II & III)	9279	6101-6400/ G4	6250	STM (-250MM)	1000	4088	Madhaipur WB, near coal depot Cap:60Te:: Dim-9.1MX3 M
S.P.Mines	CHITRA A OC:: SAHARJORI/PATRIKA	9163	6401-6700/ G3	6550	STM (-250MM)	25000	4268	Linked WB-Chitra,A / Chitra-B Capacity- 40 te & 60 te, resp Dimension - 9 m x 3 m

Salanpur	DABOR OCP:: SALANPUR'A ( B- I I )	9239	5501- 5800/ G6	5650	STM (-250MM)	3000	3493	Linked WB- DABOR COLLY, Capacity- 25 te, Location- Near - Dabor Colly
Sodepur	CHINAKURI 3 PIT:: BORACHAK (R- VIII)	9265	6101- 6400/ G4	6250	STM (-250MM)	500	4088	Chinakuri Road W.B. Cap-30 Te Dim-29'5" X 9'10"
Sodepur	DHEMOMAIN:: SRIPUR(R--VI)	9245	5801- 6100/ G5	5950	STM (-250MM)	750	3759	Dhemomein coal Depot Cap:-60Te 43'X11'
Sodepur	DHEMOMAIN:: BORACHAK (R--VIII)	9244	6101- 6400/ G4	6250	STM (-250MM)	500	4088	Dhemomein coal Depot Cap:-60Te 43'X11'

**NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION**

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited ( [www.coalindia.in](http://www.coalindia.in) ). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

*"Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.*

*Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction.*

*Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.*

*Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply."*